

# NACOmatic

Effective: 17-December-2009

Expires: 11-February-2010

**Your Ad Here**

~80,000 Page views/month

**Contact:**

Doug Ranz

248-318-0011

[NACOmatic@hotmail.com](mailto:NACOmatic@hotmail.com)



# Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <http://naco.faa.gov/index.asp?xml=naco/onlineproducts>

# Copyright

This compilation is protected by US copyright laws and international copyright treaties.

# Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

# Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.



01J	=>	46	LNA	=>	103
06FA	=>	106	MAI	=>	61
24J	=>	57	MCF	=>	58
28J	=>	76	MCO	=>	73
2IS	=>	32	MIA	=>	65
2RR	=>	84	MKY	=>	61
40J	=>	81	MLB	=>	63
42J	=>	53	MTH	=>	61
48X	=>	77	NDZ	=>	105
54J	=>	35	NIP	=>	52
68J	=>	91	NPA	=>	80
82J	=>	78	NQX	=>	54
83J	=>	78	NRB	=>	62
AAF	=>	26	NSE	=>	105
APF	=>	68	OBE	=>	70
AVO	=>	27	OCF	=>	70
BCT	=>	29	OMN	=>	75
BKV	=>	30	OPF	=>	66
BOW	=>	28	ORL	=>	71
CDK	=>	32	PAM	=>	96
CEW	=>	33	PBI	=>	104
CGC	=>	34	PCM	=>	82
CHN	=>	102	PFN	=>	77
CLW	=>	32	PGD	=>	83
COF	=>	78	PHK	=>	75
COI	=>	63	PIE	=>	87
CRG	=>	50	PMP	=>	82
CTY	=>	33	PNS	=>	79
DAB	=>	35	RSW	=>	43
DED	=>	36	SEF	=>	89
DTS	=>	36	SFB	=>	74
EGI	=>	37	SGJ	=>	85
EVB	=>	69	SPG	=>	86
EYW	=>	53	SRQ	=>	88
FHB	=>	39	SUA	=>	90
FLL	=>	41	TIX	=>	95
FMY	=>	43	TLH	=>	91
FPR	=>	44	TMB	=>	64
FXE	=>	40	TNT	=>	64
GIF	=>	107	TPA	=>	93
GNV	=>	45	TPF	=>	92
HEG	=>	50	TTS	=>	68
HRT	=>	48	VDF	=>	92
HST	=>	47	VNC	=>	101
HWO	=>	46	VPS	=>	99
IMM	=>	48	VQQ	=>	49
ISM	=>	72	VRB	=>	102
JAX	=>	51	XFL	=>	76
LAL	=>	56	XMR	=>	31
LCQ	=>	55	ZPH	=>	107
LEE	=>	57			



## GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the National Aeronautical Charting Office, FAA, Department of Transportation, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

## CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

**CRITICAL** information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

**FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE:** <http://nfdc.faa.gov/portal/airportchanges.do>

FAA, Aeronautical Information Services, ATO-R, Rm. 626  
800 Independence Ave., SW  
Washington, DC 20591  
Telephone 1-866-295-8236  
Fax 202-267-5322  
Email 9-ATOR-HQ-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

	Airport Information	Airspace Information*
Effective Date	Cut-off date	Cut-off date
17 Dec 09	4 Nov 09	15 Oct 09
11 Feb 10	30 Dec 09	10 Dec 09
8 Apr 10	24 Feb 10	4 Feb 10
3 Jun 10	21 Apr 10	1 Apr 10
29 Jul 10	16 Jun 10	27 May 10
23 Sep 10	11 Aug 10	22 Jul 10

\*Including changes to preferred routes and graphic depictions on charts.

**FOR CHARTING ERRORS CONTACT:**

FAA, National Aeronautical Charting Office, ATO-W  
SSMC-4 Sta. #2335  
1305 East West Highway  
Silver Spring, MD 20910-3281  
Telephone 1-800-626-3677  
Email [9-AMC-Aerochart@faa.gov](mailto:9-AMC-Aerochart@faa.gov)

Frequently asked questions (FAQs) are answered on our web site at [www.naco.faa.gov](http://www.naco.faa.gov).

See the FAQs prior to contact via toll free number.

**FOR PROCUREMENT CONTACT:**

FAA, National Aeronautical Charting Office  
Distribution Division, ATO-W  
10201 Good Luck Road  
Glenn Dale, MD 20769-9700  
Online at [www.naco.faa.gov](http://www.naco.faa.gov)  
Email [9-AMC-Chartsales@faa.gov](mailto:9-AMC-Chartsales@faa.gov)  
Telephone 1-800-638-8972  
Fax 301-436-6829  
or any authorized FAA Chart Agent

**New or Changed Information**—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.



## TABLE OF CONTENTS

General Information.....	Inside Front Cover
Abbreviations .....	2
Directory Legend .....	4
Airport/Facility Directory .....	
Alabama .....	22
Florida .....	66
Georgia.....	145
Kentucky.....	204
North Carolina .....	232
South Carolina.....	291
Tennessee .....	324
Puerto Rico .....	365
Virgin Islands .....	370
City/Military Airport Cross Reference .....	372
Seaplane Landing Areas .....	373
Special Notices.....	375
Regulatory Notices .....	388
FAA and National Weather Service .....	
Telephone Numbers .....	389
Key to Aviation Weather Reports .....	390
Air Traffic Facilities Telephone Numbers .....	392
Air Route Traffic Control Centers .....	394
Flight Service Station Communication Frequencies .....	396
Flight Standards District Offices.....	400
Routes/Waypoints .....	
Low Altitude Preferred Routes .....	401
Low Altitude Directional Routes .....	408
High Altitude Preferred Routes .....	408
High Altitude Directional Routes .....	451
Q-Routes.....	458
RNAV Routing Pitch and Catch Points .....	461
VFR Waypoints.....	472
VOR Receiver Check .....	482
Parachute Jumping Areas .....	489
Aeronautical Chart Bulletins .....	493
Supplemental Communication Reference .....	504
Airport Diagrams .....	510
National Weather Service (NWS) Upper Air Observing Stations .....	648
Enroute Flight Advisory Service (EFAS) .....	Inside Back Cover



## ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example—"req" may mean "request", "requesting", "requested", or "requests").

AAF	Army Air Field	byd	beyond
AB	Airbase	C	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control Center	CGAS	Coast Guard Air Station
acft	aircraft	CIV	Civil
ADCC	Air Defense Control Center	clsd	closed
AER	approach end rwy	comd	command
AFB	Air Force Base	CONUS	Continental United States
AFHP	Air Force Heliport	CSTMS	Customs
afld	airfield	ctc	contact
AFOD	US Army Flight Operations Detachment	ctl	control
AFRC	Armed Forces Reserve Center/Air Force Reserve Command	dalgt	daylight
AFSS	Automated Flight Service Station	Dec	December
AG	Agriculture	DIAP	DoD Instrument Approach Procedure
A-GEAR	Arresting Gear	DoD	Department of Defense
AGL	above ground level	DSN	Defense Switching Network (Telephone)
AHP	Army heliport	dspld	displaced
ALS	Approach Light System	durn	duration
alt	altitude	eff	effective
AMC	Air Mobility Command	emerg	emergency
ANGS	Air National Guard Station	EOR	End of Runway
apch	approach	ETA	Estimated Time of Arrival
Apr	April	ETD	Estimated Time of Departure
APU	Auxiliary Power Unit	exc	except
ARB	Air Reserve Base	extd	extend
arpt	airport	FBO	fixed-base operator
ARS	Air Reserve Station	Feb	February
AS	Air Station	fld	field
ASDE-X	Airport Surface Detection Equipment—Model X	FLIP	Flight Information Publication
ASU	Aircraft Starting Unit	flt	flight
ATC	Air Traffic Control	flw	follow
Aug	August	Fri	Friday
AUW	All Up Weight (gross weight)	FSS	Flight Service Station
avbl	available	GA	glide angle
bcn	beacon	GCA	Ground Controlled Approach
blo	below	GS	glide slope
		haz	hazard
		HQ	Headquarters

CONTINUED ON NEXT PAGE



## CONTINUED FROM PRECEDING PAGE

hr	hour	npi	non precision instrument
IAP	Instrument Approach Procedure	NS ABTMT	Noise Abatement
ICAO	International Civil Aviation Organization	NSTD	nonstandard
IFR	Instrument Flight Rules	ntc	notice
ILS	Instrument Landing System	obsn	observation
IM	Inner Marker	Oct	October
IMG	Immigration	OLF	Outlying Field
incr	increase	opr	operate, operator, operational
indef	indefinite	ops	operations
ints	intensity	OTS	out of service
invo	in the vicinity of	ovrn	overrun
IMC	Instrument Meteorological Conditions	PAEW	personnel and equipment working
Jan	January	pat	pattern
JASU	Jet Aircraft Starting Unit	p-line	power line
JOAP	Joint Oil Analysis Program	PMSV	Pilot-to-Metro Service
JOSAC	Joint Operational Support Airlift Center	POL	Petrol, Oils and Lubricants
JRB	Joint Reserve Base	PPR	prior permission required
Jul	July	PRM	Precision Runway Monitoring
Jun	June	PTD	Pilot to Dispatcher
Kt	Knots	RAMCC	Regional Air Movement Control Center
LAA	Local Airport Advisory	req	request
LAHSO	Land and Hold Short Operations	rgt tfc	right traffic
lbs	pounds	RON	Remain Overnight
ldg	landing	rqr	require
lgt	lighted	rstd	restricted
lgts	lights	RSRS	reduced same runway separation
LMM	Compass locator at Middle Marker ILS	rw	runway
LOC	Localizer	Sat	Saturday
LOM	Compass locator at Outer Marker ILS	SELF	Strategic Expeditionary Landing Field
ltd	limited	Sep	September
MACC	Military Area Control Center	SFA	Single Frequency Approach
Mar	March	sfc	surface
MCAF	Marine Corps Air Facility	SFRA	Special Flight Rules Area
MICALF	Marine Corps Auxiliary Landing Field	SOAP	Spectrometric Oil Analysis Program
MCAS	Marine Corps Air Station	SOF	Supervisor of Flying
MCB	Marine Corps Base	SPB	Seaplane Base
med	medium	SR	sunrise
METRO	Pilot-to-Metro voice call	SS	sunset
Mil	military	std	standard
min	minute	Sun	Sunday
MLS	Microwave Landing System	svc	service
MM	Middle Marker of ILS	tfc	traffic
Mon	Monday	thld	threshold
MP	Maintenance Period	Thu	Thursday
MSL	mean sea level	tkf	take-off
MSAW	minimum safe altitude warning	tmp	temporary
NAAS	Naval Auxiliary Air Station	tran	transient
NADC	Naval Air Development Center	Tue	Tuesday
NADEP	Naval Air Depot	twr	tower
NAEC	Naval Air Engineering Center	twy	taxiway
NAES	Naval Air Engineering Station	UC	Under Construction
NAF	Naval Air Facility	USA	United States Army
NALCO	Naval Air Logistics Control Office	USAF	United States Air Force
NALO	Navy Air Logistics Office	USCG	United States Coast Guard
NALF	Naval Auxiliary Landing Field	USN	United States Navy
NAS	Naval Air Station	V	Defense Switching Network (telephone, formerly AUTOVON)
NAWC	Naval Air Warfare Center	VFR	Visual Flight Rules
NAWS	Naval Air Weapons Station	VIP	Very Important Person
ngt	night	VMC	Visual Meteorological Conditions
NOLF	Naval Outlying Field	Wed	Wednesday
Nov	November	wx	weather



# DIRECTORY LEGEND

## SAMPLE

① CITY NAME  
 ② AIRPORT NAME (ALTERNATE NAME) (LTS) (KLTS) CIV/MIL 3 N UTC-6(-5DT) N34°41.93' W99°20.20' JACKSONVILLE  
 ③ 200 B S4 FUEL 100 OX 1 TPA-1000(800) AOE Class IV, ARFF Index A NOTAM FILE ORL Not insp. COPTER  
 ④ ⑤ ⑥ ⑦ ⑧ ⑨ H-46, L-19C IAP, DIAP, AD

⑩ RWY 18-36: H12004X200 (ASPH-CONC-GRVD)  
 S-90, D-160, DT-300 PCN 80 R/B/W/T HIRL CL  
 RWY 18: LDIN. MALSF. TDZL. REIL. PAPI(P2R)—GA 3.0° TCH 36'.  
 Thld displcd 300'. Trees. Rgt tfc. 0.3% up.  
 RWY 36: ALSF1. 0.4% down.  
 RWY 09-27: H6000X150 (ASPH) MIRL  
 RWY 173-353: H3515X150 (ASPH-PFC) AUW PCN 59 F/A/W/T

⑪ LAND AND HOLD SHORT OPERATIONS  
 LANDING HOLD SHORT POINT DIST AVBL  
 RWY 18 09-27 6500  
 RWY 36 09-27 5400

⑫ RUNWAY DECLARED DISTANCE INFORMATION  
 RWY 18: TORA-12004 TODA-12704 ASDA-11704 LDA-11504  
 RWY 36: TORA-12004 TODA-12004 ASDA-12004 LDA-11704

⑬ ARRESTING GEAR/SYSTEM  
 RWY 18 → HOOK E5 (65' OVRN) BAK-14 BAK-12B (1650')  
 BAK-14 BAK-12 (B) (1087') HOOK E5 (74' OVRN) ← RWY 36

⑭ MILITARY SERVICE: A-GEAR E-5 connected on dep end, disconnected on  
 apch end. JASU 3(AM32A-60) 2(A/M32A-86)

⑮ FUEL J8(Mil) (NC-100, A) FLUID W SP PRESAIR LOX ← ⑯  
 OIL O-128 TRAN ALERT Avbl 1300-0200Z†, svc limited weekends.

⑰ AIRPORT REMARKS: Special Air Traffic Rules—Part 93, see Regulatory Notices. Attended 1200-0300Z†. Parachute  
 Jumping. Deer invov arpt. Heavy jumbo jet training surface to 9000'. Twy A clsd indef. Flight Notification Service  
 (ADCUS) avbl.

⑱ MILITARY REMARKS: ANG PPR/Official Business Only. Base OPS DSN 638-4390, C503-335-4222. Ctc Base OPS 15  
 minutes prior to ldg and after dep. Limited tran parking.

⑳ WEATHER DATA SOURCES: AWOS-1 120.3 (202) 426-8000. LLWAS.

㉑ COMMUNICATIONS: SFA ATIS 127.25 273.5 (202) 426-8003 UNICOM 122.95 PTD 372.2  
 NAME FSS (ORL) on arpt. 123.65 122.65 122.2  
 NAME RCO 112.2T 112.1R (NAME RADIO)  
 ⑳ NAME APP/DEP CON 128.35 257.725 (1200-0400Z†)  
 TOWER 119.65 255.6 (1200-0400Z†) GND CON 121.7 GCO 135.075 (ORLANDO CLNC) CLNC DEL 125.55  
 NAME COMD POST (GERONIMO) 311.0 321.4 6761 PMSV METRO 239.8 NAME OPS 257.5


㉓ AIRSPACE: CLASS B See VFR Terminal Area Chart.

㉔ RADIO AIDS TO NAVIGATION: NOTAM FILE ORL. VHF/DF ctc FSS.  
 (H) VORTAC 112.2 MCO Chan 59 N28°32.55' W81°20.12' at fld. 1110/8E.  
 (H) TACAN Chan 29 CBU (109.2) N28°32.65' W81°21.12' at fld. 1115/8E.  
 HERNY NDB (LOM) 221 OR N28°37.40' W81°21.05' 177° 5.4 NM to fld.  
 ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.  
 ASR/PAR (1200-0400Z†)

㉕ COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

HELIPAD H1: H100X75 (ASPH)  
 HELIPAD H2: H60X60 (ASPH)  
 HELIPOINT REMARKS: Helipad H1 lctd on general aviation side and H2 lctd on air carrier side of arpt.

187 TPA 1000(813)  
 WATERWAY 15-33: 5000X425 (WATER)  
 SEAPLANE REMARKS: Birds roosting and feeding areas along river banks. Seaplanes operating adjacent to SW side of  
 arpt not visible from twr and are required to ctc twr.



All bearings and radials are magnetic unless otherwise specified.  
 All mileages are nautical unless otherwise noted.

All times are Coordinated Universal Time (UTC) except as noted.

All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.











The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).


















10

# SKETCH LEGEND







## RUNWAYS/LANDING AREAS

Hard Surfaced .....	
Metal Surface .....	
Sod, Gravel, etc. ....	
Light Plane, ....	
Ski Landing Area or Water	
Under Construction .....	
Closed .....	
Helicopter Landings Area .....	
Displaced Threshold .....	
Taxiway, Apron and Stopways ..	






## MISCELLANEOUS BASE AND CULTURAL FEATURES

Buildings .....	
Power Lines .....	
Fence .....	
Towers .....	
Tanks .....	
Oil Well .....	
Smoke Stack .....	
Obstruction .....	
Controlling Obstruction .....	
Trees .....	
Populated Places .....	
Cuts and Fills .....	
Cliffs and Depressions ..	
Ditch .....	
Hill .....	

## RADIO AIDS TO NAVIGATION

















VORTAC ...		VOR .....	
VOR/DME ..		NDB .....	
TACAN ....		NDB/DME ....	

## MISCELLANEOUS AERONAUTICAL FEATURES

Airport Beacon .....	
Wind Cone .....	
Landing Tee .....	
Tetrahedron .....	
Control Tower .....	

## APPROACH LIGHTING SYSTEMS

A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting system e.g. (A1) Negative symbology, e.g., (A1) indicates Pilot Controlled Lighting (PCL).

Runway Centerline Lighting .....	
(A) Approach Lighting System ALSF-2 ..	
(A1) Approach Lighting System ALSF-1 ..	
Short Approach Lighting System SALS/SALSF .....	
(A2) Simplified Short Approach Lighting System (SSALR) with RAIL .....	
(A3) Medium Intensity Approach Lighting System (MALSR and MALSF)/(SSALS and SSALF) .....	
(A4) Medium Intensity Approach Lighting System (MALSR) and RAIL .....	
(A5) Omnidirectional Approach Lighting System (ODALS) .....	
(D) Navy Parallel Row and Cross Bar ..	
(F) Air Force Overrun .....	
(V) Visual Approach Slope Indicator with Standard Threshold Clearance provided	
(V2) Pulsating Visual Approach Slope Indicator (PVASI)	
(V3) Visual Approach Slope Indicator with a threshold crossing height to accommodate long bodied or jumbo aircraft	
(V4) Tri-color Visual Approach Slope Indicator (TRCV)	
(V5) Approach Path Alignment Panel (APAP)	
(P) Precision Approach Path Indicator (PAPI)	



## LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Nav aids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

### ① CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

### ② ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

### ③ LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

### ④ OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

A	US Army	MC	Marine Corps
AFRC	Air Force Reserve Command	N	Navy
AF	US Air Force	NAF	Naval Air Facility
ANG	Air National Guard	NAS	Naval Air Station
AR	US Army Reserve	NASA	National Air and Space Administration
ARNG	US Army National Guard	P	US Civil Airport Wherein Permit Covers
CG	US Coast Guard		Use by Transient Military Aircraft
CIV/MIL	Joint Use Civil/Military	PVT	Private Use Only (Closed to the Public)
DND	Department of National Defense Canada		

### ⑤ AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

### ⑥ TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.



# **7 GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)**

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

# **8 CHARTS**

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER. IFR Gulf of Mexico West and IFR Gulf of Mexico Central will be depicted as GOMW and GOMC.

# **9 INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAM**

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5–4–5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

# **10 AIRPORT SKETCH**

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbolology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

# **11 ELEVATION**

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00'". When elevation is below sea level a minus "–" sign will precede the figure.

# **12 ROTATING LIGHT BEACON**

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

# **13 SERVICING—CIVIL**

S1: Minor airframe repairs.	S5: Major airframe repairs.
S2: Minor airframe and minor powerplant repairs.	S6: Minor airframe and major powerplant repairs.
S3: Major airframe and minor powerplant repairs.	S7: Major powerplant repairs.
S4: Major airframe and major powerplant repairs.	S8: Minor powerplant repairs.

# **14 FUEL**

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP** minus 50° C.
100	Grade 100 gasoline (Green)	J4 (JP4)	(JP–4 military specification) FP** minus 58° C.
100LL	100LL gasoline (low lead) (Blue)	J5 (JP5)	(JP–5 military specification) Kerosene with FS–11, FP** minus 46°C.
115	Grade 115 gasoline (115/145 military specification) (Purple)	J8 (JP8)	(JP–8 military specification) Jet A–1, Kerosene with FS–II*, FP** minus 47°C.
A	Jet A, Kerosene, without FS–II*, FP** minus 40° C.	J8+100	(JP–8 military specification) Jet A–1, Kerosene with FS–II*, FP** minus 47°C, with-fuel additive package that improves thermo stability characteristics of JP–8.
A+	Jet A, Kerosene, with FS–II*, FP** minus 40°C.	J	(Jet Fuel Type Unknown)
A1	Jet A–1, Kerosene, without FS–II*, FP** minus 47°C.	MOGAS	Automobile gasoline which is to be used as aircraft fuel.
A1+	Jet A–1, Kerosene with FS–II*, FP** minus 47° C.		
B	Jet B, Wide-cut, turbine fuel without FS–II*, FP** minus 50° C.		

\*(Fuel System Icing Inhibitor)

\*\*(Freeze Point)

**NOTE:** Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

# **15 OXYGEN—CIVIL**

OX 1 High Pressure	OX 3 High Pressure—Replacement Bottles
OX 2 Low Pressure	OX 4 Low Pressure—Replacement Bottles

# **16 TRAFFIC PATTERN ALTITUDE**

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.



**17 AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS**

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD) 407-975-1740

Southeast Sector (Atlantic States—DC, WV, VA to FL) 407-975-1780

Central Sector (Interior of the US, including Gulf states—MS, AL, LA) 407-975-1760

Southwest East Sector (OK and eastern TX) 407-975-1840

Southwest West Sector (Western TX, NM and AZ) 407-975-1820

Pacific Sector (WA, OR, CA, HI and AK) 407-975-1800

**18 CERTIFICATED AIRPORT (14 CFR PART 139)**

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

14 CFR PART 139 CERTIFICATED AIRPORTS  
AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	X			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	X	X		X
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	X	X	X	

**14 CFR—PART 139 CERTIFICATED AIRPORTS**

## INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
A	1	<90'	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H <sub>2</sub> O
B	1 or 2	≥90', <126' ----- ≥126', <159'	≥5 ----- <5	Index A + 1500 gal H <sub>2</sub> O
C	2 or 3	≥126', <159' ----- ≥159', <200'	≥5 ----- <5	Index A + 3000 gal H <sub>2</sub> O
D	3	≥159', <200' ----- >200'	<5	Index A + 4000 gal H <sub>2</sub> O
E	3	≥200'	≥5	Index A + 6000 gal H <sub>2</sub> O

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H<sub>2</sub>O—Water; DC—Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

**19 NOTAM SERVICE**

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and



ATC Procedures for detailed description of NOTAM's. Current NOTAMS are available from Flight Service Stations at 1-800-WX-BRIEF. Real time Military NOTAMS are available using the DoD Internet NOTAM Distribution System (DINS) [www.notams.jcs.mil](http://www.notams.jcs.mil).

## 20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

## 21 RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

### RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as Ultralight or assault strips. Assault strips are shown by magnetic bearing.

### RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

### RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat	(GRVL)—Gravel, or cinders	(PSP)—Pierced steel plank
(ASPH)—Asphalt	(MATS)—Pierced steel planking, landing mats, membranes	(RFSC)—Rubberized friction seal coat
(CONC)—Concrete	(PEM)—Part concrete, part asphalt	(TURF)—Turf
(DIRT)—Dirt	(PFC)—Porous friction courses	(TRTD)—Treated
(GRVD)—Grooved		(WC)—Wire combed

### RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757, KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body gear type landing gear (A340-600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination landing gear (C5).



AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
  - R — Rigid
  - F — Flexible
- (3) The pavement subgrade category:
  - A — High
  - B — Medium
  - C — Low
  - D — Ultra-low
- (4) The maximum tire pressure authorized for the pavement:
  - W — High, no limit
  - X — Medium, limited to 217 psi
  - Y — Low, limited to 145 psi
  - Z — Very low, limited to 73 psi
- (5) Pavement evaluation method:
  - T — Technical evaluation
  - U — By experience of aircraft using the pavement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

#### RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL—Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS—Omni Directional Approach Lighting System.

AF OVRN—Air Force Overrun 1000' Standard Approach Lighting System.

LDIN—Lead-In Lighting System.

MALS—Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF—Sequenced Flashing Lights.

OLS—Optical Landing System.

WAVE—OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.



## VISUAL GLIDESLOPE INDICATORS

APAP—A system of panels, which may or may not be lighted, used for alignment of approach path.

PNIL APAP on left side of runway

PNIR APAP on right side of runway

PAPI—Precision Approach Path Indicator

P2L 2-identical light units placed on left side of runway

P4L 4-identical light units placed on left side of runway

P2R 2-identical light units placed on right side of runway

P4R 4-identical light units placed on right side of runway

PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors.

PSIL PVASI on left side of runway

PSIR PVASI on right side of runway

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator

S2L 2-box SAVASI on left side of runway

S2R 2-box SAVASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.

TRIL TRCV on left side of runway

TRIR TRCV on right side of runway

VASI—Visual Approach Slope Indicator

V2L 2-box VASI on left side of runway

V6L 6-box VASI on left side of runway

V2R 2-box VASI on right side of runway

V6R 6-box VASI on right side of runway

V4L 4-box VASI on left side of runway

V12 12-box VASI on both sides of runway

V4R 4-box VASI on right side of runway

V16 16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

## PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07-25, MALSR Rwy 07, and VASI Rwy 07-122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

## RUNWAY SLOPE

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

## RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

## LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold-short operations and markings.

## RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off.

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided.

LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

## 22 ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a-gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A-Gear which has a bi-direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A-Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:



## BI-DIRECTIONAL CABLE (B)

<u>TYPE</u>	<u>DESCRIPTION</u>
BAK-9	Rotary friction brake.
BAK-12A	Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary friction brake.
BAK-12B	Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary friction brake.
E28	Rotary Hydraulic (Water Brake).
M21	Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to five seconds to fully raise the cable.)
H	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to one and one-half seconds to fully raise the cable.)

## UNI-DIRECTIONAL CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>
MB60	Textile brake—an emergency one-time use, modular braking system employing the tearing of specially woven textile straps to absorb the kinetic energy.
E5/E5-1/E5-3	Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100 HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under Military Service.

## FOREIGN CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>US EQUIVALENT</u>
44B-3H	Rotary Hydraulic (Water Brake)	
CHAG	Chain	E-5

## UNI-DIRECTIONAL BARRIER

<u>TYPE</u>	<u>DESCRIPTION</u>
MA-1A	Web barrier between stanchions attached to a chain energy absorber.
BAK-15	Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction, chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK-15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

## OTHER

<u>TYPE</u>	<u>DESCRIPTION</u>
EMAS	Engineered Material Arresting System, located beyond the departure end of the runway, consisting of high energy absorbing materials which will crush under the weight of an aircraft.

**23 MILITARY SERVICE**

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

**24 JET AIRCRAFT STARTING UNITS (JASU)**

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35-1-7.)

## ELECTRICAL STARTING UNITS:

A/M32A-86	AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack)
MC-1A	AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire DC: 28v, 500 amp, 14 kw
MD-3	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3A	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3M	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 500 amp, 15 kw



MD-4	AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva, 0.8 pf, 520 amp, 2 wire
<b>AIR STARTING UNITS</b>	
AM32-95	150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia
AM32A-95	150 +/- 5 lb/min @ 49 +/- 2 psia (35 +/- 2 psig)
LASS	150 +/- 5 lb/min @ 49 +/- 2 psia
MA-1A	82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press
MC-1	15 cfm, 3500 psia
MC-1A	15 cfm, 3500 psia
MC-2A	15 cfm, 200 psia
MC-11	8,000 cu in cap, 4000 psig, 15 cfm
<b>COMBINED AIR AND ELECTRICAL STARTING UNITS:</b>	
AGPU	AC: 115/200v, 400 cycle, 3 phase, 30 kw gen DC: 28v, 700 amp AIR: 60 lb/min @ 40 psig @ sea level
AM32A-60*	AIR: 120 +/- 4 lb/min (1644 +/- 55 cfm) at 49 +/- 2 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva DC: 28v, 500 amp, 15 kw
AM32A-60A	AIR: 150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
AM32A-60B*	AIR: 130 lb/min, 50 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.	
<b>USN JASU</b>	
<b>ELECTRICAL STARTING UNITS:</b>	
NC-8A/A1	DC: 500 amp constant, 750 amp intermittent, 28v; AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.
NC-10A/A1/B/C	DC: 750 amp constant, 1000 amp intermittent, 28v; AC: 90 kva, 115/200v, 3 phase, 400 Hz.
<b>AIR STARTING UNITS:</b>	
GTC-85/GTE-85	120 lbs/min @ 45 psi.
MSU-200NAV/A/U47A-5	204 lbs/min @ 56 psia.
WELLS AIR START SYSTEM	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.
<b>COMBINED AIR AND ELECTRICAL STARTING UNITS:</b>	
NCPP-105/RCPT	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC, 30 kva.
<b>JASU (ARMY)</b>	
59B2-1B	28v, 7.5 kw, 280 amp.
<b>OTHER JASU</b>	
<b>ELECTRICAL STARTING UNITS (DND):</b>	
CE12	AC 115/200v, 140 kva, 400 Hz, 3 phase
CE13	AC 115/200v, 60 kva, 400 Hz, 3 phase
CE14	AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp
CE15	DC 22-35v, 500 amp continuous 1100 amp intermittent
CE16	DC 22-35v, 500 amp continuous 1100 amp intermittent soft start
<b>AIR STARTING UNITS (DND):</b>	
CA2	ASA 45.5 psig, 116.4 lb/min
<b>COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)</b>	
CEA1	AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp AIR 112.5 lb/min, 47 psig
<b>ELECTRICAL STARTING UNITS (OTHER)</b>	
C-26	28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire
C-26-B, C-26-C	28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire
E3	DC 28v/10kw
<b>AIR STARTING UNITS (OTHER):</b>	
A4	40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)
MA-1	150 Air HP, 115 lb/min 50 psia
MA-2	250 Air HP, 150 lb/min 75 psia
<b>CARTRIDGE:</b>	
MXU-4A	USAF



**(25) FUEL—MILITARY**

Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at [www.desc.dla.mil/Static/ProductsAndServices.asp](http://www.desc.dla.mil/Static/ProductsAndServices.asp); click on the Commercial Airports button.

See legend item 14 for fuel code and description.

**(26) SUPPORTING FLUIDS AND SYSTEMS—MILITARY****CODE**

ADI	Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.
W	Water Thrust Augmentation—Jet Aircraft.
WAI	Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.
SP	Single Point Refueling.
PRESAIR	Air Compressors rated 3,000 PSI or more.
De-Ice	Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).

**OXYGEN:**

LPOX	Low pressure oxygen servicing.
HPOX	High pressure oxygen servicing.
LHOX	Low and high pressure oxygen servicing.
LOX	Liquid oxygen servicing.
ORXB	Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be replenished only by replacement of cylinders.)
OX	Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB	Low and high pressure oxygen servicing and replacement bottles;
LPOXRB	Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

**NITROGEN:**

LPNIT	Low pressure nitrogen servicing.
HPNIT	High pressure nitrogen servicing.
LHNIT	Low and high pressure nitrogen servicing.

**(27) OIL—MILITARY**

US AVIATION OILS (MIL SPECS):

CODE	GRADE, TYPE
O-113	1065, Reciprocating Engine Oil (MIL-L-6082)
O-117	1100, Reciprocating Engine Oil (MIL-L-6082)
O-117+	1100, O-117 plus cyclohexanone (MIL-L-6082)
O-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
O-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
O-132	1005, Jet Engine Oil (MIL-L-6081)
O-133	1010, Jet Engine Oil (MIL-L-6081)
O-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
O-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
O-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
O-155	None, MIL-L-6086C, Aircraft, Medium Grade
O-156	None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engines
JOAP/SOAP	Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service supported program.)

**(28) TRANSIENT ALERT (TRAN ALERT)—MILITARY**

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military



aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

## 29 AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

## 30 MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11-204, AR 95-27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on board are designated Code 6 or higher as explained in AFJMAN 11-213, AR 95-11, OPNAVINST 3722-8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

## 31 WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS—Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2—reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.



HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.

## **32 COMMUNICATIONS**

Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1-800-WX-BRIEF (1-800-992-7433). When the FSS is located on the field it will be indicated as "on aprt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation. (See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies—Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122-126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remote facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

### **TERMINAL SERVICES**

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol **®** indicates radar approach control.

TOWER—Control tower.


GCA—Ground Control Approach System.

GND CON—Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the



VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol  indicates radar departure control.

CLNC DEL—Clearance Delivery.

PRE TAXI CLNC—Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or hours of operation as "Wx obsn svc 1900-0000Z+" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW—Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

## AIRSPACE

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times.

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

**AIRSPACE: CLASS C** svc "times" ctc **APP CON** other times CLASS E:

or

**AIRSPACE: CLASS D** svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

**AIRSPACE: CLASS C** svc "times" ctc **APP CON** other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

or

**AIRSPACE: CLASS D** svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

or

**AIRSPACE: CLASS E** svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

**NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS.** Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

**NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.**

Class E 700' AGL (shown as magenta vignette on sectional charts) and 1200' AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700'/1200' AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)







## CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

AB _____	Automatic Weather Broadcast.
DF _____	Direction Finding Service.
DME _____	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y) _____	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS _____	Glide slope.
H _____	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH _____	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB _____	Non-directional radio beacons providing automatic transcribed weather service.
ILS _____	Instrument Landing System (voice, where available, on localizer channel).
IM _____	Inner marker.
ISMLS _____	Interim Standard Microwave Landing System.
LDA _____	Localizer Directional Aid.
LMM _____	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM _____	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH _____	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS _____	Microwave Landing System.
MM _____	Middle marker.
OM _____	Outer marker.
S _____	Simultaneous range homing signal and/or voice.
SABH _____	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF _____	Simplified Direction Facility.
TACAN _____	UHF navigational facility-omnidirectional course and distance information.
VOR _____	VHF navigational facility-omnidirectional course only.
VOR/DME _____	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC _____	Collocated VOR and TACAN navigational facilities.
W _____	Without voice on radio facility frequency.
Z _____	VHF station location marker at a LF radio facility.



## ILS FACILITY PERFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A – 4 NM prior to runway threshold, B – 3500 ft prior to runway threshold, C – glide angle dependent but generally 750–1000 ft prior to threshold, T – runway threshold, D – 3000 ft after runway threshold, and E – 2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:

ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.

ILS Facility Performance  
Classification Code

## FREQUENCY PAIRING PLAN AND MLS CHANNELING

MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL
500	108.10	18X	568	109.45	31Y	636	114.15	88Y
502	108.30	20X	570	109.55	32Y	638	114.25	89Y
504	108.50	22X	572	109.65	33Y	640	114.35	90Y
506	108.70	24X	574	109.75	34Y	642	114.45	91Y
508	108.90	26X	576	109.85	35Y	644	114.55	92Y
510	109.10	28X	578	109.95	36Y	646	114.65	93Y
512	109.30	30X	580	110.05	37Y	648	114.75	94Y
514	109.50	32X	582	110.15	38Y	650	114.85	95Y
516	109.70	34X	584	110.25	39Y	652	114.95	96Y
518	109.90	36X	586	110.35	40Y	654	115.05	97Y
520	110.10	38X	588	110.45	41Y	656	115.15	98Y
522	110.30	40X	590	110.55	42Y	658	115.25	99Y
524	110.50	42X	592	110.65	43Y	660	115.35	100Y
526	110.70	44X	594	110.75	44Y	662	115.45	101Y
528	110.90	46X	596	110.85	45Y	664	115.55	102Y
530	111.10	48X	598	110.95	46Y	666	115.65	103Y
532	111.30	50X	600	111.05	47Y	668	115.75	104Y
534	111.50	52X	602	111.15	48Y	670	115.85	105Y
536	111.70	54X	604	111.25	49Y	672	115.95	106Y
538	111.90	56X	606	111.35	50Y	674	116.05	107Y
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y
564	109.25	29Y	632	113.95	86Y			
566	109.35	30Y	634	114.05	87Y			

## FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
2X	134.5	-	19Y	108.25	544	25X	108.80	-
2Y	134.55	-	20X	108.30	502	25Y	108.85	556
11X	135.4	-	20Y	108.35	546	26X	108.90	508
11Y	135.45	-	21X	108.40	-	26Y	108.95	558
12X	135.5	-	21Y	108.45	548	27X	109.00	-
12Y	135.55	-	22X	108.50	504	27Y	109.05	560
17X	108.00	-	22Y	108.55	550	28X	109.10	510
17Y	108.05	540	23X	108.60	-	28Y	109.15	562
18X	108.10	500	23Y	108.65	552	29X	109.20	-
18Y	108.15	542	24X	108.70	506	29Y	109.25	564
19X	108.20	-	24Y	108.75	554	30X	109.30	512



TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
30Y	109.35	566	63X	133.60	-	95Y	114.85	650
31X	109.40	-	63Y	133.65	-	96X	114.90	-
31Y	109.45	568	64X	133.70	-	96Y	114.95	652
32X	109.50	514	64Y	133.75	-	97X	115.00	-
32Y	109.55	570	65X	133.80	-	97Y	115.05	654
33X	109.60	-	65Y	133.85	-	98X	115.10	-
33Y	109.65	572	66X	133.90	-	98Y	115.15	656
34X	109.70	516	66Y	133.95	-	99X	115.20	-
34Y	109.75	574	67X	134.00	-	99Y	115.25	658
35X	109.80	-	67Y	134.05	-	100X	115.30	-
35Y	109.85	576	68X	134.10	-	100Y	115.35	660
36X	109.90	518	68Y	134.15	-	101X	115.40	-
36Y	109.95	578	69X	134.20	-	101Y	115.45	662
37X	110.00	-	69Y	134.25	-	102X	115.50	-
37Y	110.05	580	70X	112.30	-	102Y	115.55	664
38X	110.10	520	70Y	112.35	-	103X	115.60	-
38Y	110.15	582	71X	112.40	-	103Y	115.65	666
39X	110.20	-	71Y	112.45	-	104X	115.70	-
39Y	110.25	584	72X	112.50	-	104Y	115.75	668
40X	110.30	522	72Y	112.55	-	105X	115.80	-
40Y	110.35	586	73X	112.60	-	105Y	115.85	670
41X	110.40	-	73Y	112.65	-	106X	115.90	-
41Y	110.45	588	74X	112.70	-	106Y	115.95	672
42X	110.50	524	74Y	112.75	-	107X	116.00	-
42Y	110.55	590	75X	112.80	-	107Y	116.05	674
43X	110.60	-	75Y	112.85	-	108X	116.10	-
43Y	110.65	592	76X	112.90	-	108Y	116.15	676
44X	110.70	526	76Y	112.95	-	109X	116.20	-
44Y	110.75	594	77X	113.00	-	109Y	116.25	678
45X	110.80	-	77Y	113.05	-	110X	116.30	-
45Y	110.85	596	78X	113.10	-	110Y	116.35	680
46X	110.90	528	78Y	113.15	-	111X	116.40	-
46Y	110.95	598	79X	113.20	-	111Y	116.45	682
47X	111.00	-	79Y	113.25	-	112X	116.50	-
47Y	111.05	600	80X	113.30	-	112Y	116.55	684
48X	111.10	530	80Y	113.35	620	113X	116.60	-
48Y	111.15	602	81X	113.40	-	113Y	116.65	686
49X	111.20	-	81Y	113.45	622	114X	116.70	-
49Y	111.25	604	82X	113.50	-	114Y	116.75	688
50X	111.30	532	82Y	113.55	624	115X	116.80	-
50Y	111.35	606	83X	113.60	-	115Y	116.85	690
51X	111.40	-	83Y	113.65	626	116X	116.90	-
51Y	111.45	608	84X	113.70	-	116Y	116.95	692
52X	111.50	534	84Y	113.75	628	117X	117.00	-
52Y	111.55	610	85X	113.80	-	117Y	117.05	694
53X	111.60	-	85Y	113.85	630	118X	117.10	-
53Y	111.65	612	86X	113.90	-	118Y	117.15	696
54X	111.70	536	86Y	113.95	632	119X	117.20	-
54Y	111.75	614	87X	114.00	-	119Y	117.25	698
55X	111.80	-	87Y	114.05	634	120X	117.30	-
55Y	111.85	616	88X	114.10	-	120Y	117.35	-
56X	111.90	538	88Y	114.15	636	121X	117.40	-
56Y	111.95	618	89X	114.20	-	121Y	117.45	-
57X	112.00	-	89Y	114.25	638	122X	117.50	-
57Y	112.05	-	90X	114.30	-	122Y	117.55	-
58X	112.10	-	90Y	114.35	640	123X	117.60	-
58Y	112.15	-	91X	114.40	-	123Y	117.65	-
59X	112.20	-	91Y	114.45	642	124X	117.70	-
59Y	112.25	-	92X	114.50	-	124Y	117.75	-
60X	133.30	-	92Y	114.55	644	125X	117.80	-
60Y	133.35	-	93X	114.60	-	125Y	117.85	-
61X	133.40	-	93Y	114.65	646	126X	117.90	-
61Y	133.45	-	94X	114.70	-	126Y	117.95	-
62X	133.50	-	94Y	114.75	648			
62Y	133.55	-	95X	114.80	-			

**(35) COMM/NAV/WEATHER REMARKS:**

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.



---

**ADM DAVID L MCDONALD FLD** (See MAYPORT NS)
 

---

**AIRGLADES** (See CLEWISTON)
 

---

**AIRPORT MANATEE** (See PALMETTO)
 

---

**ALBERT WHITTED** (See ST PETERSBURG)
 

---

**APALACHICOLA**
**APALACHICOLA RGNL** (AAF) 2 W UTC-5(-4DT) N29°43.66' W85°01.65'

NEW ORLEANS

20 B S4 FUEL 100LL, JET A NOTAM FILE AAF

H-8G, L-21D, 22I

RWY 06-24: H5271X150 (CONC) MIRL

IAP

RWY 06: PAPI(P2L)—GA 3.0° TCH 40'. Thld dsplcd 217'. Fence.

RWY 24: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 13-31: H5251X150 (CONC) MIRL

RWY 13: PAPI(P2L)—GA 3.0° TCH 40'. Trees. RWY 31: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 18-36: H5251X150 (CONC)

RWY 18: Trees.

RWY 36: Thld dsplcd 502'.

AIRPORT REMARKS: Attended 1200-0000Z†. ACTIVATE MIRL Rwy 06-24 and 13-31—CTAF.

WEATHER DATA SOURCES: ASOS 119.925 (850) 653-8271.

COMMUNICATIONS: CTAF/UNICOM 122.8

 (R) **TYNDALL APP/DEP CON** 124.15 (South abv 5000') 125.2 (North abv 5000') (Mon-Fri 1200-0400Z†, Sat-Sun 1500-2300Z†). Cldd holidays and weekends associated with holidays, other times etc.
**JAX CENTER APP/DEP CON** 119.1

RADIO AIDS TO NAVIGATION: NOTAM FILE TLH.

SEMINOLE (H) VORTAC 117.5 SZW Chan 122 N30°33.37' W84°22.44' 213° 60.1 NM to fld. 180/02E.

HIWAS.

NDB (MHW) 349 AAF N29°43.40' W85°01.68' at fld. NOTAM FILE GNV.

---

**ST GEORGE ISLAND** (F47) 8 SE UTC-5(-4DT) N29°38.68' W84°54.94'

NEW ORLEANS

3 NOTAM FILE GNV

L-21D, 22I

RWY 14-32: H3339X65 (ASPH)

RWY 32: Trees.

AIRPORT REMARKS: Unattended. Large birds on and in/ovf rwy. Trees 80-120' east of Rwy centerline on first half of Rwy 32. 3' fence in primary surface 105' west of a first 300' of Rwy 32. Ldg fee.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE PFN.

PANAMA CITY (L) VORTAC 114.3 PFN Chan 90 N30°12.98' W85°40.86' 130° 52.6 NM to fld. 10/0W.

---

**APOPKA**
**ORLANDO APOPKA** (X04) 4 NW UTC-5(-4DT) N28°42.43' W81°34.90'

JACKSONVILLE

143 B FUEL 100LL, JET A TPA-943(800) NOTAM FILE PIE

L-21D, 24F

RWY 15-33: H3250X60 (ASPH) LIRL

RWY 15: Thld dsplcd 240'. Berm. Rgt tfc.

RWY 33: Trees.

AIRPORT REMARKS: Attended Apr-Sep 1300-2300Z†, Oct-Mar 1300-2200Z†. Ctc UNICOM or 407-886-7663 for safety briefing. Arpt bcn OTS indef. Steep drop off 63' from Southeast end and 55 ft off West edge of rwy. Acft parked 80' E of Rwy 15-33 centerline near SE end of rwy. Rwy 15 dsplcd thlds not lighted. Rwy 15-33 LIRL OTS indef. ACTIVATE LIRL Rwy 15-33—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.05

RADIO AIDS TO NAVIGATION: NOTAM FILE ORL.

ORLANDO (H) VORTAC 112.2 ORL Chan 59 N28°32.56' W81°20.10' 307° 16.3 NM to fld. 102/00E.

HIWAS.



**ARCADIA MUNI** (X06) 1 SE UTC-5(-4DT) N27°11.52' W81°50.24'

MIAMI

60 B S4 FUEL 100LL NOTAM FILE PIE

L-21D, 23B

RWY 05-23: H3700X75 (ASPH) MIRL

RWY 05: Road. RWY 23: Fence.

RWY 13-31: 2780X140 (TURF)

RWY 13: Thld dsplcd 775'. Fence. RWY 31: Thld dsplcd 775'. Trees.

**AIRPORT REMARKS:** Attended 1400-2200Z $\ddagger$ . Parachute Jumping. Rwy 13-31 dsplcd thlds marked with three yellow painted tires. Rwy 13-31 outlined by yellow tires. Arpt rotating bcn OTS indef. ACTIVATE MIRL Rwy 05-23-CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.

LA BELLE (L) VORTAC 110.4 LBV Chan 41 N26°49.69' W81°23.49' 311° 32.3 NM to fld. 30/01E.

## ARCHER

**FLYING TEN** (0J8) 5 N UTC-5(-4DT) N29°37.08' W82°30.52'

JACKSONVILLE

85 FUEL 100LL NOTAM FILE GNW

RWY 18-36: 3200X170 (TURF) LIRL (NSTD)

RWY 18: Trees. RWY 36: Trees.

**AIRPORT REMARKS:** Attended Mon-Sat 1300-2200. After hrs call 352-495-1190. Rwy 18-36 marked with white cones and white metal ground markers. For rwy lgts call 352-495-2559 or 352-495-1190. Rwy 18-36 NSTD LIRL: NSTD spacing of rwy lgts and lgts are of very low ints.

**COMMUNICATIONS:** CTAF 122.9

**ARTHUR DUNN AIRPARK** (See TITUSVILLE)

**AVON PARK EXECUTIVE** (AVO) 2 W UTC-5(-4DT) N27°35.48' W81°31.74'

MIAMI

160 B S4 FUEL 100LL, JET A NOTAM FILE PIE

H-8H, L-21D, 24F

RWY 04-22: H5374X100 (ASPH) S-26 MIRL

IAP

RWY 04: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

RWY 22: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Thld dsplcd 1044'. Road.

RWY 09-27: H3844X75 (ASPH) S-10

RWY 09: PAPI(P4L), P-line. RWY 27: PAPI(P4L). Fence.

**AIRPORT REMARKS:** Attended 1230-2230Z $\ddagger$ . Parachute Jumping. Trees in transition zone AER 27 S side. Rwy 09-27 cracking with grass growing thru cracks. MIRL Rwy 04-22 preset low ints dusk-dawn to increase ints and activate twy lgts REIL Rwy 04 and 22-CTAF.


**WEATHER DATA SOURCES:** AWOS-3 118.725 (863) 453-4223.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

® MIAMI CENTER APP/DEP CON 134.55

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.

LA BELLE (L) VORTAC 110.4 LBV Chan 41 N26°49.69' W81°23.49' 350° 46.2 NM to fld. 30/01E.





**BARTOW MUNI** (BOW) 4 NE UTC-5(-4DT) N27°56.60' W81°47.01'

MIAMI

125 B S4 FUEL 100LL, JET A NOTAM FILE BOW

H-8H, L-21D, 24F

RWY 09L-27R: H5000X150 (ASPH) MIRL

IAP, AD

RWY 09L: REIL. PAPI(P4L)—GA 3.0° TCH 44'. Tree.

RWY 27R: REIL. PAPI(P4L)—GA 3.0° TCH 32'. Tree.

RWY 05-23: H5000X100 (ASPH) S-35, D-60,

DT-110 MIRL 0.3% up NE

RWY 05: REIL. PAPI(P4L)—GA 3.5° TCH 49'. Tree.

RWY 23: REIL. PAPI(P4L)—GA 3.5° TCH 46'. Tree.

RWY 09R-27L: H4400X150 (ASPH)

RWY 09R: Tree.

RWY 27L: Tree.

**AIRPORT REMARKS:** Attended 1230-2230Z±. 100LL avbl 24 hrs with credit card. Aerobic practice area surface to 5000 ft parallel to and including a portion of Rwy 09R-27L SR-SS. Wildlife invof arpt. REIL Rwy 05, Rwy 23, Rwy 09L and Rwy 27R ops when MIRL Rwys 05-23 and 09L-27R high ints only. ACTIVATE MIRL Rwy 05-23 and Rwy 09L-27R, PAPI Rwy 09L, Rwy 27R, Rwy 05 and Rwy 23 and wind cone—CTAF.


**WEATHER DATA SOURCES:** AWOS-3 123.775 (863) 533-9004.**COMMUNICATIONS:** CTAF 121.2 UNICOM 122.95

® TAMPA APP/DEP CON 120.65 119.9

TOWER 121.2 121.5R (1230-2230Z±) GND CON 121.9

**AIRSPACE:** CLASS D svc 1230-2230Z± except Easter, Thanksgiving, Christmas, and other holidays by NOTAM other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.

LAKELAND (H) VORTAC 116.0 LAL Chan 107 N27°59.17' W82°00.83' 101° 12.5 NM to fld. 135/01E.

**COMM/NAV/WEATHER REMARKS:** During twr hrs monitor AWOS for ATIS information. Twr clsd Easter; Thanksgiving; Christmas; and other holidays by NOTAM.**BELLE GLADE STATE MUNI** (X1Ø) 1 NE UTC-5(-4DT) N26°41.90' W80°39.65'

MIAMI

14 NOTAM FILE MIA

L-23C

RWY 09-27: H3750X50 (ASPH)

RWY 09: Thld dspcd 225'. P-line.


RWY 27: Thld dspcd 75'. Pole.

**AIRPORT REMARKS:** Unattended. Rwy 09-27 ravelling; small rocks and grvl on rwy. Rwy 09-27 marked with reflective markers entire length, many reflectors missing, markings faded, no twy hold line markings on Rwy 09. Rwy 09 ngt lds not advised due to unlgtd p-lines in apch.

**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.

PAHOKEE (H) VORTAC 115.4 PHK Chan 101 N26°46.96'

W80°41.49' 162° 5.3 NM to fld. 16/00E. HIWAS.

**BLOUNTSTOWN****CALHOUN CO** (F95) 5 NW UTC-6(-5DT) N30°29.21' W85°06.84'

NEW ORLEANS

118 FUEL 100LL NOTAM FILE GNV

RWY 17-35: 2859X75 (TURF)

RWY 17: Thld dspcd 440'. Tree.

RWY 35: Tree.

**AIRPORT REMARKS:** Unattended. Rwy 17-35 marked with white tires every 200' along entire rwy length. Rwy 17 dspcd thld marked with three white tires either side of rwy.

**COMMUNICATIONS:** CTAF 122.9**BOB LEE FLIGHT STRIP** (See DELAND)**BOB SIKES** (See CRESTVIEW)



**BOB WHITE FLD** (See ZELLWOOD)**BOCA CHICA FLD** (See KEY WEST NAS)**BOCA RATON** (BCT) 2 NW UTC-5(-4DT) N26°22.71' W80°06.46'

13 B S4 FUEL 100LL, JET A OX 1, 2 TPA-1013(1000) NOTAM FILE MIA

RWY 05-23: H6276X150 (ASPH-GRVD) S-40, D-60 MIRL

RWY 05: REIL. PAPI(P4R)—GA 3.0° TCH 40'. Thld dspcd 696'.

Trees.

RWY 23: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thld dspcd 378'.

Fence. Rgt tfc.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 05: TORA-6200 TODA-6200 ASDA-6200 LDA-5550

RWY 23: TORA-6200 TODA-6200 ASDA-6200 LDA-5950

**AIRPORT REMARKS:** Attended continuously. Birds on and invof arpt.

Touch and go lds voluntarily restricted to Mon-Fri 1400-2200Z±, voluntary restriction no stop and go lds or intersection departures. FBO uses freq 131.65 and 131.95 for corporate and jet acft. Regular UNICOM FREQ is 118.425. Voluntary noise abatement procedures in effect all times all acft. Voluntary curfew 0300-1200Z±. Use NBAA standard noise abatement apch and dep procedures. All acft use recommended departures: Rwy 05 left turn 360° stay W of interstate to 1500', Rwy 23 right turn heading 255° as soon as practicable after passing rwy end to 1500' avoid residential areas, overfly mall area. For noise abatement info call 561-391-2202. Rwy 05 left turn out within ½ mile and proceed on course W of I-95. Arriving Rwy 23 remain W of I-95 until as close in as practicable to avoid overflight of residential area. Rwy 23 departures turn to 255° as soon as practicable after passing rwy end. Noise sensitive arpt. When twr clsd MIRL Rwy 05-23 preset med ints and REIL Rwy 05 and Rwy 23 opr continuously. NOTE: See Special Notices—Aircraft Restrictions.


**WEATHER DATA SOURCES:** AWOS-3 121.125 (561) 391-2696. LAWRS.**COMMUNICATIONS:** CTAF 118.425

① PALM BEACH APP CON 125.2 ② PALM BEACH DEP CON 127.35 CLNC DEL 127.35 (when BCT twr clsd)

TOWER 118.425 (1200-0400Z±) GND CON 121.8 CLNC DEL 121.8

**AIRSPACE:** CLASS D svc 1200-0400Z±, other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PBI.

PALM BEACH (H) VORTAC 115.7 PBI Chan 104 N26°40.80' W80°05.19' 187° 18.1 NM to fld. 19/03W.

**BONIFAY****TRI-CO** (1J0) 6 NE UTC-6(-5DT) N30°50.75' W85°36.08'

85 B S2 FUEL 100LL, JET A, MOGAS NOTAM FILE MAI

RWY 01-19: H4000X75 (ASPH) S-30 MIRL

RWY 01: PAPI(P2L). Tree. RWY 19: PAPI(P2L). Tree.

**AIRPORT REMARKS:** Attended 1500-0000Z±. Alligators or deer occasionally on rwy. Extensive military helicopter ops dalgt hrs. Rwy 01 has beaver pond first 500' W side. MIRL Rwy 01-19 preset med ints—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

① CAIRNS APP/DEP CON 133.75 (Sun-Mon 1200-0500Z±, Tue-Sat 24 hrs), other times ctg


② JACKSONVILLE CENTER APP/DEP CON 134.3

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MAI.

MARIANNA (L) VORTAC 114.0 MAI Chan 87 N30°47.17'

W85°07.47' 278° 24.9 NM to fld. 120/00E.

NDB (MHW) 275 BKK N30°51.10' W85°36.08' at fld. NOTAM FILE GNV. NDB unmonitored 0400-1100Z±.

**NEW ORLEANS**

L-21C, 221

IAP

**BROOKSVILLE** N28°28.22' W82°27.49'

RCO 122.3 (ST PETERSBURG RADIO) at Hernando Co.

**JACKSONVILLE**

L-21D, 24F




**BROOKSVILLE****HERNANDO CO** (BKV) 6 SW UTC-5(-4DT) N28°28.42' W82°27.33'


76 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE BKV

**RWY 09-27:** H7002X150 (CONC) S-90, D-130, ST-165, DT-230 MIRL**RWY 09:** MALSR. PAPI(P4L). Trees. **RWY 27:** PAPI(P4L). Tree.**RWY 03-21:** H5015X150 (CONC) S-50, D-75, ST-95, DT-135 MIRL**RWY 03:** Tree. **RWY 21:** Tree.**AIRPORT REMARKS:** Attended 1200-2300Z. ACTIVATE PAPI Rwy 09 and 27—CTAF. MIRL Rwy 03-21 and Rwy 09-27 preset low ints dusk-0300Z, to increase ints and ACTIVATE after 0300Z—CTAF.**WEATHER DATA SOURCES:** ASOS 134.725 (352) 799-5881. Except thunderstorm/freezing rain report.**COMMUNICATIONS:** CTAF/UNICOM 123.0**BROOKSVILLE RCO** 122.3 (ST PETERSBURG RADIO)⑧ **TAMPA APP/DEP CON** 125.3 119.9 **CLNC DEL** 119.125**RADIO AIDS TO NAVIGATION:** NOTAM FILE PIE.**ST PETERSBURG (H) VORTAC** 116.4 PIE Chan 111 N27°54.47' W82°41.06' 019° 36 NM to fld. 9/01E. HIWAS.**ILS** 111.1 I-OSV Rwy 09. Class IB. ILS unmonitored.**COMM/NAV/WEATHER REMARKS:** HIWAS unusable 330°-151° byd 25 NM blo 5000'.

Rwy 3-21: 5015 X 150

**PILOT COUNTRY** (X05) 13 S UTC-5(-4DT) N28°19.82' W82°29.79'

80 B S3 FUEL 100LL NOTAM FILE PIE

**RWY 18-36:** H3700X75 (ASPH) LIRL**RWY 18:** Thld dspcd 300'. Brush.**RWY 36:** Thld dspcd 900'. Road.**AIRPORT REMARKS:** Attended 1300-2230Z.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE PIE.**ST PETERSBURG (H) VORTAC** 116.4 PIE Chan 111 N27°54.47' W82°41.06' 020° 27.2 NM to fld. 9/01E. HIWAS.**COMM/NAV/WEATHER REMARKS:** HIWAS unusable 330°-151° byd 25 NM blo 5000'.**BUCHAN** (See ENGLEWOOD)**CALHOUN CO** (See BLOUNTSTOWN)**CALOD** N26°30.97' W81°57.01' NOTAM FILE FMY.**NDB (LOM)** 341 FM 051° 6.3 NM to Page Fld.

MIAMI



**CAPE CANAVERAL AFS SKID STRIP**

(XMR)(KXMR) AF 7 NE UTC-5(-4DT)

**JACKSONVILLE**

N28°28.06' W80°34.01'

**H-8I, L-24F**

10 B Class I, ARFF Index A NOTAM FILE XMR Not insp.

**DIAP, AD****RWY 13-31:** H10000X200 (ASPH-GRVD) S-65, T-200, ST-175, SBT-538, TT-420, TRT-522, DDT-789,

TDT-890, PCN 43 F/A/W/T HIRL

**RWY 13:** PAPI(P4L).**RWY 31:** SALS(NSTD). PAPI(P4L).**RUNWAY DECLARED DISTANCE INFORMATION****RWY 13:** TORA-9998 TODA-9998**RWY 31:** TORA-9998 TODA-9998

**MILITARY SERVICE:** Lgt Rwy 31 apch lgt NSTD SALS, 1000'. Rotating bcn white and green. **JASU 2**(AM32A-60A) 3(A/M32A-86D) **FUEL J8**, expect 4-6 hour delay without prior coordination. Due to limited manning, aircrew assistance is required with refueling ops. **TRAN ALERT** Chip detection inspection rqr by F-16 not avbl.

**MILITARY REMARKS:** Opr 1300-2100Z, clsd Sat, Sun and hol. See FLIP AP/1 Supplementary Arpt Info. **RSTD** Payload delivery, Distinguished Visitor shuttle Support. PPR. 48 hr prior notice required for opr Mon-Fri 1300-2100Z, OT request 5 day prior notice, exc rqr 45 OSS/CC approval. PPR valid +/- 30 minutes prior/after ETA. Early/late arr/dep must be coordinated. Twr manned based on PPR. Ctc 1 ROPS/DOUS, CCAFS, FL DSN 467-5941, C321-853-5941 for PPR. No arr or dep permitted within 1 hr of Cape Canaveral launch opr. All acft will ctc approach before proceeding to Cape Canaveral. Flight is restricted to 1000' abv and within a horizontal radius of 2000' from any space launch complex. **CAUTION** Many obstructions in vicinity of rwy. Bird hazard. Rwy 13-31 does not have paved overruns. Unlighted 255' bldg (N28°33'07.28" W80°35'24.33"). Unlighted 240' bldg (N28°32'35.84" W80°35'26.90"). Unlighted 244' MSL crane (N28°26'55.86" W80°35'17.94"). **TFC PAT TPA**—Rectangular 1100 (1090), overhead 1600 (1590). **CSTMS/AG/IMG:** Avbl 1 hour prior notice Mon-Fri 1300-2200Z, other times 2 hour prior notice. PPR. **MISC** Official passengers only. No space A facilities avbl. Ltd parking. Observation automated, FMQ-19 observation wx equipment in use 24hrs. Wx observation/forecast avbl 24 hrs via phone DSN 467-8484, C321-853-8484. No classified materials storage avbl. AM Ops DSN 467-4241, COMM 321-853-4241, FAX COMM 321-853-1521.

**COMMUNICATIONS:****(R) ORLANDO APP/DEP CON** 134.95 281.425**TOWER** 118.625 143.15 239.05 (1300-2100Z, clsd Sat, Sun and holidays)**PMSV METRO** (CAPE METRO) 344.6 (Terminal weather forecast not issued for KXMR, see KTTS or KCOF.)**AIRSPACE:** CLASS D svc 1300-2100Z, clsd Sat, Sun and holidays, other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE COF.**PATRICK (T) TACAN** Chan 97 COF (115.0) N28°14.26' W80°36.71' 016° 14.0 NM to fld. 10/4W.

Unmonitored 0500-1300Z. No NOTAM MP Mon 0900-1500Z.

**CAPOK**

N27°59.71' W82°42.23' NOTAM FILE PIE.

**MIAMI****NDB (LOM)** 360 PI 172° 5.2 NM to St. Petersburg-Clearwater Intl.**L-24F****CARRABELLE-THOMPSON**

(X13) 3 W UTC-5(-4DT) N29°50.52' W84°42.07'

**JACKSONVILLE**

20 B NOTAM FILE GNV

**L-21D, 22I****RWY 05-23:** H4000X75 (ASPH) S-12.5 MIRL**RWY 05:** PAPI(P2L)—GA 2.3° TCH 40'. Trees.**RWY 23:** PAPI(P2L)—GA 2.3° TCH 40'. Tree.**AIRPORT REMARKS:** Unattended. Autos occasionally use rwy for road. Lgts on several twys OTS indef. **ACTIVATE MIRL**

Rwy 05-23 and PAPI Rwy 05 and 23—CTAF.

**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TLH.**SEMINOLE (H) VORTAC** 117.5 SZW Chan 122 N30°33.37' W84°22.44' 200° 46.0 NM to fld. 180/02E.**HIWAS.****CECIL FLD**

(See JACKSONVILLE)

**CECIL**

N30°12.78' W81°53.45' NOTAM FILE VQQ

**JACKSONVILLE****(H) VORW** 117.9 VQQ 087° 11.3 NM to Jacksonville NAS (Towers Fld).**H-8H, L-21D, 24G, A**

VOR unusable:

056°-064° blo 12000'

195°-214° blo 5000'

131°-134° blo 12000'

291°-295° byd 10 NM blo 4000'

166°-194° blo 12000'

296°-345° blo 4000'



**CEDAR KEY****GEORGE T LEWIS** (CDK) 1 W UTC-5(-4DT) N29°08.05' W83°03.03'**JACKSONVILLE**

11 B NOTAM FILE GNV

**RWY 05-23:** H2355X100 (ASPH) S-12.5 MIRL**RWY 05:** VASI(V2L) **RWY 23:** Thld dsplcd 338'. Road.**AIRPORT REMARKS:** Unattended. Seagulls on rwy. Arpt bcn OTS indef. 4' fence 125' from rwy centerline located 400' northeast of Rwy 23 thld and parallel to public road. Thld lgts damaged or missing. Arpt lgts unreliable.

ACTIVATE MIRL Rwy 05-23—CTAF.

**COMMUNICATIONS:** CTAF 122.9**CHALET SUZANNE AIR STRIP** (See LAKE WALES)**CHARLOTTE CO** (See PUNTA GORDA)**CHOCTAW NOLF** (NFJ) N30°30.01' W86°57.00'**NEW ORLEANS****AIRSPACE:** CLASS D svc Mon-Fri 1200-0600Z± clsd Sat, Sun and holidays.**H-7E, 8G, L-22H**

Other times CLASS G.

**CLEARWATER AIR PARK** (CLW) 3 NE UTC-5(-4DT) N27°58.60' W82°45.53'**MIAMI**

71 S4 FUEL 100LL, JET A TPA-1071(1000) NOTAM FILE PIE

**L-21D, 24F****RWY 16-34:** H3500X75 (ASPH) MIRL**RWY 16:** VASI(V4L)—GA 3.5° TCH 26'. Thld dsplcd 300'. Trees.**RWY 34:** VASI(V4R)—GA 3.5° TCH 26'. Thld dsplcd 850'. Trees. Rgt tfc.**AIRPORT REMARKS:** Attended 1200-0200Z±. Ldgs permitted 1200-0200Z±, tkfs permitted 1200Z± until 1 hr after SS whichever is earlier. Full stop ldg only. Noise abatement procedures in effect ctc FBO 727-443-3433. ACTIVATE MIRL Rwy 16-34—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ TAMPA APP/DEP CON 125.3

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PIE.**ST. PETERSBURG (H) VORTAC** 116.4 PIE Chan 111 N27°54.47' W82°41.06' 315° 5.7 NM to fld. 9/01E.

HIWAS.

**COMM/NAV/WEATHER REMARKS:** HIWAS unusable 330°-151° byd 25 NM blo 5000'.**CLEWISTON****AIRGLADES** (2IS) 5 W UTC-5(-4DT) N26°44.11' W81°03.07'**MIAMI**

20 B S2 FUEL 100LL, JET A NOTAM FILE MIA

**H-8H, L-23C****RWY 13-31:** H5950X75 (ASPH) S-12.5 MIRL**IAP****RWY 13:** PAPI(P2L)—GA 3.0° TCH 35'. Rgt tfc. **RWY 31:** PAPI(P2L)—GA 3.0° TCH 35°.**AIRPORT REMARKS:** Attended continuously. Parachute Jumping. PAPI Rwy 13 and 31 opr continuous. ACTIVATE MIRL Rwy 13-31—CTAF.**WEATHER DATA SOURCES:** AWOS-3 124.175 (863) 983-7020.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ MIAMI CENTER APP/DEP CON 132.45

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.**LA BELLE (L) VORTAC** 110.4 LBV Chan 41 N26°49.69' W81°23.49' 106° 19.1 NM to fld. 30/01E.**COASTAL** (See PENSACOLA)**COSME** N28°05.12' W82°31.52' NOTAM FILE TPA.**JACKSONVILLE****NDB (LOM)** 368 TP 186° 6.6 NM to Tampa Intl.**L-24F****COSTIN** (See PORT ST JOE)**CRAIG** N30°20.33' W81°30.60' NOTAM FILE CRG.**JACKSONVILLE****(H) VORTAC** 114.5 CRG Chan 92 at Craig Muni. 40/03W. HIWAS.**H-8H, L-21D, 23A, 24G, A****RCO** 122.1R 114.5T (GAINESVILLE RADIO)**RCO** 122.2 122.45 (GAINESVILLE RADIO)**CRAIG MUNI** (See JACKSONVILLE)



**CRESTVIEW** N30°49.57' W86°40.75' NOTAM FILE CEW.

NEW ORLEANS

(H) VORTACW 115.9 CEW Chan 106 106°8.6 NM to Bob Sikes. 255/03E. HIWAS.  
VOR unusable 264°-280°.

H-6K, 8G, 9A, L-21C, 22H

RCO 122.45 122.2 122.0 (GAINESVILLE RADIO)

**CRESTVIEW****BOB SIKES** (CEW) 3 NE UTC-6(-5DT) N30°46.73' W86°31.33'

NEW ORLEANS

213 B S4 FUEL 100LL, JET A, A1+ OX 1, 3 NOTAM FILE GNV

H-6K, 8G, L-21C, 22H

RWY 17-35: H8005X150 (ASPH) S-60, D-120, ST-152, DT-170 MIRL

IAP

RWY 17: PAPI(P4R)—GA 3.0° TCH 40'. Trees. 1.1% down

RWY 35: PAPI(P4R)—GA 3.0° TCH 52'. Trees. 0.4% up

**AIRPORT REMARKS:** Attended continuously. For fuel after 0100Z† call 850-682-6811. PAEW adjacent to all twys indef. Arpt used by military for flight test and training. Extensive VFR military student instrument training conducted in all quadrants of Crestview nav aids. Arriving VFR acft should monitor 122.95. Touch and go lds not recommended; expedite turn off as soon as possible. Noise abatement procedures: departing acft maintain rwy heading to 700 ft MSL before turning. Parallel twy lgts OTS indef. ACTIVATE MIRL Rwy 17-35—CTAF.

**WEATHER DATA SOURCES:** ASOS 119.275 (850) 682-1237. HIWAS 115.9 CEW.

**COMMUNICATIONS:** CTAF/UNICOM 122.95

CRESTVIEW RCO 122.45 122.2 122.0 (GAINESVILLE RADIO)

Ⓡ EGLIN APP/DEP CON 124.05 (1200-0600Z†)

Ⓡ JACKSONVILLE CENTER APP/DEP CON 120.2 (0600-1200Z†)


**AIRSPACE:** CLASS E svc 1200-0400Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE CEW.

CRESTVIEW (H) VORTACW 115.9 CEW Chan 106 N30°49.57' W86°40.75' 106° 8.6 NM to fld. 255/03E.  
HIWAS.

KOBRA NDB (LOM) 201 CE N30°51.17' W86°32.20' 170° 4.5 NM to fld.

ILS 111.9 I-CEW Rwy 17. LOM KOBRA NDB. Glide slope unusable byd 5° both sides of course.

Autopilot coupled approaches not authorized.

**CROSS CITY** (CTY) 1 E UTC-5(-4DT) N29°38.13' W83°06.29'

JACKSONVILLE

42 B S4 FUEL 100LL, JET A NOTAM FILE GNV

H-8G, L-21D, 24G

RWY 04-22: H5005X75 (ASPH) S-13 MIRL

IAP

RWY 04: PAPI(P2L)—GA 3.0° TCH 38'. Trees.

RWY 22: PAPI(P2L)—GA 3.0° TCH 38'. Tree.

RWY 13-31: H5001X100 (ASPH) S-13 MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.0° TCH 38'. Tree.

RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 38'. Tree.

**AIRPORT REMARKS:** Attended 1300-2300Z†. ACTIVATE MIRL Rwy 04-22, Rwy 13-31, REIL Rwy 04, Rwy 22, Rwy 13 and Rwy 31—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.8


RCO 122.1R 112.0T (GAINESVILLE RADIO)

Ⓡ JAX CENTER APP/DEP CON 127.8

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.

(L) VORTAC 112.0 CTY Chan 57 N29°35.94'

W83°02.92' 309° 3.7 NM to fld. 30/02W.





**CRYSTAL RIVER** (CGC) 3 SE UTC-5(-4DT) N28°52.07' W82°34.46'

**JACKSONVILLE**

9 B S2 FUEL 100LL, JET A NOTAM FILE CGC

L-21D, 24F

RWY 09-27: H4555X75 (ASPH) MIRL

IAP

RWY 09: REIL PAPI(P2L)—GA 3.0° TCH 44'. Road.

RWY 27: REIL. PAPI(P2R)—GA 3.0° TCH 38'. Road.

RWY 18-36: 3020X100 (TURF)

RWY 18: Thld dsplcd 517'. Building.

RWY 36: Thld dsplcd 840'. Fence.

**AIRPORT REMARKS:** Attended 1300-2300Z±. Aerobatic activity along N side of Rwy 09-27 and 4 NM SW of arpt. Ctc unicom for tfc info and ST Petersburg FSS for specific times. Rwy 18-36 dsplcd thld marked with green pipes. Buildings and fence 40' from centerline both sides of displaced threshold. Rwy 18-36 marked with white pipes every 200'. Glider ops within 25 NM. ACTIVATE MIRL Rwy 09-27, REIL Rwys 09 and 27—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.325 (352) 563-6600.


**COMMUNICATIONS:** CTAF/UNICOM 122.725

® JACKSONVILLE APP/DEP CON 118.6

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OCF.

OCALA (L) VORTAC 113.7 OCF Chan 84 N29°10.65'

W82°13.58' 224° 26.0 NM to fld. 80/00E.



**CYPRESS** N26°09.21' W81°46.69' NOTAM FILE APF.

MIAMI

(T) VORW/DME 108.6 CYY Chan 23 at Naples Muni. 9/03W.

H-8H, L-21D, 23B

DME unusable: 215°-315°.

**DADE-COLLIER TRAINING AND TRANSITION** (See MIAMI)

**DAVIE** N26°04.34' W80°14.69'

MIAMI

RC0 126.7 (MIAMI RADIO)

L-23A, A



**DAYTONA BEACH INTL** (DAB) 3 SW UTC-5(-4DT) N29°10.80' W81°03.48'**JACKSONVILLE**

34 B S4 FUEL 100LL, JET A OX 1,2 TPA—See Remarks Class I, ARFF Index C

H-8H, L-21D, 24G

NOTAM FILE DAB

IAP, AD

**RWY 07L-25R:** H10500X150 (ASPH-GRVD) S-130, D-210, ST-175, DT-420, DDT-870 MIRL CL**RWY 07L:** MALSR. TDZL. Thld dsplcd 690'.**RWY 25R:** REIL. PAPI(P4L)—GA 3.0° TCH 71'. Rgt tfc.**RWY 16-34:** H6001X150 (ASPH-GRVD) S-75, D-170, ST-175, DT-260, DDT-270 MIRL**RWY 16:** REIL. PAPI(P4L)—GA 3.0° TCH 45'. Road.**RWY 34:** REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.**RWY 07R-25L:** H3195X100 (ASPH) S-30 MIRL**RWY 07R:** PAPI(P2L)—GA 2.86° TCH 40'. Trees. Rgt tfc.**RWY 25L:** PAPI(P2L)—GA 2.86° TCH 32'. Ground.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 07L</b>	TWY W	7500
<b>RWY 16</b>	07L-25R	2900


**RUNWAY DECLARED DISTANCE INFORMATION**

<b>RWY 07L:</b>	TORA-10500	TODA-10500	ASDA-10500	LDA-9800
<b>RWY 07R:</b>	TORA-3195	TODA-3195	ASDA-3195	LDA-3195
<b>RWY 16:</b>	TORA-6001	TODA-6001	ASDA-6001	LDA-6001
<b>RWY 25L:</b>	TORA-3195	TODA-3195	ASDA-3195	LDA-3195
<b>RWY 25R:</b>	TORA-9800	TODA-10500	ASDA-10300	LDA-10300
<b>RWY 34:</b>	TORA-6001	TODA-6001	ASDA-6001	LDA-6001

**AIRPORT REMARKS:** Attended continuously. Heavy migratory bird activity on and in/ovf arpt. Extensive flight training on and in/ovf arpt. TPA—light acft 999(965) high performance acft 1399(1365). Twy N northwest of Rwy 7L and northeast of Rwy 25R can be mistaken for the rwy and approach environment. East end of Twy S is non-movement area. Rwy 07R-25L non-air carrier acft only.

**WEATHER DATA SOURCES:** ASOS (386) 253-7469. LLWAS.**COMMUNICATIONS:** ATIS 120.05 UNICOM 122.95

Ⓡ **APP CON** 125.72 (8000'-11000') 118.85 (N 4000'-7500') 127.075 (S 4000'-7500') 125.8 (N 3500' and blo) 125.35 (S 3500' and blo)

**TOWER** 120.7 118.1 **GND CON** 121.9 **CLNC DEL** 119.3Ⓡ **DEP CON** 123.9**AIRSPACE:** CLASS C svc continuous ctc **APP CON****RADIO AIDS TO NAVIGATION:** NOTAM FILE OMN.**ORMOND BEACH (H) VORTAC** 112.6 OMN Chan 73 N29°18.20' W81°06.76' 159° 7.9 NM to fld. 19/00E.**TOMOK NDB (LOM)** 263 DA N29°08.66' W81°08.87' 071° 5.2 NM to fld. NOTAM FILE DAB.**ILS** 109.7 I-DAB Rwy 07L. CLASS IA. LOM TOMOK NDB.**ASR****DEFUNIAK SPRINGS** (54J) 2 W UTC-6(-5DT) N30°43.87' W86°09.23'**NEW ORLEANS**

289 B S4 FUEL 100LL, JET A, A1 NOTAM FILE GNV

L-21C, 22H

**RWY 09-27:** H4146X60 (ASPH) S-20 MIRL


IAP

**RWY 09:** PAPI(P2L). Tree. **RWY 27:** PAPI(P2L). Tree.**RWY 18-36:** 2700X60 (DIRT)**RWY 18:** Thld dsplcd 165'. P-line.**RWY 36:** Thld dsplcd 400'. Tree.

**AIRPORT REMARKS:** Attended 1400-0000Z+. Self serve fuel avbl with credit card after hours. Rwy 18 dsplcd thld marked with 3 tires 5' apart perpendicular to dsplcd thld. Rwy 18-36 marked with tires painted white every 200'. Trees obstruct line of sight between thlds Rwy 09 and Rwy 36 and between thlds Rwy 27 and Rwy 36. First 900' of Rwy 09 slopes upward causing line of sight obstruction between thlds Rwy 09 and Rwy 27. First 900' of Rwy 09 in good condition, remainder fair. ACTIVATE MIRL Rwy 09-27—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **EGLIN APP/DEP CON** 124.05 (1200-0600Z+)**JACKSONVILLE CENTER APP/DEP CON** 120.2 (0600-1200Z+)**RADIO AIDS TO NAVIGATION:** NOTAM FILE CEW.**CRESTVIEW (H) VORTAC** 115.9 CEW Chan 106 N30°49.57'

W86°40.75' 099° 27.7 NM to fld. 255/03E. HIWAS.






**DELAND****BOB LEE FLIGHT STRIP** (1J6) 4 N UTC-5(-4DT) N29°06.25' W81°18.85'**JACKSONVILLE**

94 S4 NOTAM FILE PIE


**RWY 09-27:** 3300X72 (TURF)**RWY 09:** Thld dsplcd 300'. Road.**RWY 27:** Thld dsplcd 800'. Fence. Rgt tfc.**AIRPORT REMARKS:** Unattended. Rwy 09-27 trees in both apchs. Ultralight activity on and invof arpt. Rwy 09-27 marked with orange cones every 200 ft. Dsplcd thlds marked with 3 orange cones.**COMMUNICATIONS:** CTAF/UNICOM 122.8**DELAND MUNI-SIDNEY H TAYLOR FLD** (DED) 3 NE UTC-5(-4DT)**JACKSONVILLE**

N29°04.02' W81°17.03'

H-8H, L-21D, 24F

79 B S4 **FUEL** 100LL, JET A TPA—See Remarks NOTAM FILE PIE**IAP****RWY 12-30:** H6001X100(ASPH) D-60 MIRL**RWY 12:** PAPI(P2L). Trees. **RWY 30:** REIL. PAPI(P4L). Trees.**RWY 05-23:** H4301X75 (ASPH) D-40 MIRL**RWY 05:** PAPI(P2L). Trees. **RWY 23:** PAPI(P2L). Trees.**AIRPORT REMARKS:** Attended 1230-2300Z+. Self serve 100LL avbl 24 hrs with credit card. Parachute Jumping. Extensive parachute and flight training ops. Avoid over flying arpt during parachute ops. Considerable pavement cracking. TPA—for prop acft 1079(1000). Touch and go ops prohibited if there are 3 or more acft in the tfc pattern. Noise sensitive arpt. Avoid over flight of residential areas of arpt. Avoid wide downwind Rwy 23. Jet acft use NBAA abatement procedures. Noise abatement procedures in effect, ctc arpt manager for details at 386 740-5808. Calm wind Rwy 05. Limited sight distances for all rwys. Ctc UNICOM for tie down information. ACTIVATE MIRL Rwy 05-23 and Rwy 12-30—CTAF. PAPI lgts opr continuously all rwys.**WEATHER DATA SOURCES:** AWOS-3 119.575 (386) 740-5811.**COMMUNICATIONS:** CTAF/UNICOM 123.075Ⓡ **DAYTONA APP/DEP CON** 125.35**RADIO AIDS TO NAVIGATION:** NOTAM FILE OMN.**ORMOND BEACH (H) VORTAC** 112.6 OMN Chan 73 N29°18.20' W81°06.76' 212° 16.8 NM to fld. 19/00E.**ASR****DESTIN—FT WALTON BEACH** (DTS) 1 E UTC-6(-5DT) N30°24.00' W86°28.29'**NEW ORLEANS**23 B S4 **FUEL** 100LL, JET A OX 1, 2 NOTAM FILE DTS

L-21C, 22H

**RWY 14-32:** H4999X100 (ASPH) S-38, D-67, ST-85, DT-113 MIRL**IAP****RWY 14:** PAPI(P4L)—GA 3.0° TCH 43'. Trees.**RWY 32:** PAPI(P4L)—GA 3.0° TCH 42'. Bldg.**AIRPORT REMARKS:** Attended 1300-0200Z+. Depressions along length of rwy. Special Air Traffic Rules—Part 93, see Regulatory Notices. Exercise extreme vigilance due to close proximity to Eglin AFB located 6 NM NW of arpt. All acft ctc Eglin clnc del on 121.6 or 127.7 for ATC departure instructions prior to tkf. IFR acft remain on ground—ctc DEP CON for climb out instruction and IFR release.**WEATHER DATA SOURCES:** ASOS 133.925 (850) 654-7128.**COMMUNICATIONS:** CTAF/UNICOM 123.075Ⓡ **EGLIN APP/DEP CON** 132.1 (1200-0600Z+)**EGLIN CLNC DEL** 121.6 127.7Ⓡ **JACKSONVILLE CENTER APP/DEP CON** 120.2 (0600-1200Z+)**RADIO AIDS TO NAVIGATION:** NOTAM FILE CEW.**CRESTVIEW (H) VORTACW** 115.9 CEW Chan 106 N30°49.57'W86°40.75' 154° 27.7 NM to fld. 255/03E. **HIWAS.****NDB (MHW)** 254 DTS N30°24.30' W86°28.43' at fld. NOTAM FILE DTS. NDB unmonitored indef.**DINNS** N30°27.90' W81°48.10' NOTAM FILE JAX.**JACKSONVILLE****NDB (HW/LOM)** 344 JA 077° 6.2 NM to Jacksonville Intl.

H-8H, L-21D, 23A, 24G, A



**DOLPHIN** N25°48.00' W80°20.94' NOTAM FILE MIA.

MIAMI

(H) VORTAC 113.9 DHP Chan 86 099° 3.2 NM to Miami Intl. 10/4W. HIWAS.

H-8I, L-23A, 23C, A

RCO 122.1R 113.9T (MIAMI RADIO)

**DOWNTOWN FORT LAUDERDALE HELIPORT** (See FORT LAUDERDALE)**DUKE FLD/(EGLIN AF AUX NR 3)** (EGI)(KEGI) AF 3 W UTC-6(-5DT)

NEW ORLEANS

N30°39.02' W86°31.37'

H-6K, 86, L-21C, 22H

191 B NOTAM FILE CEW Not insp.

DIAP, AD

RWY 18-36: H7997X150 (ASPH) PCN 28 F/A/W/T HIRL

RWY 18: ALSF1. PAPI(P4L)—GA 3.0° TCH 47'.

RWY 36: REIL. SALSF. PAPI(P4L)—GA 3.0° TCH 50'.

RWY 180-360: H3500X60 (ASPH) PCN 65 F/B/W/T

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 18: TORA-8000 TODA-8000

RWY 36: TORA-8000 TODA-8000

**MILITARY SERVICE:** LGT Rwy 18 PAPI rwy reference point not coincidental with ILS rwy point of intercept. Rwy 18 NSTD ALSF1 length 2000'. **FUEL J8 FLUID LPOX TRAN ALERT** No tran alert svc.

**MILITARY REMARKS:** Opr Mon-Fri 1500-0600Z, CLOSED weekends and holidays. Base OPS/ATC not manned other times. See FLIP AP/1 Route and Area Restrictions, Wx Restrictions and Supplementary Arpt Remarks. **RSTD** Official Business Only all acft except base assigned, others coordinate thru Duke OPS DSN 875-6538/6516, normal opr weekdays. PPR: No less than 24 hr prior coordination. No 180° turns on rwy by C130 or larger acft. No 180° turns on Assault Ldg Zone. ALZ restricted for use by AFSOC and 919th SOW acft only. Due to weight limitations, E side of afld rstd to C130 acft and smaller 170,000 lb and blo. **CAUTION** Due to lack of visual reference during ngt VFR opr, pilot efforts to maintain altitude by visual means may be unreliable. Intense tfc 10 NM N of arpt in vicinity of Crestview/Bob Sikes Arpt. Twy edge lgts nstd on all twys that meet rwy (lgts are more than 10' from rwy edge line); acft follow twy centerline. Rwy edge lgt located 75' from outside edge strip. High volume of Navy T-34 and B-06 training acft near CEW VORTAC. Surveillance radar returns intermittent from Warrington (DWG) TACAN R-360 clockwise to R-50, 25 DME to 45 DME, 5000' and blo. Apch lgt Rwy 18 non-frangible structures. Extensive ALZ/NVD training in effect weekdays. **CSTMS/AG/IMG** Ltd svc, no resident CSTMS agent. Avbl for base assigned acft and their deployments only. 24 hr prior notice rqr. All other acft must clear CSTMS prior to arrival. **MISC** Wx opr 1500-0600Z, other times svc not avbl. Remote briefing avbl 26 OWS Barksdale AFB, DSN 781-4775, C318-456-4775. Afld wx monitor by AN/FMQ-19 ASOS. No arresting cables avbl. Expect no notice closure of Duke Fld Airspace for Special Mission Test. Standard USAF RSRs applied. Base OPS DSN 875-6538/6516, C850-883-6516, fax DSN 872-3308, normal opr weekdays.

**COMMUNICATIONS:** PTD 142.3 372.2

Ⓡ **APP CON** 125.1 281.45 (271°-089°) 132.1 360.6 (090°-270°) (1200-0600Z)

**DUKE TOWER** 133.2 290.425 (Mon-Fri 1500-0600Z, except holidays, other times see FAR Part 93.83 Special Air Traffic Rules.) **DUKE GND CON** 251.125

Ⓡ **DEP CON** 120.9 290.5 (1200-0600Z)

Ⓡ **JACKSONVILLE CENTER APP/DEP CON** 120.2 346.4 (0600-1200Z)

**DUKE COMD POST (SANDCASTLE)** 225.75 (DSN 875-6701 C850-883-6701 or 1-800-437-8843.)

**PMSV METRO** 342.2 (Sun 0500Z-Fri 0500Z. Svc lctd at KVPS.)

**AIRSPACE:** CLASS D svc Mon-Fri 1500-0600Z except holidays, other times see FAR Part 93.83 Special Air Traffic Rules.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE VPS.

**WARRINGTON (T) TACAN** Chan 2 DWG (134.5) N30°28.69' W86°31.25' 359° 10.3 NM to fld. 77/0E.

Unmonitored Mon-Fri 0600-1200Z, and 24 hr weekends and holidays. No NOTAM MP 0900-1200Z 3rd Mon of Feb and Aug; DME 0900-1200Z 3rd Mon of Apr and Oct.

**ILS** 111.7 I-EGI Rwy 18. No NOTAM MP Glide slope Rwy 18 1100-1400Z 1st Thu of Apr and Oct, Localizer Rwy 18 1100-1400Z 4th Thu of Mar and Sep.

**COMM/NAV/WEATHER REMARKS:** UHF equipped acft must use UHF in Duke tfc pattern.



**DUNNELLON/MARION CO & PARK OF COMMERCE** (X35) 4 E UTC-5(-4DT)

JACKSONVILLE

L-21D, 24F

IAP

N29°03.71' W82°22.60'

65 B S4 FUEL 100LL, JET A NOTAM FILE GNV

RWY 05-23: H4941X100 (ASPH) MIRL

RWY 05: PAPI(P2L)—GA 2.5° TCH 40'. Trees.

RWY 23: PAPI(P2L)—GA 2.5° TCH 40'. Trees.

RWY 09-27: H4702X60 (ASPH) MIRL

RWY 09: Fence. RWY 27: Trees.


**AIRPORT REMARKS:** Attended Mon-Fri 1300-2200Z. Credit Card fuel avbl 24 hrs. Thld lghts Rwy 05 OTS indef. ACTIVATE MIRL Rwy 05-23 and 09-27 and PAPI Rwy 05 and Rwy 23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ JACKSONVILLE APP/DEP CON 118.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OCF.

OCALA (L) VORTAC 113.7 OCF Chan 84 N29°10.65' W82°13.58' 229°10.5 NM to fld. 80/00E.

**EASTPORT** N30°25.42' W81°36.56' NOTAM FILE JAX.

JACKSONVILLE

NDB (MHW) 357 EYA 319° 5.9 NM Jacksonville Intl.

L-21D, 24G

**EGLIN AF AUX NR 3** (See DUKE FLD)**EGLIN AFB** (See VALPARAISO)**ENGLEWOOD****BUCHAN** (X36) 2 NW UTC-5(-4DT) N26°59.41' W82°22.44'.

MIAMI

15 NOTAM FILE PIE

RWY 12-30: 2040X120 (TURF)

RWY 12: Tree. RWY 30: Fence.

**AIRPORT REMARKS:** Unattended. Parachute Jumping. Ultralight activity on and in vicinity of arpt. Rwy 12-30 thlds marked with 3 white tires perpendicular to centerline. Rwy 12-30 rough and bare in spots.

COMMUNICATIONS: CTAF 122.9

**EUSTIS****MID FLORIDA AIR SERVICE** (X55) 3 E UTC-5(-4DT) N28°50.60' W81°37.81'

JACKSONVILLE

167 B S4 FUEL 100LL NOTAM FILE PIE

RWY 18-36: 3200X80 (TURF) LIRL

RWY 18: Thld dsplcd 540'. Fence. RWY 36: Thld dsplcd 108'. Fence.

**AIRPORT REMARKS:** Attended 1400Z-Sunset. Rwy 18-36 CLOSED for touch and go landing. No flt training. Rwy 18 dsplcd thld marked with 2 ft by 12 ft concrete slabs painted white—flush with rwy. Rwy 18-36 marked on sides with tires painted white. Rotating bcn ops dusk-0400Z. After 0400Z ACTIVATE—CTAF. ACTIVATE LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

**EVERGLADES AIRPARK** (X01) 1 SW UTC-5(-4DT) N25°50.93' W81°23.42'

MIAMI

5 B FUEL 100LL NOTAM FILE MIA

RWY 15-33: H2400X60 (ASPH-TURF) S-20 MIRL

RWY 15: Trees. Rgt tfc. RWY 33: Trees.

**AIRPORT REMARKS:** Attended 1300-2200Z. Fuel avbl 24 hrs with credit card. PAEW invof Rwy 15-33 indef. High density bird population on and around arpt. Ditch 54' left of centerline first 664' of Rwy 33. Rwy 15-33 has a 50' asph center with a 5' turf edge on each side. ACTIVATE MIRL Rwy 15-33—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.075

**EXECUTIVE** (See ORLANDO)**FERGUSON** (See PENSACOLA)



**FERNANDINA BEACH MUNI** (FHB) 3 S UTC-5(-4DT) N30°36.71' W81°27.67'

JACKSONVILLE

16 B S4 FUEL 100LL, JET A NOTAM FILE GNV

H-9B, 12F, L-21D, 24G, A

RWY 04-22: H5301X100 (ASPH) S-42, D-70, DT-120 MIRL

IAP, AD

RWY 04: REIL. PAPI(P4L). Tree.

RWY 22: PAPI(P4L). Thld dsplcd 451'. Tree.

RWY 13-31: H5152X100 (ASPH-PFC) S-42, D-70, DT-120 HIRL

RWY 13: REIL. PAPI(P2L). Bridge.

RWY 31: Thld dsplcd 150'. Tree.

RWY 08-26: H5000X100 (ASPH) S-42, D-70, DT-120 MIRL

RWY 08: PAPI(P4L). Trees.

RWY 26: PAPI(P4L). Thld dsplcd 700'. Tree.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 08: TORA-4300 TODA-5000 ASDA-4300 LDA-4300

RWY 13: TORA-5235 TODA-5900 ASDA-5235 LDA-4635

RWY 26: TORA-5000 TODA-5000 ASDA-5000 LDA-4300

RWY 31: TORA-5300 TODA-5900 ASDA-5300 LDA-4635

**AIRPORT REMARKS:** Attended 1300-0100Z+. ACTIVATE HIRL Rwy 13-31 and MIRL Rwy 04-22 and Rwy 08-26, REIL Rwy 04 and Rwy 13-CTAF.


**WEATHER DATA SOURCES:** AWOS-3 118.075 (904) 277-7323.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ JACKSONVILLE APP/DEP CON 127.0

GCO 121.725 (JACKSONVILLE CLNC AND GAINESVILLE FSS)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE CRG.

CRAIG (H) VORTAC 114.5 CRG Chan 92 N30°20.33' W81°30.60' 012° 16.5 NM to fld. 40/03W. HIWAS.  
ASR

**FISH HOOK** N24°32.90' W81°47.18' NOTAM FILE EYW.

MIAMI

NDB (H) 332 FIS 076° 1.5 NM to Key West Intl.

H-8H, L-21D, 23C

**FLAGLER CO** (See PALM COAST)**FLYING TEN** (See ARCHER)**FOLEY** N29°59.77' W83°35.18' NOTAM FILE GNV.

JACKSONVILLE

NDB (MHW) 254 FPY 007° 4.4 NM to Perry-Foley. Unmonitored indef. SHUTDOWN.

L-21D, 22J

**FORREST SHERMAN FLD** (See PENSACOLA NAS)**FORT DRUM** N27°33.00' W80°48.00'

MIAMI

RCO 122.2 (ST. PETERSBURG RADIO)

L-24F

**FT LAUDERDALE****DOWNTOWN FORT LAUDERDALE HELIPORT** (DT1) 0N UTC-5(-4DT) N26°07.23' W80°08.52'

MIAMI

114 NOTAM FILE MIA

HELIPAD H1: H84X84 (CONC) MIRL

**AIRPORT REMARKS:** Attended irregularly. For reservations and assistance call 1-954-968-9675. Primary apch 145° true course inbound. Rooftop facility. PPR to use parking position, all hrs. Contact Ft Lauderdale/Hollywood Intl twr on freq 119.3 prior to entering Ft Lauderdale Class C airspace and upon tkf. Repetitive flight training and student solos discouraged. Noise sensitive areas all quadrants. No tkfs or ldgs at eastern parking position. Parking prohibited on ldg/tkf (western) position. Maximum gross weight 11,900 lbs. Maximum rotor diameter 46'.

**COMMUNICATIONS:** CTAF/UNICOM 123.05



**FT LAUDERDALE EXECUTIVE** (FXE) 5 N UTC-5(-4DT) N26°11.84' W80°10.24'

MIAMI

13 B S4 FUEL 100LL, JET A OX 1, 3 TPA—See Remarks LRA NOTAM FILE FXE H-81, L-23C, A

RWY 08-26: H6001X100 (ASPH-GRVD) S-30, D-60 HIRL IAP, AD

RWY 08: MALS. PAPI(P4L)—GA 3.0° TCH 44'. Trees.

RWY 26: REIL. PAPI(P4L)—GA 3.25° TCH 28'. Bldg.

RWY 13-31: H4000X100 (ASPH-GRVD) S-30, D-60 MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.25° TCH 40'. Trees.

RWY 31: REIL. PAPI(P2L)—GA 3.25° TCH 48'.

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 26	13-31	3000
RWY 31	08-26	3250

**AIRPORT REMARKS:** Attended continuously. Flocks of birds on and in/ovf arpt. Rwy 13-31 CLOSED 0300-1200Z† when Rwy 08-26 is operational full length. Portions of Rwy 31 run-up area (W of Twy B) are not visible from the twr. Taxilane C (SW of Twy B) is a non-controlled operational area. Twy A is restricted to acft weighing up to 12,500 lbs. When reported ceiling and visibility minimums are bto 800' or 2 miles, Twy A will be clsd. Req progressive taxi if unfamiliar. TPA—for lgt acft 1013(1000); jet acft 1513(1500); helicopters 513(500). 126 ft building 1 mile E of arpt along Rwy 08-26 centerline. All acft operators avoid overflights of residential area one-half mile SW of control twr. All rwy noise sensitive and monitored 24 hrs. Jet runups prohibited 0000-1200Z†. Voluntary restriction of jet acft on Rwy 13-31. Rwy 26 nighttime preferential use rwy. Req Quiet One departure for Rwy 08 eastbound 0300-1200Z†. Voluntary use of National Business Acft Association standard noise abatement procedure req. For noise abatement procedure call 954-828-4978 during business hrs and 954-828-6666 evenings and weekends. Flight Notification Service (ADCUS) avbl.

NOTE: See Special Notices—U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS (954) 772-2537. LAWRS.

**COMMUNICATIONS:** ATIS 119.85 UNICOM 122.95

® MIAMI APP/DEP CON 119.7 (Usable 4000' and below.)

EXECUTIVE TOWER 120.9 GND CON 121.75 CLNC DEL 127.95


**AIRSPACE:** CLASS D svc continuously.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE FLL.

(H) VORW/DME 114.4 FLL Chan 91 N26°04.49' W80°09.15' 352° 7.4 NM to fld. 10/00E.

PRAIZ NDB (MHW/LOM) 221 FX N26°11.14' W80°17.91' 087° 6.9 NM to fld. NOTAM FILE FXE. Unmonitored when twr clsd.

ILS 111.1 I-FXE Rwy 08. LOM PRAIZ NDB.





**FT LAUDERDALE/HOLLYWOOD INTL** (FLL) 3 SW UTC-5(-4DT) N26°04.36' W80°09.17'

MIAMI

9 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA-1009(1000) AOE

H-81, L-23C, A

Class I, ARFF Index E NOTAM FILE FLL

IAP, AD

**RWY 09L-27R:** H9000X150 (ASPH-GRVD) S-100, D-200, ST-175, DT-468, DDT-800 HIRL

**RWY 09L:** MALSR. PAPI (P4R)—GA 3.0° TCH 68'. Thld dsplcd 577'. Road.

**RWY 27R:** RAIL. MALSR. PAPI (P4L)—GA 3.0° TCH 71'. Thld dsplcd 606'. Railroad. Rgt tfc.

**RWY 13-31:** H6930X150 (ASPH-GRVD) S-90, D-150, ST-175, DT-350 MIRL

**RWY 13:** REIL. PAPI (P4L)—GA 3.0° TCH 75'. Lower GA 3.0° TCH 67'.

**RWY 31:** REIL. PAPI(P4L)—GA 3.0° TCH 75'. Lower GA 3.0° TCH 49'. Thld dsplcd 70'. Railroad gate.

**RWY 09R-27L:** H5276X100 (ASPH) S-30 MIRL

**RWY 09R:** REIL. PAPI(P4L)—GA 3.0° TCH 45'. Thld dsplcd 320'. Tree. Rgt tfc.

**RWY 27L:** PAPI(P4L)—GA 3.5° TCH 40'. Thld dsplcd 142'. Pole.

#### RUNWAY DECLARED DISTANCE INFORMATION

**RWY 09L:** TORA-9000 TODA-9000 ASDA-9000 LDA-8423

**RWY 09R:** TORA-5276 TODA-5276 ASDA-5276 LDA-4956

**RWY 13:** TORA-6930 TODA-6930 ASDA-6930 LDA-6930

**RWY 27L:** TORA-5276 TODA-5276 ASDA-5276 LDA-5134

**RWY 27R:** TORA-9000 TODA-9000 ASDA-9000 LDA-8396

**RWY 31:** TORA-6930 TODA-6930 ASDA-6930 LDA-6860

#### ARRESTING GEAR/SYSTEM

**RWY 09L:** EMAS 380' X 170'

**RWY 27R:** EMAS 214' X 170'

**AIRPORT REMARKS:** Attended continuously. Rwy 09R-27L CLOSED except to acft with wingspan less than 78' and apch speed less than 121 knots. Rwy 09R-27L CLOSED to all acft 0300-1200Z. Arpt CLOSED to air carrier jet training. Arpt CLOSED to large acft training over 58,000 pounds maximum certificated gross tkf weight. Arpt CLOSED to all training 0400-1200Z. ASDE-X surveillance system in use: pilots should opr transponders with Mode 'C' on all twys and rwys. Flocks of birds on and in vicinity of fld. Concentration of birds below 500', 2.0 NM west of the AER 09L and 09R. Rwy 09R-27L Grip Flex on cetrn 50'. Be alert: intersection of Twy G and Q not visible from twr. Standing water on rwy safety area AER 27R. Twy B6 clsd to acft with wingspan greater than 126' and tail greater than 46'. Twys South of Twy B and West of Rwy 13-31 except for Twys P and E are 50' wide or less; design criteria for large acft not maintained. Acft with wingspans greater than 112' may utilize Twy E between Twys B/P by PPR only. Jet runups prohibited 0400-1200Z. Rwy 09R-27L CLOSED to acft in excess of 58,000 pounds maximum certificated gross tkf weight. All rwys are noise sensitive. PPR for aircraft with explosives. Turbulence below 1000 ft over electric power plant located 2 NM W AND 1 1/4 NM ENE. Rwy 13 aiming point markings located 1171' from thld. Air carrier acft use ramp push back procedures as prescribed by arpt ops. East side of Concourse B avbl only to acft with a wingspan of less than 124.9'. Noise Abatement Procedures: (turbojet and 4-engine acft) East opn: Departing acft maintain rwy heading to 3000 ft or 3 miles E of arpt boundry. Acft departing Rwy 13 turn left 90° as soon as speed and altitude permit to 3000' or 3 miles east of arpt. Acft departing Rwy 31 turn left 270° as soon as speed and altitude permit to 3000' or 3 miles west of arpt. West opn: Dep acft maint. rwy heading to 3000 ft or 3 miles. Arr acft from N and W maintain 6000 ft until abeam Rwy 27L, 27R on downwind. Arr acft from N maintain 6000' until a beam Rwy 09L on downwind. No VFR apchs or base legs until offshore. Rwy 27R RVR touchdown avbl. All wide-body type acft departing Rwy 09L should follow taxiway centerline into position on rwy. Shoulder markings on Rwy 13-31 non-standard. Acft operating from Terminal 1,2 and Gates E1, E5, E7, E9, E10 at Terminal 3 must ctc Ramp ctl. Effective 1100-0300Z. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS (954) 359-7857. TDWR.


**COMMUNICATIONS:** D-ATIS 135.0 UNICOM 122.95

① **MIAMI APP CON** 128.6 (091°-270°) 133.775 (271°-090° 4000' and above) 118.1 (271°-090°blo 4000')  
**TOWER** 119.3 120.2 **GND CON** 121.4 121.7 **CLNC DEL** 128.4 **PRE TAXI CLNC** 128.4 **RAMP CTL** 118.175  
 (1100-0300Z)

① **MIAMI DEP CON** 128.6 (091°-270°) 126.05 (271°-090° 4000' and above) 119.7 (271°-090°blo 4000')

**AIRSPACE:** CLASS C svc continuous ctc APP CON

CONTINUED ON NEXT PAGE





## CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE FLL.

(H) VORW/DME 114.4 FLL Chan 91 N26°04.49' W80°09.15' at fld. 10/00E.

VOR portion unusable 210°–225°; 226°–209° byd 10 NM blo 4000'; 226°–299° byd 25 NM blo 6000'; 300°–330° byd 25 NM blo 8000'; 331°–209° byd 25 NM blo 6000'.

DME unusable 350°–020° byd 30 NM blo 5000'.

PLANTATION NDB (MHW) 242 PJN N26°07.94' W80°13.13' 138° 5.1 NM to fld.

ILS/DME 110.1 I-LHI Chan 38 Rwy 09L. CLASS IB.

ILS 108.5 I-FLL Rwy 09R. (Loc only).

ILS 109.35 I-LID Rwy 13. (Loc only).

ILS 110.7 I-UDL Rwy 27R.

COMM/NAV/WEATHER REMARKS: Freq. 121.5 not avbl at twr.

**FORT MYERS** N26°35.19' W81°51.85'  
RCO 122.65 122.2 122.1R (MIAMI RADIO)

MIAMI  
H-8H, L-21D, 23B

**FORT MYERS**

**PAGE FLD** (FMY) 3 S UTC-5(-4DT) N26°35.20' W81°51.80'

17 B S4 FUEL 100LL, JET A LRA NOTAM FILE FMY

MIAMI  
H-8H, L-21D, 23B

RWY 05-23: H6406X150 (ASPH-GRVD) S-125, D-155, ST-175, DT-350 MIRL

IAP, AD

RWY 05: VASI(V4L)—GA 3.0° TCH 52'. Thld dspcd 459'. Fence.

RWY 23: VASI(V4L)—GA 3.0° TCH 55'. Thld dspcd 399'. Railroad.

RWY 13-31: H4912X150 (ASPH) S-30, D-35 MIRL

RWY 13: VASI(V4L)—GA 3.0° TCH 30'. Thld dspcd 615'. Fence.

RWY 31: VASI(V4L)—GA 3.0° TCH 39'. Fence.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 05: TORA-6401 TODA-6401 ASDA-6401 LDA-5947

RWY 13: TORA-4909 TODA-4909 ASDA-4909 LDA-4297

RWY 23: TORA-6401 TODA-6401 ASDA-6401 LDA-6001

RWY 31: TORA-4667 TODA-4907 ASDA-4667 LDA-4667

**AIRPORT REMARKS:** Attended 1200-0400Z+. High density bird population within arpt boundaries. PAEW adjacent to rwy and twys during dalgt hrs. Brightly lgtd ball fld 1500 feet SE of apch end Rwy 05. Noise sensitive arpt—voluntary restriction for large acft and jet acft conducting multiple apchs and/or clsd tfc. Twy B SE of Twy A is non-movement area not visible from twr. Scheduled commercial passenger opr prohibited. For information call arpt manager 813-768-1000. Fees for all charter and revenue producing acft. PPR for customs clearance, call 239-561-6205. Air to FBO communications avbl on 130.55. No scheduled commercial passenger ops for info call airport manager 239-936-1443.

**WEATHER DATA SOURCES:** ASOS (239) 936-2318. LAWRS.

**COMMUNICATIONS:** CTAF 119.0 ATIS 123.725

**FORT MYERS RCO** 122.65 122.2 122.1R (MIAMI RADIO).

Ⓡ **FORT MYERS APP/DEP CON** 126.8 (1100-0500Z+)

Ⓡ **MIAMI CENTER APP/DEP CON** 134.75 (0500-1100Z+)

**TOWER** 119.0 (1200-0300Z+) **GND CON** 121.7 **CLNC DEL** 121.7


**AIRSPACE:** CLASS D svc 1200-0300Z+ other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE RSW.

**LEE CO (L) VORTAC** 111.8 RSW Chan 55 N26°31.79' W81°46.55' 308° 5.8 NM to fld. 25/02W. **HIWAS.**

**CALOO NDB (LOM)** 341 FM N26°30.97' W81°57.01' 051° 6.3 NM to fld. NOTAM FILE FMY.

**ILS** 110.7 I-FMY Rwy 05. **LOM CALOO NDB.** ILS unmonitored.





---

**SOUTHWEST FLORIDA INTL** (RSW) 10 SE UTC-5(-4DT) N26°32.17' W81°45.31'
**MIAMI**

30 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index D

**H-8H, L-21D, 23B**

NOTAM FILE RSW

**IAP, AD****RWY 06-24:** H12000X150 (ASPH-GRVD) S-30, D-190, ST-175, DT-430, DDT-840 HIRL CL**RWY 06:** TDZL. MALSR. VASI(V4L)—GA 3.0° TCH 55'. Rgt tfc.**RWY 24:** REIL. PAPI(P4L)—GA 3.0° TCH 72'.

**AIRPORT REMARKS:** Attended continuously. CAUTION—Birds and wildlife on and in/ovf arpt. Lgts on parallel road and parking lot NW of Rwy 06-24 can be mistaken for the rwy and apch environment. Open baggage bays within terminal area. Aircrews should use minimum thrust setting in these areas. Specially during single engine taxi. Cross-bleed starts only allowed after reaching the tug release point. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except PPR, call arpt manager 239-590-4810. Twr clnc rqr prior to entering Twy F. PPR rqr for terminal ramp call 239-590-4810. Air carrier pilots use ramp procedures as prescribed by arpt ops. No helicopter opr permitted on terminal apron. Arpt has rwy use program. Use distant noise abatement dep profile. Visual apchs to Rwy 06 W of Fort Myers Beach are requested to maintain 3000' until crossing Fort Myers Beach shoreline 12 NM SW of arpt. For noise abatement procedures call arpt manager 239-590-4810. U.S. Customs user fee arpt. Fees for all charter and travel clubs and revenue producing acft. Flight Notification Service (ADCUS) avbl.

**WEATHER DATA SOURCES:** ASOS (239) 561-0966. **HIWAS** 111.8 RSW. LAWRS. LLWAS.**COMMUNICATIONS:** CTAF/UNICOM 122.95 ATIS 124.65

Ⓡ **FORT MYERS APP/DEP CON** 126.8 (331°-059°) 125.15 (241°-330°) 119.75 (060°-240°) (1100-0500Z‡)

Ⓡ **MIAMI CENTER APP/DEP CON** 134.75 (0500-1100Z‡)

**FORT MYERS TOWER** 128.75 (1100-0500Z‡) **GND CON** 121.9 **CLNC DEL** 132.075**AIRSPACE:** CLASS C svc 1100-0500Z‡ ctc **APP CON** other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE RSW.**LEE CO (L) VORTAC** 111.8 RSW Chan 55 N26°31.79' W81°46.55' 073° 1.2 NM to fld. 25/02W. **HIWAS.****MUFFE NDB (LOM)** 336 RS N26°29.06' W81°50.08' 054° 5.3 NM to fld. Unmonitored when twr clsd.**ILS** 111.5 I-RSW Rwy 06. Class IA. LOM **MUFFE NDB.** Unmonitored when twr clsd. Coupled apchs not authorized blo 560' MSL.**COMM/NAV/WEATHER REMARKS:** LAWRS avbl on freq. 122.95 when twr clsd.

---

**FT PIERCE** N27°29.20' W80°22.40' NOTAM FILE FPR.
**MIAMI****NDB (MHW)** 275 FPR at St. Lucie Co Intl.**L-24F****RCD** 122.55 (MIAMI RADIO)



**FT PIERCE****ST LUCIE CO INTL** (FPR) 3 NW UTC-5(-4DT) N27°29.85' W80°22.36'**MIAMI**  
H-81, L-24F  
IAP, AD

24 B S4 FUEL 100LL, JET A OX 1,2 LRA NOTAM FILE FPR

RWY 10R-28L: H6492X150 (ASPH) S-30, D-30 MIRL

RWY 10R: REIL. VASI(V4L)—GA 3.0° TCH 31'. Trees. Rgt. tfc.

RWY 28L: VASI (V4L)—GA 3.0° TCH 52'. Trees.

RWY 10L-28R: H4000X75 (ASPH) MIRL

RWY 14-32: H4755X100 (ASPH) S-15 MIRL

RWY 14: Tree. RWY 32: P-line.

**AIRPORT REMARKS:** Attended 1200-0200Z±. Numerous flocks of birds and wildlife on and in/ov arpt. Extensive flight training on and within 20 miles of arpt blo 6000'. High tension p-lines 1/4 mile west AER 10L unmarked and unlighted. Drainage channel 80 ft wide, 10 ft deep, 600 ft from AER 10L. Drainage channel 80 ft wide, 10 ft deep, 530 ft from AER 28R. 2 ft drainage ditch 361 ft from Rwy 10R thld 259 ft right. 2 ft drainage ditch 797 ft from thld Rwy 28L 349 ft left. 2 ft drainage ditch 367 ft west of Twy A1 between Twy A and Rwy 10L-28R. Trees on AER 10R 600' from right and left of centerline. Lgtd ARFF communications antenna 125' AGL located 793' SSE of Rwy 28L thld. VFR training acft outside of Class D airspace transmit intended activity on 123.3. 8' fence 400' from centerline on northside of Rwy 10R-28L and east of Rwy 14-32. Rwy 10L-28R VFR training rwy. Extremely noise sensitive area E and SE. When twr closed right tfc Rwy 14. Voluntary noise abatement procedures in effect, ctc arpt management at 772-462-1732. Voluntary restrictions on touch and go or stop and go operations on Sun, and holidays, Mon-Sat 2 hrs after SS-1300Z±. Rwy 14-32 has 50' paved shoulders. Twy C1 restricted to acft with a wing span of 105' or less. Rwy 10R-28L 25' paved shoulders. ACTIVATE REIL Rwy 10R, MIRL Rwy 10L-28R, Rwy 10R-28L and Rwy 14-32 CTAF. VASI Rwy 10R and Rwy 28L opr continuously. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS (772) 489-4281.**COMMUNICATIONS:** CTAF 128.2 ATIS 134.825

FT PIERCE RCO 122.55 (MIAMI RADIO)

® MIAMI CENTER APP/DEP CON 132.25

FT PIERCE TOWER 128.2 (1200-0200Z±) GND CON 119.55


**AIRSPACE:** CLASS D svc 1200-0200Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE VRB.

VERO BEACH (H) VORTAC 117.3 VRB Chan 120 N27°40.71' W80°29.38' 154° 12.5 NM to fld. 20/04W. HIWAS.

FT PIERCE NDB (MHW) 275 FPR N27°29.20' W80°22.40' at fld. NOTAM FILE FPR.

LUUCE NDB (LOM) 338 FJ N27°29.82' W80°28.48' 094°5.4 NM to fld.

ILS/DME 110.55 I-FJD Chan 42(Y) Rwy 10R. Class IA. LOM LUUCE NDB. ILS unmonitored.

**FT WALTON BEACH** (See NAVARRE)



**GAINESVILLE RGNL** (GNV) 3 NE UTC-5(-4DT) N29°41.40' W82°16.31'  
 152 B S4 FUEL 100, JET A OX 1, 3 Class I, ARFF Index—See Remarks  
 NOTAM FILE GNV

**JACKSONVILLE**  
 H-8H, L-21D, 24G  
 IAP, AD

**RWY 11-29:** H7504X150 (ASPH-GRVD) S-75, D-260, ST-175,  
 DT-320 HIRL 0.6% up W

**RWY 11:** REIL. PAPI(P4L). TCH 50'.


**RWY 29:** MALSR. PAPI(P4R)—GA 3.0° TCH 55'.

**RWY 07-25:** H4158X100 (ASPH-GRVD) S-75, D-150, ST-175,  
 DT-210 MIRL 0.5% up SW

**RWY 07:** PAPI(P4L)—GA 3.0° TCH 40'. Trees.

**RWY 25:** PAPI(P4L)—GA 3.0° TCH 40'.

**AIRPORT REMARKS:** Attended continuously. High density migratory birds during daylight hours in all runways. A small portion of Rwy 07-25 and Twy A are not visible from the tower because the line of sight is blocked by the VORTAC bldg. Rwy 07-25 not available to air carrier aircraft. Northeast 1000' portion of Twy A is not visible from the tower. CLOSED to unscheduled air carrier operations with more than 30 passenger seats except with 24-hour PPR call airport manager 352-373-0249. Class I, ARFF Index A. Index B ARFF (Aircraft Rescue and Fire Fighting) equipment available upon request. When tower closed aircraft weighing more than 12,500 lbs. are required to contact FBO operations for parking instructions prior to exiting Twy 'A' due to irregular pavement strengths. Rwy 11-29 grooving full length X 130' wide center portion. Rwy 29 touchdown runway visual range available. When tower closed, ACTIVATE MIRL Rwy 07-25, HIRL Rwy 11-29 and MALSR Rwy 29—CTAF.



**WEATHER DATA SOURCES:** ASOS (352) 335-8672. HIWAS 116.2 GNV.

**COMMUNICATIONS:** CTAF 119.55 ATIS 127.15 UNICOM 122.95

**GATORS RCO** 116.2T 122.1R 122.2 122.5 123.65 (GAINESVILLE RADIO)

Ⓡ **JACKSONVILLE APP/DEP CON** 118.175

**TOWER** 119.55 (1145-0330Z±) **GND CON** 121.7

**AIRSPACE:** CLASS D svc 1145-0330Z± other times CLASS E.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.

**GATORS(L) VORTAC** 116.2 GNV Chan 109 N29°41.53' W82°16.38' at fld. 128/04W. HIWAS.

**WYNDN NDB (MHW/LOM)** 269 GN N29°40.20' W82°10.33' 287° 5.3 NM to fld.

**ILS** 111.3 I-GNV Rwy 29. Class IE. LOM WYNDN NDB.

**ASR**

**COMM/NAV/WEATHER REMARKS:** Ctc Gainesville Radio for airport advisory service on 119.55 when tower is closed.

**GATORS** N29°41.53' W82°16.38' NOTAM FILE GNV  
 (L) VORTAC 116.2 GNV Chan 109 at Gainesville Rgnl. 128/04W.  
 VORTAC unusable by 25 NM blo 3000'. HIWAS.  
**RCO** 116.2T 122.1R 122.2 122.5 123.65 (GAINESVILLE RADIO)

**JACKSONVILLE**  
 H-8H, L-21D, 24G

**GEIGER LAKE** N28°35.59' W80°48.98' NOTAM FILE TIX.  
**NDB (MHW)** 375 GGL 174° 4.8 NM to Space Coast Rgnl. Unmonitored when tower closed. SHUTDOWN.

**JACKSONVILLE**  
 L-24F

**GEORGE T LEWIS** (See CEDAR KEY)

**GREENVILLE** N30°33.08' W83°46.99' NOTAM FILE GNV.  
 (L) VORTAC 109.0 GEF Chan 27 159° 30.7 NM to Perry-Foley. 220/01E.  
 VOR unusable 358°-013° blo 5000'.  
**RCO** 122.1R 109.0T (GAINESVILLE RADIO)

**JACKSONVILLE**  
 L-21D, 22J

**HERLONG** (See JACKSONVILLE)

**HERNANDO CO** (See BROOKSVILLE)

**HERNY** N28°30.41' W81°26.04' NOTAM FILE ORL.  
**NDB (LOM)** 221 OR 070° 5.8 NM to Orlando Executive.

**JACKSONVILLE**  
 L-24F



**HIGH SPRINGS****OAK TREE LANDING** (6J8) 7 SW UTC-5(-4DT) N29°43.18' W82°39.47'**JACKSONVILLE**

90 NOTAM FILE GNV

**RWY 10-28:** 4990X75 (TURF)**RWY 10:** Trees. **RWY 28:** Trees.**RWY 16-34:** 2825X75 (TURF)**RWY 16:** Thld dsplcd 235'. Fence. **RWY 34:** Thld dsplcd 700'. Trees.**AIRPORT REMARKS:** Unattended. Rwy 10-28 CLOSED indef. 280' twr 2 NM NW of arpt.**COMMUNICATIONS:** CTAF 122.9**HILLIARD AIRPARK** (Ø1J) 1 E UTC-5(-4DT) N30°41.18' W81°54.34'**JACKSONVILLE**

59 NOTAM FILE GNV

**RWY 18-36:** 3365X125 (TURF) MIRL**RWY 18:** Thld dsplcd 795'. Fence. **RWY 36:** Thld dsplcd 125'. Trees.**AIRPORT REMARKS:** Unattended. Rwy 18-36 length, width and dsplcd thlds marked with white tires. Rwy 18-36 MIRL OTS indef.**COMMUNICATIONS:** CTAF 122.9**HOLLYWOOD****NORTH PERRY** (HWO) 5 W UTC-5(-4DT) N26°00.07' W80°14.44'**MIAMI**8 B S4 **FUEL** 100LL, JET A TPA-808 (800) NOTAM FILE HWO**L-23C, A****RWY 18R-36L:** H3350X100 (ASPH) S-17 MIRL**IAP, AD****RWY 18R:** REIL. PAPI(P2L)—GA 3.5° TCH 40'. Thld dsplcd 350'. Pole. Rgt tfc.**RWY 36L:** REIL. PAPI(P2L)—GA 3.5° TCH 40'. Thld dsplcd 350'. Poles.**RWY 18L-36R:** H3260X100 (ASPH) S-17**RWY 18L:** PAPI(P2L)—GA 3.5° TCH 40'. Thld dsplcd 110'. Trees**RWY 36R:** PAPI(P2L)—GA 3.5° TCH 40'. Thld dsplcd 185'. Pole. Rgt tfc.**RWY 09L-27R:** H3241X100 (ASPH) S-17**RWY 09L:** PAPI(P2L)—GA 3.5° TCH 40'. Thld dsplcd 181'. Pole.**RWY 27R:** PAPI(P2L)—GA 3.5° TCH 43'. Thld dsplcd 60'. Trees. Rgt tfc.**RWY 09R-27L:** H3255X100 (ASPH) S-17 MIRL**RWY 09R:** REIL. PAPI(P4L)—GA 3.5° TCH 45'. Thld dsplcd 255'. Bldg. Rgt tfc.**RWY 27L:** PAPI(P2L)—GA 3.5° TCH 36'. Thld dsplcd 210'. Trees.**AIRPORT REMARKS:** Attended 1200-0200Z†. Arpt CLOSED to acft over 12,500 pounds maximum certified takeoff gross weight. Bird activity on and invof arpt. High volume of banner towing and student flight invof arpt. Numerous tall towers SE of arpt cause radio interference. When twr clsd ACTIVATE MIRL Rwy 09R-27L and Rwy 18R-36L—CTAF. NOTE: See Special Notices—Terminal Area Graphic Notice.**WEATHER DATA SOURCES:** ASOS (954) 983-5904. LAWRS.**COMMUNICATIONS:** CTAF 132.1 ATIS 135.475 **UNICOM** 122.95® **MIAMI APP/DEP CON** 128.6**TOWER** 132.1 134.3 (1200-0200Z†) **GND CON** 120.45**AIRSPACE:** CLASS D svc 1200-0200Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FLL.**FT. LAUDERDALE (H) VOR/DME** 114.4 FLL Chan 91 N26°04.49' W80°09.15' 227° 6.5 NM to fld. 10/00E.



**HOMESTEAD ARB** (HST)(KHST) AFRC 3 E UTC-5(-4DT) N25°29.31' W80°23.02'**MIAMI**

5 B TPA—See Remarks NOTAM FILE HST

**H-81, L-23C, A****RWY 05-23:** H11200X300 (CONC-GRVD) S-155, T-280, ST-175, TT-545, TDT-775**DIAP, AD**

PCN 55 R/B/W/T HIRL

**RWY 05:** ALSF1. PAPI(P4L)—GA 2.5° TCH 54'. Rgt tfc.**RWY 23:** SALS. PAPI(P4L)—TCH 54'.**ARRIVING GEAR/SYSTEM****RWY 05** ← HOOK E5 (65° OVRN) BAK-14 BAK-12B(B) (1650')BAK-14 BAK-12B(B) (1087') HOOK E5 (74° OVRN) → **RWY 23**

**MILITARY SERVICE: A-GEAR** Apch end BAK-12B(B)/14 for active rwy in low position. Dep end BAK-12B(B)/14 for active rwy in raised position. E-5 connected on dep end, disconnected on apch end. **JASU 3(AM32A-60)**  
**2(A/M32A-86) FUEL** J8 Expect 1 hr delay. All acft rqr fuel, please have in your possession the white DD Form 1896 fuel card, US Govt air card or your base billing info. **OIL O-133-148 TRAN ALERT** Opr Mon-Fri 1300-0300Z, Sat 1300-2000Z, clsd holidays. Avbl Sundays as requested in support of Unit Training Assembly weekends. No Demineralized water avbl. No fleet svc avbl.

**MILITARY REMARKS:** See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** PPR, 24 hr prior notice. Base OPS DSN 791-7516, C305-224-7516. PPR good for +/- 1 hr PPR time. Coordination of PPR outside of block time by telephone is rqr, or PPR number will be considered cancelled except for MEDEVAC and VIP acft. Tran acft call 50 NM out. Inbound distinguished visitor acft ctc Comd Post 20 min prior to ldg with firm clock time. No local or round robin flights permitted by tran acft. Opr for base assign alert acft only 0400-1200Z. Tran maintenance must be present for acft parking, engine start and for launch of all tran acft. Alert facility twy rstd to acft with wing span of 60' or less. **CAUTION** Heliport 2.2 NM SW, exercise extreme caution. Tran park area in front of Base Operations, rows 1-4 asphalt area clsd to all fighter acft. Stadium light 3 NM from apch end Rwy 05 hazard to night vision. Bird hazard; especially prevalent 1 hr before SS and 1 hr after SR. Airfield experiences temporary Bird Watch Condition Severe. Ctc Base OPS for bird hazard information, Bird Watch Condition is on ATIS. Extensive high performance mil jet opr on and invof arpt. **TFC PAT** TPA—Rectangular 1005(1000), overhead 2005(2000), helicopter 505(500). During VFR conditions; tkf, low apch, touch and go, acft maintain 1000' until dep end of rwy to avoid overhead pattern. **MISC** Winds are estimated due to FMQ-13 wind sensors being accurate to within only +/- 4 Kt. ATC/Wx will not include/relay wind correction into forecast/phrasingology. Therefore, aircrews will incorporate a +/- 4 Kt accuracy into their decision making process for flying opr. Acft arr from NE sector can expect numerous frequency changes during enroute descent. For dep ctc twr direct. Tran acft ldg with hot armament, advise twr on initial ctc. Weather station opr 24 hrs. For additional information ctc the 26th OWS at Barksdale AFB, LA, DSN 781-3448, C318-456-3024. Automated/Augmented AWOS in use.

**COMMUNICATIONS:** ATIS 132.275 269.9 (1200-0400Z) **PTD** 372.2**(R) APP/DEP CON** 123.8 257.675 (1200-0400Z) other times ctc**(R) MIAMI APP/DEP CON** 125.5 354.1 (0400-1200Z)**TOWER** 133.45 279.55 **GND CON** 121.75 275.8 **CLNC DEL** 275.8 **GCA** 123.8 257.675 (1200-0400Z)**COMD POST** (REEF CONTROL) 381.3 (DSN 791-7068, C305-224-7068) **PMSV METRO** 318.65**93FS** (MAKO OPS) 138.025 303.15**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.**(L) TACAN** Chan 19 HST (108.2) N25°29.37' W80°22.77' at fld. 53/3W. No NOTAM MP Wed 1100-1300Z (1500/3+1).**ILS** 109.9 I-HST Rwy 05. No NOTAM MP Tue and Thu 1100-1300Z (1500/3+1).**COMM/NAV/WEATHER REMARKS:** Radar—No NOTAM MP Mon, Wed, Fri 1000-1400Z (1500/3+1).**HOMESTEAD GENERAL AVIATION** (X51) 4 NW UTC-5(-4DT) N25°29.95' W80°33.26'**MIAMI**7 B S4 **FUEL** 100LL, JET A OX 1, 2 NOTAM FILE MIA**L-23C, A****RWY 18-36:** H4000X100 (ASPH) S-40, D-65, DT-110 MIRL**RWY 18:** Rgt tfc. **RWY 36:** PAPI(P4R).**RWY 09-27:** H3000X75 (ASPH) S-20 MIRL**RWY 09:** PAPI(P2L). Trees. **RWY 27:** Tree. Rgt tfc.**RWY 09U-27U:** 1000X500 (TURF)

**ARPORT REMARKS:** Attended continuously. Parachute Jumping SE corner of arpt. Extensive crop dusting in area. Extensive glider activity invof arpt 8,000' and blo-monitor freq 122.80. Ultralight activity on and invof arpt. Aerobatic box south of arpt and east of AER 36. Remote control model flying fields 1.8 NM north of AER 18. Glider activity Rwy 18-36. Use of ultralight ops area is limited to ultralights and stol type acft that have an approach speed of 50 knots or less, ctc arpt manager on 305-247-4883 prior to use. Rwy 09U-27U white markers every 200'.

**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.**DOLPHIN (H) VORTAC** 113.9 DHP Chan 86 N25°48.00' W80°20.94' 216° 21.2 NM to fld. 10/4W. **HIWAS.**



**HURLBURT FLD** (HRT)(KHRT) AF 2 E UTC-6(-5DT) N30°25.67' W86°41.36'**NEW ORLEANS**

38 B Class I, ARFF Index Ltd. NOTAM FILE CEW Not insp.

H-7E, 8G, L-21C, 22H

**Rwy 18-36:** H9600X150 (CONC) PCN 45 R/C/W/T. HIRL

DIAP, AD

**Rwy 18:** SALSF. PAPI(P4L). **Rwy 36:** ALSF1. PAPI(P4L). Rgt t/c.**MILITARY SERVICE:** LGT Rwy 36 PAPI glide slope and ILS glide slope not coincidental.

**JASU** (A/M32A-86D) (A/M32A-95) (MEP-360A) **FUEL** J8 with 24 hr prior notice **FLUID** PRESAIR LOX LPOX.  
 LOX not avbl for F-16, F-15, F-18, A-10, and T-38 acft. **OIL** O-148-156 SOAP **TRAN ALERT** Tran acft must have PPR and use follow-me to park svc avbl 1300-0430Z. Tran alert will not support local, round robins in or out and back tran acft.

**MILITARY REMARKS:** See FLIP AP/1 Route and Area Rstd (Florida-Valparaiso) and Supplementary Arpt Remark (Hurlburt Fld). **RSTD** PPR including scheduled AMC mission due ltd ramp space, tran acft parking ltd, 24 hr prior notice rqr Base OPS DSN 579-7806/7, C850-884-7806/7, fax DSN 579-5358; PPR good for +/- 1 hr PPR time. Coordination of PPR outside of block time by telephone is rqr. Airfield subject to no notice closure. All tran acft flying local area missions, ctc Comd Post prior to tkf or ASAP after tkf. All tran acft supporting special opr ctc Seminole OPS 30 minutes prior to ETA. Rwy 18 unlgtd dsplcd thld may be used by base assigned acft for tkf, ctc twr with request to back taxi. Compass rose ltd to tow in and out only. Taxiing acft engine run-ups at the following locations provided the aircrew has cleared the area and applied any specific acft restrictions. Twy A, D, F, G abeam B and G abeam D (flare ramp must be clear of acft/personnel). **CAUTION** VFR corridor 1.2 NM S of rwy. 80' crane (intermittent) located 3000' S and 1000' W of extended rwy centerline. Precision obst free zone critical area hold signs unavbl on Twy F. **CUSTOMS/AG/IMG-ITD SVC** Avbl for acft supporting AFSOC ops. 24 hr prior notice required. All other acft must clear customs prior to arrival to Hurlburt Fld. **MISC** Airfield wx is monitored by AN/FMQ-19, automated observing system and augmented by human observer 24/5; limited augmentation on weekends. Acft with DV7 or abv ctc Comd Post 30 min prior to ETA. All tran aircrews will check in with Base OPS before dep flight line. No classified materials avbl for trans issue. Ltd storage for classified material at Base OPS. Top Secret and additional storage avbl at Comd Post. Tran aircrews planning to fly local sorties must bring a cellular to provide Comd Post a 24 hr ctc. Fleet svc avbl with a minimum 24 hrs notice DSN 579-5781/3901. Passenger processing requires 24 hr notice DSN 579-5781/3901.

**COMMUNICATIONS:** ATIS 360.675 PTD 372.2

⑧ **EGLIN APP CON** 125.1 281.45 (271°-089°) 132.1 360.6 (090°-270°) (1200-0600Z)

**TOWER** 126.5 351.675 **GND CON** 123.975 275.8 (All acft ctc prior to engine start)

⑧ **EGLIN DEP CON** 132.1 360.6 (1200-0600Z)

⑧ **JACKSONVILLE CENTER APP/DEP CON** 120.2 346.4 (0600-1200Z)

**COMD POST** (CHINDIT OPS) 143.0 251.25 11610.0 (5.732 after 2300Z). **PMSV METRO** 335.45**AIRSPACE:** CLASS D svc continuous.**RADIO AIDS TO NAVIGATION:** NOTAM FILE HRT.(T) **TACAN** Chan 45 HRT (110.8) N30°25.68' W86°41.42' at fld. 35/0E. Monitored when twr open. NoNOTAM MP Thu 1300-1600Z. **TACAN** unusable 076°-104° byd 5 NM blo 4,000'.**ILS** 111.3 I-HRT Rwy 36. No NOTAM MP Localizer or Glide slope Tue and Wed 1300-1600Z.**HELIPAD** H1: H1608X90 (CONC)**HELIPORT REMARKS:** Helicopter Landing lane.**IMMOKALEE RGNL** (IMM) 1 NE UTC-5(-4DT) N26°26.03' W81°24.08'**MIAMI**37 B S2 **FUEL** 100LL, JET A NOTAM FILE MIA

H-8H, L-23C

**Rwy 09-27:** H5000X150 (ASPH) S-35, D-60, DT-100 MIRL

IAP

**Rwy 09:** P-line.**Rwy 18-36:** H5000X150 (ASPH) S-35, D-60, DT-110 HIRL**Rwy 18:** Brush. **Rwy 36:** P-line.

**AIRPORT REMARKS:** Attended 1300-2200Z. Fuel avbl 24 hrs by credit card. Glider activity blo 10,000' 10 NM radius from SR-SS. Crop dusting ops conducted during dalgt hrs. Tkf and ldg on turf areas of arpt are done so at pilots own risk and responsibility. PCL OTS indef. Reflectors on Twy A, B and C lgtd. **ACTIVATE** MIRL Rwy 09-27 and HIRL Rwy 18-36-CTAF.


**WEATHER DATA SOURCES:** AWOS-3 118.525 (239) 657-2038.**COMMUNICATIONS:** CTAF 122.9

⑧ **FORT MEYERS APP/DEP CON** 119.75 (1100-0500Z)

⑧ **MIAMI CENTER APP/DEP CON** 134.75 (0500-1100Z)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.**LA BELLE (L) VORTAC** 110.4 LBV Chan 41 N26°49.69'

W81°23.49' 180° 23.6 NM to fld. 30/01E.





**INDIANTOWN** (X58) 2 NE UTC-5(-4DT) N27°02.25' W80°26.46'

MIAMI

30 S4 **FUEL** 100LL TPA-830(800) NOTAM FILE MIA

**RWY 13-31:** 6300X75 (TURF)

**RWY 13:** Thld dsplcd 600'. Tree.

**RWY 31:** Thld dsplcd 300'. Road.

**AIRPORT REMARKS:** Unattended. Fuel avbl with credit card only. No touch and go lgds. Rwy 13-31 dsplcd thlds and rwy sides marked with white paving stones and orange foam markers. Standing water at rwy edges after rain. PPR for transient acft training call 772-597-5800. Landing fee currently in effect. \$10 landing fee waived with fuel purchase.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

**INVERNESS** (X40) 2 SE UTC-5(-4DT) N28°48.38' W82°19.07'

JACKSONVILLE

50 B **FUEL** 100LL, JET A NOTAM FILE PIE

L-21D, 24F

**RWY 01-19:** H3762X60 (ASPH) S-12.5 MIRL

**RWY 01:** REIL. PAPI(P2L). Trees. Rgt tfc.

**RWY 19:** REIL. PAPI(P2L). Thld dsplcd 50'. Trees.

**AIRPORT REMARKS:** Attended 1200-0000Z $\ddagger$ . Fuel self serve. Trees in transition surface E and W of rwy. ACTIVATE MIRL Rwy 01-19 and REIL Rwy 01 and Rwy 19-CTAF.

**WEATHER DATA SOURCES:** AWOS-3 119.975 (352) 341-0264.

**COMMUNICATIONS:** CTAF/UNICOM 122.725

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OCF.

**OCALA (L) VORTAC** 113.7 OCF Chan 84 N29°10.65' W82°13.58' 192° 22.7 NM to fld. 80/00E.

**JACK BROWNS SPB** (See WINTER HAVEN)

## JACKSONVILLE

**CECIL FLD** (VQQ) 13 SW UTC-5(-4DT) N30°13.12' W81°52.60'

JACKSONVILLE

81 B S4 **FUEL** 100LL, JET A+ OX 1, 3, 4 NOTAM FILE VQQ

H-8H, L-21D, 24G, A

**RWY 18L-36R:** H12503X193 (ASPH-CONC) HIRL

IAP, AD

**RWY 18L:** REIL. PAPI(P4L)-GA 3.0° TCH 80'. Trees.

**RWY 36R:** MALSR. PAPI(P4L)-GA 3.0° TCH 73'. Trees.

**RWY 09R-27L:** H8003X197 (ASPH-CONC) HIRL

**RWY 09R:** MALSR. PAPI(P4L)-GA 3.0° TCH 77'. Trees.

**RWY 27L:** REIL. PAPI(P4L)-GA 3.0° TCH 72'. Trees.

**RWY 09L-27R:** H8002X200 (ASPH-CONC)

**RWY 09L:** Trees. **RWY 27R:** Trees.

**RWY 18R-36L:** H8000X200 (ASPH-CONC)

**RWY 18R:** Trees. **RWY 36L:** Trees.

**AIRPORT REMARKS:** Attended 1200-0300Z $\ddagger$ . Fuel avbl Mon-Fri 1200-0300Z $\ddagger$ , Sat/Sun 1300-2100Z $\ddagger$ , ctc at 904-317-6550. Also avbl Mon-Fri 1100-0300Z $\ddagger$ , Sat/Sun 1300-2100Z $\ddagger$ , ctc at 904-777-6675. Rwy 18R-36L hold short rwy sign unlighted. Rwy 09L-27R hold short rwy sign unlighted. Wildlife invof arpt. Twy C clsd at military gate. Twy M clsd except for military acft. When twr clsd ACTIVATE HIRL Rwy 18L-36R, HIRL Rwy 09R-27L, REIL Rwy 27L, Rwy 18L and MALSR Rwy 36R and Rwy 09R-CTAF.

**WEATHER DATA SOURCES:** AWOS-3 125.275 (904) 778-6934.

**COMMUNICATIONS:** CTAF 126.1 ATIS 125.275 UNICOM 122.95

Ⓡ **JACKSONVILLE APP/DEP CON** 123.8

**TOWER** 126.1 (1200-0200Z $\ddagger$ ) **GND CON** 121.625 **CLNC DEL** 121.625

**GCO** 121.725 (Jacksonville APP CON and Gainesville FSS)

**AIRSPACE:** CLASS D svc 1200-0200Z $\ddagger$  other times CLASS G.


**RADIO AIDS TO NAVIGATION:** NOTAM FILE CRG.

**CRAIG (H) VORTAC** 114.5 CRG Chan 92 N30°20.33' W81°30.60' 72° 20.4 NM to fld. 40/03W. **HIWAS.**

(H) **VORW** 117.9 VQQ N30°12.78' W81°53.45' at fld. NOTAM FILE VQQ.

VOR unusable: 056°-064°; 131°-134° and 166°-194° blo 12,000', 195°-224° blo 5,000', 291°-295° byd 10 NM blo 4,000', 296°-345° blo 4,000'.

**ILS/DME** 109.5 I-VQQ Chan 32 Rwy 36R. Class IB. ILS unmonitored when twr clsd.





**CRAIG MUNI** (CRG) 8 E UTC-5(-4DT) N30°20.18' W81°30.87'

41 B S4 **FUEL** 100LL, JET A NOTAM FILE CRG

**RWY 14-32:** H4008X100 (ASPH) S-30 MIRL

**RWY 14:** REIL. PAPI(P4L)—GA 3.0°. Trees.

**RWY 32:** MALSR. PAPI(P4L)—GA 3.0°. Trees.

**RWY 05-23:** H4004X100 (ASPH) S-30 MIRL

**RWY 05:** PAPI(P4L)—GA 3.0°. Tree.

**RWY 23:** REIL. PAPI(P4L)—GA 3.0°. Trees.

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 05</b>	14-32	3600
<b>RWY 14</b>	05-23	3650

**AIRPORT REMARKS:** Attended Mon-Fri 1100-0400Z†, Sat-Sun

1100-0300Z†. Banner towing on weekends and special events.

The arpt is designed to safely accommodate Design Group II acft (up to 79' wingspan) up to 60,000 lbs dual wheel loading. PPR for acft exceeding these limits ctc at 904-741-2020. Birds

periodically on or near arpt increasing in activity during inclement

weather. Wildlife on and invof arpt. VFR noise abatement

procedures in effect, ctc arpt manager for details at phone number

904-641-7666. Weather permitting, Rwy 05 preferred for apch,

Rwy 32 preferred for dep. Call noise abatement complaint hotline

at phone number 904-641-3606. Rwy 05-23 has 75' stopways both ends. Rwy 14-32 has 75' stopways

both ends. PAPI Rwy 05 unusable byd 7.5° right of centerline. PAPI Rwy 23 unusable byd 9.0° right of

centerline. PAPI Rwy 23 unusable byd 8.0° either side of centerline. Twy J unlighted. When twr clsd HIRL Rwy

14-32 and MIRL Rwy 05-23 preset medium ints, ACTIVATE REIL Rwy 23 and MALSR Rwy 32—CTAF.

**WEATHER DATA SOURCES:** ASOS (904) 646-4670. **HIWAS** 114.5 CRG.

**COMMUNICATIONS:** CTAF 132.1 ATIS 125.4 **UNICOM** 122.95

**RCO** 122.1R 114.5T (GAINESVILLE RADIO)

Ⓡ **JACKSONVILLE APP/DEP CON** 124.9

**TOWER** 132.1 (Mon-Fri 1100-0400Z†, Sat-Sun 1200-0300Z†) **GN D CON** 121.8 **CLNC DEL** 118.35

**AIRSPACE:** CLASS D svc Mon-Fri 1100-0400Z†, Sat-Sun 1200-0300Z†, other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE CRG.

(H) **VORTAC** 114.5 CRG Chan 92 N30°20.33' W81°30.60' at fld. 40/03W. **HIWAS.**


**ILS** 111.7 I-CRG Rwy 32.

**ASR**

**JACKSONVILLE**

L-21D, 24G, A

IAP, AD



**HERLONG** (HEG) 8 SW UTC-5(-4DT) N30°16.67' W81°48.36'

87 B S4 **FUEL** 100LL, JET A NOTAM FILE GNV

**RWY 07-25:** H4000X100 (ASPH) S-30 MIRL

**RWY 07:** PAPI(P2L)—GA 3.0° TCH 34'. Trees.

**RWY 25:** PAPI(P2L)—GA 3.0° TCH 34'. Trees.

**RWY 11-29:** H3500X100 (ASPH) S-30 MIRL

**RWY 11:** PAPI(P2L). Trees. **RWY 29:** PAPI(P2L). Trees.

**AIRPORT REMARKS:** Attended 1130-0030Z†. Parachute Jumping.

Ultralight and glider activity on and invof arpt. PAPI Rwy 11 OTS

indef. ACTIVATE MIRL Rwy 07-25 and Rwy 11-29—CTAF. PAPI Rwy

07, Rwy 25, Rwy 11 and Rwy 29 opr continuously.

**WEATHER DATA SOURCES:** AWOS-3 119.275 (904) 695-0334.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ **JACKSONVILLE APP/DEP CON** 124.4 123.8

**GCD** 121.025 (JACKSONVILLE CLNC and GAINESVILLE FSS)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.


**TAYLOR (H) VORTAC** 112.9 TAY Chan 76 N30°30.28'

W82°33.18' 112° 41.1 NM to fld. 140/03W.

**JACKSONVILLE**

L-21D, 24G, A

IAP





**JACKSONVILLE INTL** (JAX) 9 N UTC-5(-4DT) N30°29.64' W81°41.27'

**JACKSONVILLE**

30 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index D  
NOTAM FILE JAX

H-8H, L-21D, 24G, A  
IAP, AD

**RWY 07-25:** H10000X150 (CONC-GRVD) S-100, D-208, ST-175,  
DT-358 HIRL CL

**RWY 07:** ALSF2. TDZL. PAPI(P4L).

**RWY 25:** MALSR. TDZL. PAPI(P4R).

**RWY 13-31:** H7701X150 (CONC-GRVD) S-100, D-190, ST-175,  
DT-330 HIRL CL

**RWY 13:** MALSR. TDZL. PAPI(P4L)—GA 3.02°.

**RWY 31:** REIL. PAPI(P4L)—GA 3.05°. Tree.

**ARRESTING GEAR/SYSTEM**

**RWY 07** BAK-14 BAK-12B(B) (1537')

BAK-14 BAK-12B(B) (1612') **RWY 25**

**AIRPORT REMARKS:** Attended continuously. Bird activity invof arpt, wildlife presently on afld. Radio controlled acft activity 3.5 NM NNW of arpt. Small portion of terminal ramp not visible from twr. Control twr unable to determine if ramp is clear. PPR 24 hrs for unscheduled air carrier ops with more than 30 passenger seats call arpt manager 904-741-2000. All intl general aviation arrivals ctc arpt ops at 904-741-2020 and ctc U.S. Customs and Servicing FBO for processing and instructions. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—Continuous Power Facilities.

**WEATHER DATA SOURCES:** ASOS (904) 741-4304. LLWAS.

**COMMUNICATIONS:** D-ATIS 125.85 UNICOM 122.95

Ⓡ **APP/DEP CON** 127.0 119.0 (270°-090°) 123.8 (181°-269°) 124.9 (091°-180° 5000' and blo) 118.0 (091°-180° abv 5000')

**TOWER** 118.3 **GND CON** 121.9 **CLINC DEL** 119.5

**AIRSPACE:** CLASS C svc continuous ctc **APP CON**

**RADIO AIDS TO NAVIGATION:** NOTAM FILE CRG.

**CRAIG (H) VORTAC** 114.5 CRG Chan 92 N30°20.33' W81°30.60' 318° 13.1 to fld. 40/03W. HIWAS.

**DINNS NDB (HW/LOM)** 344 JA N30°27.90' W81°48.10' 077° 6.2 NM to fld. NOTAM FILE JAX.


**EASTPORT NDB (MHW)** 357 EYA N30°25.42' W81°36.56' 319° 5.9 NM to fld. NOTAM FILE JAX.

**ILS 110.7** I-JAX Rwy 07. Class IIIE. LOM DINNS NDB.

**ILS 110.5** I-CZH Rwy 13. Class IB. Localizer back course unusable.

**ILS 110.3** I-PEK Rwy 25. Class IA.

ASR





**JACKSONVILLE NAS (TOWERS FLD)** (NIP)(KNIP) N 4 S UTC-5(-4DT)**JACKSONVILLE**

N30°14.03' W81°40.50'

H-8H, L-21D, 24G, A

21 B NOTAM FILE JAX

Not insp.

DIAP, AD

**RWY 10-28:** H8002X200 (ASPH) PCN 50 R/C/W/T HIRL CL**RWY 10:** ALSF1. OLS. REIL. PAPI(P4L). WAVE-OFF.**RWY 28:** ALSF1. OLS. REIL. PAPI(P4L). WAVE-OFF.**RWY 14-32:** H5980X200 (ASPH) PCN 42 F/B/W/T HIRL**RWY 14:** Thld dsplcd 2739'.**RWY 32:** OLS. REIL. WAVE-OFF.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 14:** LDA-3241**RWY 32:** TORA-3241 LDA-3241**ARRESTING GEAR/SYSTEM****RWY 10 HOOK E28(B)** (1190')**HOOK E28(B)** (1990') **RWY 28****RWY 14 HOOK E28** (2984')

**MILITARY SERVICE: A-GEAR** Rwy 10-28 15 minute notice for short fld arrestment. Rwy 32 abort end A-GEAR located 4,751' from apch end. **JASU** 1(NCP-105) 2(NC-8) **FUEL J5 FLUID** SP LHGX LOX—Rrq 48 hr notice. Ctc fuels division for LOX svc, DSN 942-3906, C904-542-3906, Mon-Fri 1300-1930Z. Ctc Base OPS for LOX svc after hrs, weekends, and holidays DSN 942-2511, C904-541-2511. **TRAN ALERT** Limited transient maintenance, svc and space avbl. Acft stairs and lavatory svc avbl 1100-0200Z daily with 24 hr notice. Ctc Base OPS after hrs for acft stairs or lavatory svc DSN 942-2511, C904-542-2511. Transient aircraft desiring oil samples should contact the Naval Oil Analysis Lab at DSN 942-4031, C904-542-4031. Non-tenant aircraft desiring hot refueling are required to be sponsored by a local squadron.

**MILITARY REMARKS: RSTD** Opr 24 hrs exc hol. Ctc Base Ops DSN 942-2511, C904-542-2511 for hol closure.

Transient jet acft VFR touch and go not authorized. All acft, ctc Base OPS 310.2, 134.775 15 min prior to ldg. Rwy 10-28 CLOSED 1000-1230Z for centerline lgt maintenance. Rwy 14 avbl for arrival fixed wing Category A and rotary wing aircraft. Rwy 14 not avbl for ldg between SS and SR. Afld clsd 2nd Wed of each month for afld maintenance from 1230-1400Z. Afld clsd 2nd Wed in Jan, Apr, Jul, and Oct for FOD walkdown from 1230-1400Z. Twy D clsd between flying club and Rwy 10-28. PPR for all aircraft with the exception of locally based, JOSAC, NALO and AIREVAC aircraft. Contact Base Operations, DSN 942-2511, C904-542-2511, 48 hrs prior to arrival for PPR number. Hung ordnance/Divert Alert—Limited. Limited organic weapons handling capability. **CAUTION** To preclude tail hook skip during A-GEAR engagement, avoid Rwy 10-28 centerline lgts located 18 inches south of rwy centerline. Maximum safe off-centerline arrestment 40'. Helicopter ldg spots located on Twy A. Mat areas between Rwy 10-28 and Rwy 14-32 not authorized for acft use. Exercise extreme vigilance during IFR apch Rwy 10 in Visual Meteorological Conditions due to General Aviation acft vicinity Cecil Fld. Extreme bird hazard during summer months. Ctc twr for current BASH condition. Skydiving and glider ops. sfc to 10,000', 7 miles NW, in vicinity of Herlong Apt, between SR and SS. Unshielded lgt at ballfield NIP 216/2.4 NM on Rwy 10 apch. **TFC PAT** Transient jet acft expect rgt tfc Rwy 10. **NS ABTMT** Stop landing only Mon-Sat between 0300-1300Z and Sun between 0300-1700Z due to quiet hrs. Departures or full stop landings only between 2200L-0800L Monday-Sunday, and 0900L-1200L on Sundays. Transient jet aircraft are not authorized in the tower pattern. **CSTMS/AG/IMG** Acft rqr inspection plan arrival between Mon-Fri 1300-2100Z. Ctc Base Ops, DSN 924-2511, C904-2511, 48 hr prior to arrival. No inspection outside published hr. **MISC** Wx observer svc only. Ctc Naval Aviation Forecast Center for wx advisory or wx forecast DSN-564-2594, C757-444-2594. Aircrews are responsible for their on off base transportation. Aircrews coordinate for classified material storage with NAVCOM TELSTA at DSN 942-3308/3309.

**COMMUNICATIONS: SFA** ATIS 281.0

**(R) APP/DEP CON** 123.8 377.05

**NAVY JACKSONVILLE TOWER** 120.0 340.2 307.325 Opr 24 hrs exc holidays. **GND CON** 128.6 336.4

**CLNC DEL** 134.775 353.675

**PMSV METRO** 343.5 **NAVY JAX OPS** 310.2 134.775

**RADIO AIDS TO NAVIGATION:** NOTAM FILE NIP.

**(L) TACAN** Chan 19 NIP (108.2) N30°14.09' W81°40.50' at fld. 20/6W.

TACAN unusable:

015°-035°

201°-214° byd 15 NM blo 5,000'

106°-114° byd 20 NM

215°-340° byd 20 NM blo 13,000'

185°-200° byd 20 NM blo 13,000'

**CECIL (H) VORW** 117.9 VQV N30°12.78' W81°53.45' 087° 11.3 NM to fld. NOTAM FILE VQV.

**ASR/PAR**

**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.

**JUMPI** N29°03.39' W82°13.39' NOTAM FILE OCF.

**JACKSONVILLE**

**NDB (LOM)** 423 OC 004° 7.0 NM to Ocala Intl-Jim Taylor Fld.

L-24F

**KENDALL-TAMIAHI EXECUTIVE** (See MIAMI)

**KENNEDY SPACE CENTER** N28°37.57' W80°41.75' NOTAM FILE MLB.

**JACKSONVILLE**

**(H) TACAN** Chan 59(Y) TTS (112.2) at NASA Shuttle Landing Facility. 57/OE.

H-8I, L-24F

No NOTAM, intermittent opr.



**KEYES** N25°47.44' W80°11.65' NOTAM FILE MIA.  
NDB (LOM) 248 MI 278° 5.2 NM to Miami Intl. SHUTDOWN.

**MIAMI**  
L-23C, A

## KEYSTONE HEIGHTS

**KEYSTONE AIRPARK** (42J) 3 N UTC-5(-4DT) N29°50.69' W82°02.85'

**JACKSONVILLE**  
H-8H, L-21D, 24G  
IAP

196 B S4 FUEL 100LL, JET A TPA-1196(1000) NOTAM FILE GNV  
RWY 05-23: H5044X100 (ASPH) S-40, D-80, ST-102 MIRL 0.4% up NE

RWY 05: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 23: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 11-29: H4899X75 (ASPH) S-30, D-60 HIRL

RWY 11: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 29: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

**AIRPORT REMARKS:** Attended 1300-2300Z†. Self serve aviation gas avbl 24 hrs with credit card, Jet A by appointment. Call 352-473-0031. CAUTION—Animals on and invof arpt. Restricted Area 2903A 1.5 miles Rwy 23 end. Fly left traffic to avoid. Rwy 11-29 restricted by arpt manager to acft 12,500 pounds gross weight or less. ACTIVATE MIRL Rwy 05-23 and HIRL Rwy 11-29—CTAF.


**WEATHER DATA SOURCES:** AWOS-3 124.275 (352) 473-8273.

**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ **JACKSONVILLE APP/DEP CON** 118.175

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.

**GATORS (L) VORTAC** 116.2 GNV Chan 109 N29°41.53' W82°16.38' 056° 14.9 NM to fld. 128/04W. **HIWAS.**



**KEY WEST INTL** (EYW) 2 E UTC-5(-4DT) N24°33.37' W81°45.57'

**MIAMI**  
L-21D, 23C  
IAP, AD

3 B S4 FUEL 100, JET A AOE Class I, ARFF Index B NOTAM FILE EYW

RWY 09-27: H4801X100 (ASPH-GRVD) S-75, D-125, DT-195 MIRL

RWY 09: REIL. VASI(V4L)—GA 3.0° TCH 34'. Rgt tfc.

RWY 27: REIL. VASI(V4L)—GA 3.0° TCH 34'.

**AIRPORT REMARKS:** Attended 1200-0400Z†. Parachute Jumping.

CAUTION: Numerous flocks of birds on and in the vicinity of airport. Departing VFR acft requested to maintain rwy heading until reaching fld boundary, then execute turns for N or S dep. CAUTION—Restricted area R-2916 located 14 NM NE of arpt has strobe-lgt'd and marked balloon and cable to 14,000 ft. Extremely noise sensitive area. Urge no ops 0400-1200Z†. Use NBAA close in noise abatement procedures other times. Local ordinance rqr engine runups in designated area on N side commercial ramp from 0400-1200Z† and fines. PPR for unscheduled air carrier operations with more than 30 passenger seats 0430-1045Z†; Call arpt manager 305-296-7223. PPR for acft exceeding rwy weight bearing capacity; call arpt manager 305-296-7223.

Intensive military jet tfc S and E of arpt; acft entering arpt tfc area from SE through W. Enter arpt tfc area blo 2000'; refer to MIAMI VFR Terminal Area Chart for suggested VFR flyway routes.

ACTIVATE MIRL Rwy 09-27, VASI/REIL Rwy 09-27—CTAF. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS 119.65 (305) 292-4046. **HIWAS** 113.5 EYW.

**COMMUNICATIONS:** CTAF 118.2 ATIS 119.675 UNICOM 122.95

RCO 122.1R 113.5T (MIAMI RADIO)

RCO 123.65 122.2 (MIAMI RADIO)

Ⓡ **NAVY KEY WEST APP/DEP CON** 124.025 (1200-0300Z†) Ⓡ **MIAMI CENTER APP/DEP CON** 133.5 (0300-1200Z†)

TOWER 118.2 (1200-0200Z†) GND CON 121.9 CLNC DEL 121.9

**AIRSPACE:** CLASS D svc 1200-0200Z† other times CLASS G.


**RADIO AIDS TO NAVIGATION:** NOTAM FILE EYW.

(H) **VORTAC** 113.5 EYW Chan 82 N24°35.15' W81°48.03' 127° 2.9 NM to fld. 10/01E. **HIWAS.**

**FISH HOOK NDB (H)** 332 FIS N24°32.90' W81°47.18' 076° 1.5 NM to fld.

**ASR** (1100-0300Z†)

**COMM/NAV/WEATHER REMARKS:** FSS freqs 123.65 and 122.2 unusable 330°-015° beyond 20 NM below 1500'. VORTAC unusable 121°-139°.





**KEY WEST NAS** (BOCA CHICA FLD) (NQX)(KNQX) N 4 E UTC-5(-4DT)

MIAMI

N24°34.55' W81°41.33'

H-8H, L-23C

6 B NOTAM FILE MIA

Not insp.

DIAP, AD

**RWY 07-25:** H10001X200 (PEM) PCN 59 R/B/W/T HIRL

**RWY 07:** ALSF1. OLS. **RWY 25:** OLS.

**RWY 03-21:** H7002X150 (PEM) PCN 60 F/A/W/T HIRL

**RWY 03:** OLS. **RWY 21:** OLS.

**RWY 13-31:** H7001X150 (PEM) PCN 51 F/A/W/T HIRL

**RWY 13:** OLS. **RWY 31:** OLS.

**ARRESTING GEAR/SYSTEM**

**RWY 07** → HOOK E28(B) (1500')

HOOK E28(B) (1500') ← **RWY 25**

**RWY 03** → HOOK E28(B) (1500')

HOOK E28(B) (1200') ← **RWY 21**

**RWY 13** → HOOK E28(B) (1135')

HOOK E28(B) (1500') ← **RWY 31**

**MILITARY SERVICE: A-GEAR** All E-28(B) short fld arresting gear in raised position. Except short fld arresting gear duty rwy derigged. **JASU** (NC-8A) (NCP-105) **FUEL** J5 avbl 1100-0300Z†. **FLUID SP** OIL O-128-156 **TRAN**

**ALERT** Extensive delay tran servicing. Limited tran maintenance avbl Mon-Fri 1200-2100Z†.

**MILITARY REMARKS:** Opr 1200-0300Z†, other times by NOTAM; ctc Base OPS DSN 483-2770, C305-293-2770, fax DSN 483-2771, C305-293-2771. Base OPS not staffed outside fld hr. See FLIP AP/1 Supplementary Arpt Remarks and AP/1A. **RSTD** PPR ctc Air Terminal DSN 483-2769/2779, C305-293-2769/2779, fax DSN 483-2355, C305-293-2355. Rwy 07 Emerg or Instrument Meteorological Conditions Ldg only. PAR, ASR, RNAV (GPS) practice apchs not authorized to Rwy 07. **CAUTION** Twy D not visible from twr. Unlighted ramp parallel to Twy I. R2916, Tethered Aerostat Radar System, opr continuously up to 14,000'. Key West NAS and Key West Intl have adjacent Class D, intensive civil traffic SW and NW sectors Key West NAS Class D. Bird hazard. Various unmarked/unlighted twy obstructions. **TFC PAT** Reduced rwy separation standard in effect USN/USMC acft. **CSTMS/AG/IMG** Avbl weekdays 1300-2200Z†, except Sat-Sun and holidays. Acft req inspections ctc Base OPS 1 hr prior to arrival. **MISC** Classified material storage not avbl Base OPS.

**COMMUNICATIONS: SFA** ATIS 307.025 (1200-0300Z†)

Ⓡ **APP/DEP CON** 124.025 289.85 (340°-069°) 126.575 313.7 (NQX 070°-339°) (1200-0300Z†), other times ctc

Ⓡ **MIAMI CENTER APP/DEP CON** 133.5 306.9

**TOWER** 118.575 305.95 340.25 361.25 (1200-0300Z†) (305.95 Fld Carrier Landing Practice) **GND CON** 121.7

336.45 **CLNC DEL** 121.2 357.4 **PMSV METRO** 343.5 (1030-2230Z†) **BASE OPS** 338.15

**AIRSPACE: CLASS D** svc 1200-0300Z† other times Class G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE EYW.

(H) **VORTAC** 113.5 EYW Chan 82 N24°35.15' W81°48.03' 095° 6.1 NM to fld. 10/1E. **HIWAS.** VORTAC unusable 121°-139°.

(H) **TACAN** Chan 78 NQX (113.1) N24°34.81' W81°40.95' at fld. 16/2W. TACAN ident removed 0300-1200Z†.

**ASR/PAR** (1100-0300Z†)

**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.

**KISSIMMEE GATEWAY** (See ORLANDO)

**KNIGHT** N27°54.50' W82°27.26' NOTAM FILE PIE.

MIAMI

**NDB (MHW)** 270 TPF at Peter O Knight. NDB unusable byd 20NM.

L-21D, 24F

**KOBRA** N30°51.17' W86°32.20' NOTAM FILE CEW.

NEW ORLEANS

**NDB (LOM)** 201 CE 170° 4.5 NM to Bob Sikes.

**LA BELLE** N26°49.69' W81°23.49' NOTAM FILE MIA

MIAMI

(L) **VORTAC** 110.4 LBV Chan 41 205° 5.2 NM to La Belle Muni. 30/01E.

H-8H, L-21D, 23C

**RCO** 122.1R 110.4T (MIAMI RADIO)



**LA BELLE MUNI** (X14) 1 S UTC-5(-4DT) N26°44.44' W81°25.70'

MIAMI

20 B S4 FUEL 100LL, JET A NOTAM FILE MIA

H-8H, L-21D, 23C

RWY 14-32: H5254X75 (ASPH) MIRL

IAP

RWY 14: REIL. PAPI(P4R)—GA 3.0° TCH 40'. Thld dsplcd 350'. Road.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thld dsplcd 129'.

P-line.

**AIRPORT REMARKS:** Attended 1300-2200Z†. Fuel avbl 24 hrs by credit card. Txf and ldg on turf area are done so at pilot's own risk.

ACTIVATE MIRL Rwy 14-32, PAPI Rwy 14 and Rwy 32, REIL Rwy 14 and Rwy 32—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.8


RCO 122.1R 110.4T (MIAMI RADIO)

Ⓡ FORT MYERS APP/DEP CON 126.8 (1100-0500Z†)

Ⓡ MIAMI CENTER APP/DEP CON 134.75 (0500-1100Z†)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.

(L) VORTAC 110.4 LBV Chan 41 N26°49.69' W81°23.49' 200° 5.6 NM to fld. 30/01E.

**LAKE CITY MUNI** (LCQ) 3 E UTC-5(-4DT) N30°10.92' W82°34.61'

JACKSONVILLE

201 B S4 FUEL 100LL, JET A NOTAM FILE GNV

H-8H, L-21D, 24G

RWY 10-28: H8003X150 (ASPH) S-75, D-105, DT-250 MIRL

IAP

RWY 10: PAPI(P2L). Trees.

RWY 28: REIL. PAPI(P2L). Trees. Rgt tfc.

RWY 05-23: H4000X75 (ASPH) MIRL

RWY 05: Trees. RWY 23: Tree.

**AIRPORT REMARKS:** Attended 1300-2300Z†. Arpt attended other times by NOTAM. Unlit 60 ft poles on movement area. Helicopters advised to taxi on paved areas only. ACTIVATE MIRL Rwy 05-23 and 10-28 and PAPI Rwy 10 and Rwy 28 and REIL Rwy 28-122.7.**WEATHER DATA SOURCES:** AWOS-3 120.675 (386) 754-9366.**COMMUNICATIONS:** CTAF 119.2 UNICOM 122.7

RCO 122.6 (GAINESVILLE RADIO)


Ⓡ JAX CENTER APP/DEP CON 125.375

TOWER 119.2 (1300-2130Z† Mon-Fri) GND CON 121.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.

TAYLOR (H) VORTAC 112.9 TAY Chan 76 N30°30.28' W82°33.18' 187° 19.4 NM to fld. 140/03W.

NDB (MHW) 204 LCQ N30°11.12' W82°34.72' at fld. NDB unmonitored 2200-1200Z†.

**COMM/NAV/WEATHER REMARKS:** Twr may be open at other than published hrs, monitor CTAF at all times.**LAKELAND****SOUTH LAKELAND** (X49) 1 S UTC-5(-4DT) N27°56.00' W82°02.64'

MIAMI

110 NOTAM FILE PIE

RWY 14-32: 3115X100 (TURF)

RWY 14: Road. Trees. Rgt tfc.

RWY 32: Trees.

**AIRPORT REMARKS:** Attended Sat-Sun 1200-dusk. Parachute jumping and ultralight activity on invof arpt. No powered parachute or gyro ops without written permission from arpt owner. Thlds marked with 3 white buckets perpendicular to centerline. Arpt has no nighttime ops. Turf rwys may hold water after rain.**COMMUNICATIONS:** CTAF 122.9



**LAKELAND LINDER RGNL** (LAL) 4 SW UTC-5(-4DT) N27°59.34' W82°01.11'

MIAMI

142 B S4 FUEL 100LL, JET A Class IV, ARFF Index A NOTAM FILE LAL

H-8H, L-21D, 24F

RWY 09-27: H8500X150 (ASPH-GRVD) S-40, D-60, ST-175, DT-100 HIRL

IAP, AD

RWY 09: PAPI(P4L)—GA 3.0° TCH 45'. Trees.

RWY 27: PAPI(P4L)—GA 3.0° TCH 45'. Trees.

RWY 05-23: H5005X150 (ASPH-GRVD) S-60, D-73, ST-93, DT-135 HIRL

RWY 05: MALSR. PAPI(P4L)—GA 3.0° TCH 56'.

RWY 23: PAPI(P4L). TCH 50'. Tree.

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	09-27	2500
RWY 09	05-23	6000

**AIRPORT REMARKS:** Attended 1100-0300Z†. CLOSED to air carrier ops with more than 30 passenger seats except 24 hr PPR call arpt manager 863-648-3299. Extensive bird activity on and in/ov arpt. Twy H, Twy S and Twy G West of Twy A-4 designated as non-movement areas. Twy D, Twy P and Twy L unlighted. Twy E unlighted between Rwy 27 and Twy L. When twr clsd HIRL Rwy 05-23 and HIRL Rwy 09-27 preset med ints. ACTIVATE MALSR Rwy 05—CTAF. PAPI Rwy 05, Rwy 23, Rwy 09 and Rwy 27 opr continuously.

**WEATHER DATA SOURCES:** LAWRS**COMMUNICATIONS:** CTAF 124.5 ATIS 118.025 UNICOM 122.95

RCO 122.1R 116.0T (ST PETERSBURG RADIO)

® TAMPA APP CON 120.65 119.9 TAMPA DEP CON 120.65 119.9


TOWER 124.5 (1100-0300Z†) GND CON 121.4

**AIRSPACE:** CLASS D svc 1100-0300Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.

(H) VORTAC 116.0 LAL Chan 107 N27°59.17' W82°00.83' at fld. 135/01E.

WIREY NDB (LOM) 227 LA N27°56.12' W82°04.55' 048° 4.4 NM to fld. LOM unmonitored when twr clsd.

ILS 110.1 I-LAL Rwy 05. Class ID. LOM WIREY NDB. LOC and LOM unmonitored.

**LAKE WALES****CHALET SUZANNE AIR STRIP** (X25) 3 N UTC-5(-4DT) N27°57.23' W81°36.09'

MIAMI

130 FUEL 100LL NOTAM FILE PIE

RWY 18-36: 2313X50 (TURF) RWY LGTS(NSTD)

RWY 18: Tree. Thld dsplcd 120'. RWY 36: Thld dsplcd 250'. Road.

**AIRPORT REMARKS:** Attended 1300-0200Z†. For attendant after hrs call 863-676-6011. Rwy 36 dsplcd thld marked with tires perpendicular to rwy on each side. 0.6% gradient from rwy ends to mid-rwy. ACTIVATE NSTD lgts Rwy 18-36—CTAF or call 863-676-6011.

**COMMUNICATIONS:** CTAF/UNICOM 122.8



**LAKE WALES MUNI** (X07) 2 W UTC-5(-4DT) N27°53.63' W81°37.22'

MIAMI

127 B S4 FUEL 100LL, JET A NOTAM FILE PIE

L-21D, 24F

RWY 17-35: H3999X75 (ASPH) S-15

IAP

RWY 17: PAPI(P2L)—GA 3.37° TCH 45'. Tree.

RWY 35: PAPI(P2L)—GA 3.0° TCH 40'. Brush.

RWY 06-24: H3999X100 (ASPH) S-15 MIRL

RWY 06: PAPI (P4R)—GA 3.0° TCH 40'. Tree.

RWY 24: PAPI (P4L)—GA 3.0° TCH 40'. Tree.

**AIRPORT REMARKS:** Attended 1400-2200Z†. No svcs avbl. Parachute Jumping. Ultralight activity on and invof arpt. Rwy 06-24 1600' NE CLOSED indef. Rwy 06-24 cracking with grass growing through cracks. Rwy 17 93' terrain drop at EOR. Rwy 35 114' terrain drop at EOR. Rwy 17 4' fence 205' from rwy end at rwy height. Trees in transitional surface Rwy 17; apch W of rwy. MIRL Rwy 06-24 ops dusk-0400Z†; after 0400Z†—Key CTAF 7 times. For PAPI Rwy 06—key, CTAF 3 times; Rwy 24—key CTAF 5 times. Rwy lgts must be turned on before PAPI can be activated.


**WEATHER DATA SOURCES:** AWOS-3 124.225 (863) 678-1334.**COMMUNICATIONS:** CTAF/UNICOM 122.8

TAMPA APP/DEP CON 120.65

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.

LAKELAND (H) VORTAC 116.0 LAL Chan 107 N27°59.17'

W82°00.83' 104° 21.6 NM to fld. 135/01E.

**LEE CO** N26°31.79' W81°46.55' NOTAM FILE RSW.

MIAMI

(L) VORTAC 111.8 RSW Chan 55 073° 1.2 NM to Southwest Florida Intl. 23/02W. HIWAS. H-8H, L-21D, 23A, 23B

**LEESBURG INTL** (LEE) 3 NE UTC-5(-4DT) N28°49.39' W81°48.52'

JACKSONVILLE

76 B S4 FUEL 100LL, JET A NOTAM FILE LEE

H-8H, L-21D, 24F

RWY 13-31: H5000X100 (ASPH) HIRL

IAP, AD

RWY 13: REIL. PAPI(P4L). Tree.

RWY 31: REIL. PAPI(P4L) Brush.

RWY 03-21: H4957X100 (ASPH) S-20 HIRL

RWY 03: PAPI(P2L). Thld dsplcd 299'. Brush.

RWY 21: PAPI(P2L). Thld dsplcd 310'. Berm.

**AIRPORT REMARKS:** Attended 1200-0000Z†. Tree along SW side of Rwy 13-31. Rwy 03-21 and Rwy 13-31 edge lgts located 9' either side of rwy edge. HIRL Rwy 03-21 and Rwy 13-31, PAPI Rwy 03, Rwy 21, Rwy 13, and Rwy 31 and twy lgts opr dusk-0300Z†, after 0300Z† ACTIVATE—CTAF.

**WEATHER DATA SOURCES:** ASOS 134.325 (352) 787-1565.**COMMUNICATIONS:** CTAF 119.35 UNICOM 122.725

Ⓡ ORLANDO APP CON 121.1 ORLANDO DEP CON 121.1

TOWER 119.35 (1200-0000Z†) GND CON 121.725


GCO 121.725 (ORLANDO CLNC)

**AIRSPACE:** CLASS D svc 1200-0000Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.

ORLANDO (H) VORTAC 112.2 ORL Chan 59 N28°32.56'

W81°20.10' 304° 30.1 NM to fld. 102/00E. HIWAS.

NDB (MHW) 335 LEE N28°49.09' W81°48.44' at fld. NOTAM FILE LEE.

**LIVE OAK****SUWANNEE CO** (24J) 2 W UTC-5(-4DT) N30°18.01' W83°01.48'

JACKSONVILLE

104 B S4 FUEL 100LL TPA—See Remarks NOTAM FILE GNV

L-21D, 24G

RWY 07-25: H4037X75 (ASPH) S-20 MIRL

RWY 07: REIL. PAPI(P2L). Trees.

RWY 25: REIL. PAPI(P2L). Trees. Rgt tfc.

**AIRPORT REMARKS:** Attended Mon-Sat 1300-2300Z†. TPA—1300 (1196) propeller acft 1800 (1696) turbojet acft.

ACTIVATE REIL and PAPI Rwy 07 and Rwy 25 and MIRL Rwy 07-25—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.225 (386) 362-1731.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.

TAYLOR (H) VORTAC 112.9 TAY Chan 76 N30°30.28' W82°33.18' 247° 27.4 NM to fld. 103/03W.



**LUUCE** N27°29.82' W80°28.48' NOTAM FILE FPR.  
**NDB (LOM)** 338 FJ 094° 5.4 NM to St Lucie Co Intl.

**MIAMI**  
 L-24F

**LYNNE** N30°19.60' W85°46.94' NOTAM FILE PFN.  
**NDB (LOM)** 278 PF 143° 8.6 NM to Panama City-Bay Co Intl.

**NEW ORLEANS**

**MACDILL AFB** (MCF/KMCF) AF (A) 4 S UTC-5(-4DT) N27°50.96' W82°31.27'

**MIAMI**

14 B TPA—See Remarks Class I, ARFF Index Ltd. NOTAM FILE PIE Not insp.

**H-8H, L-21D, 24F**

**RWY 04-22:** H11421X151 (ASPH) PCN 70 R/B/W/T HIRL

**DIAP, AD**

**RWY 04:** ALSF1. PAPI(P4L). **RWY 22:** ALSF1. PAPI(P4L).

**ARRESTING GEAR/SYSTEM**

**RWY 04** ← HOOK MB60 (35' OVRN) HOOK BAK-12B(B) (1338')

HOOK BAK-12B(B) (1397') HOOK MB60 (34'OVRN) → **RWY 22**

**MILITARY SERVICE:** LGT NSTD ALS Rwy 22. Rwy 04 PAPI and ILS runway point of intercept not coincidental. Rwy 04-22 PAPI set for height group 3.

**A-GEAR** Normal BAK-12B configuration, both ends in up/raised position. BAK-12B extension.

**JASU** (A/M32A-86) (AM32-95) (M32A-60) **FUEL** J8 **FLUID** LPOX LOX **TRAN ALERT** Opr 1100-0300Z†. Fleet svc avbl, prior notice required. Limited tran parking for tactical acft; expect svc delay for tactical acft. Unable to svc acft with ordnance. Tran Alert is contract maintenance, all tran acft must land by 0230Z†.

**MILITARY REMARKS:** Opr 1100-0400Z†. See FLIP AP/1 Flight Hazard (Florida—R2901) and Supplementary Arpt

Remarks and after burner procedures. **RSTD** Avoid overflight of the St. Petersburg land mass by at least 1.5 NM.

PPR. Ctc Base OPS DSN 968-2929/2350, C813-828-2350/2929, for PPR number, for svc and other restrictions. PPR issued up to 7 days prior to arrival. PPR number good for request day only. Coordination of PPR

outside of block time by telephone is required, or PPR number will be considered cancel except for VIP acft. All acft must adhere to PPR +/- 1 hr or PPR is invalid, exc for VIP acft. All Distinguished Visitor acft and all

transient acft must ctc MacDill Cmd Post on 311.0 or DSN 968-4361/4362 (C813-828-4361) 60 min, but no later than 30 min prior to arr with all Distinguished Visitor codes, customs information and Space-A passenger information. PPR number good for req day only. Acft opr restricted during Bird Watch Condition Moderate (tkf or ldg permission only when dep and arr route avoid identification bird activity. No local IFR/VFR tfc pattern activity) and Severe (tkf and ldg prohibited without OG/CC approval), ctc ATIS, Twr, Comd Post, or Base OPS for current Bird Watch Conditions. Wing approve arr/dep only during closure time. No multiple IFR/VFR apchs for tran acft after 0300Z†. **CAUTION** Bird hazard. Expect heavy bird activity (Phase II Condition) from Nov 1-Feb 28. During Phase II Bash period, 24 hr bird watch alert in effect. See FLIP AP/1 Supplementary Arpt Remarks for bird hazard information. On instrument apch to MacDill AFB Rwy 22, use caution during overflight of Peter O. Knight Arpt due to light acft traffic below apch leg 4 NM NE. Commercial acft cross apch to MacDill AFB enroute to Tampa Intl Arpt at and abv 2600'. For VFR apch to Rwy 22 keep entry leg over water. On instrument apch to Rwy 04, use caution during overflight of Albert Whitted Arpt due to lgt traffic below apch leg 6 NM SW. Maintain rwy and twy centerline when exiting rwy. All acft making 180° turns on rwy, use hammerheads last 1,000' at each end. Uncontrolled VFR tfc in vicinity of KMCF below 1200'. NSTD overrun marking MacDill AFB on both ends. Official weather observation point is East-Southeast. Observation may not always be reports of conditions over the rwy or at either apch end. Full weather avbl 23/7; weather ctc DSN 968-4405/2854/2035; other times DSN 965-0939 thru 0934. Birdbath between Twy M and Twy E not for towing/taxiing acft. Birdbath only used for P-3, C-130, E-3A, KC-135 and B-737 acft, no fighters or helicopters. **TFC PAT** TPA—Rectangular 1100(1086) overhead 1600(1586). During VFR conditions tkf and touch and go acft maintain 1100' until dep end of rwy.

**CSTMS/AG/IMG** CSTMS/AG/IMG for all acft performed by Tampa Customs Office with 2 hr response time. **MISC** Winds are estimated to FMQ-13 wind sensors being accurate to within only +/- 4 knots. ATC/Weather will not include/relay wind correction into forecast/phraseology. Therefore, aircrews will incorporate a +/- 4 knot accuracy into their decision making process for flying opr. First 1000' Rwy-22 concrete, middle 9420' asphalt. RVR Rwy 22 may not be reliable due sensor location. Class B Airspace svc automatically terminates when acft is instructed to ctc twr. Weather ctc DSN 968-4405/2854/2035. Automated wx information, DSN 968-2627. Wx station opr hr 1100-0400Z†. AWOS in use. Tran aircrews may ctc 26 OWS for wx brief, DSN 781-4775 C318-456-4775. When possible, provide 2 hr advance notice for all required briefings. Acft should be at taxi speed prior to 3500' remaining. When NVD ops are in effect, ctc twr 10 min prior to arrival or departure for afld lgt adjustment. For info ctc DSN 968-2120/4822. NOTE: See Special Notices—Airspace delegated to MACDILL AFB.

**CONTINUED ON NEXT PAGE**



## CONTINUED FROM PRECEDING PAGE

COMMUNICATIONS: SFA ATIS 133.825 270.1 PTD 372.2

① TAMPA APP CON 124.95 354.0

TOWER 123.7 294.7 (1100-0400Z) GND CON 118.575 275.8

① TAMPA DEP CON 119.9 290.3 (Rwy 04) 119.65 353.575 (Rwy 22)

6 AMW COMD POST (LIGHTING OPS) 311.0 321.0 PMSV METRO 344.6

AG See Global HF Systems listing in Flight Information Handbook.

RADIO AIDS TO NAVIGATION: NOTAM FILE MCF.

(L) TACAN Chan 47 MCF (111.0) N27°51.68' W82°30.81' at fld. 14/4W. MP Fri 1200-1500Z. TACAN azimuth and DME unusable 261°-279° byd 10 NM blo 5,000'.

ILS 109.5 I-MCF Rwy 04. Course line is offset 2.9° to SE, rwy heading is 045°. MP Tue-Wed 1200-1500Z.

ILS 111.7 I-GBZ Rwy 22. Course line is offset 2.7° to NE, rwy heading is 225°. MP Tue-Wed 1200-1500Z.

COMM/NAV/WEATHER REMARKS: MacDill surveillance radar provided by Tampa.

## MALABAR

VALKARIA (X59) 1 W UTC-5(-4DT) N27°57.65' W80°33.50'

MIAMI

26 FUEL 100LL TPA-1026(1000) NOTAM FILE PIE

L-24F

RWY 14-32: H4000X75 (ASPH) S-12.5

RWY 14: Thld dsplcd 390'. Trees.

RWY 32: Trees.

RWY 09-27: H4000X75 (ASPH) S-12.5

RWY 09: Thld dsplcd 327'. Trees.

RWY 27: Thld dsplcd 450'. Trees.

AIRPORT REMARKS: Attended 1300-2200Z. Rwy 14-32 is preferred rwy. Voluntary noise abatement in effect, ctc arpt manager 321-952-4590. Avoid overflight of houses immediately East of arpt.

WEATHER DATA SOURCES: AWOS-1 122.75 (617) 363-3825.

COMMUNICATIONS: CTAF/UNICOM 122.725

RADIO AIDS TO NAVIGATION: NOTAM FILE MLB.

MELBOURNE (L) VOR/DME 110.0 MLB Chan 37 N28°06.32' W80°38.12' 157° 9.6 NM to fld. 30/02W.

## MARATHON

THE FLORIDA KEYS MARATHON (MTH) 3 E UTC-5(-4DT) N24°43.57' W81°03.08'

MIAMI

5 B S2 FUEL 100LL, JET A1 + LRA Class I, ARFF Index A NOTAM FILE MTH

H-81, L-23C

RWY 07-25: H5008X100 (ASPH-GRVD) S-75, D-129, DT-191 MIRL

IAP

RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Tree.

RWY 25: PAPI(P4L)—GA 3.0° TCH 25'. Antenna.

AIRPORT REMARKS: Attended 1300-2300Z. For fuel after hrs call 305-743-4222 or 305-481-7615. 24 hr PPR for unscheduled air carrier ops with more than 9 passenger seats or wing spans greater than 79 ft, call arpt manager 305-289-6060. 24 hr PPR for acft exceeding rwy weight bearing capacity; call arpt manager 305-289-6060. MRL Rwy 07-25 preset low ints; increase ints and ACTIVATE PAPI Rwy 07 and Rwy 25 and REIL Rwy 07—CTAF. Arpt restricted to all acft with a wing overhang of more than 38.5 ft. Extremely noise sensitive area. Use NBAA close in noise abatement procedures. Local ordinance rqr engine runups in designated areas on commercial ramp or FBO ramps from 0400-1200Z and fines. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 135.525 (305) 743-8373.

COMMUNICATIONS: CTAF/UNICOM 122.8

MIAMI CENTER APP/DEP CON 133.5


MARATHON RCO 122.6 (MIAMI RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE EYW.

KEY WEST (H) VORTAC 113.5 EYW Chan 82 N24°35.15' W81°48.03' 077° 41.8 NM to fld. 10/01E.

HIWAS.

MARATHON NDB (HW) 260 MTH N24°42.71' W81°05.72' 074° 2.5NM to fld. NOTAM FILE MTH.



MARATHON N24°42.71' W81°05.72' NOTAM FILE MTH.

MIAMI

NDB (HW) 260 MTH 074° 2.6 NM to The Florida Keys Marathon.

H-81, L-23C

RCO 122.6 (MIAMI RADIO) at The Florida Keys Marathon.



## CONTINUED FROM PRECEDING PAGE

COMMUNICATIONS: SFA ATIS 133.825 270.1 PTD 372.2

① TAMPA APP CON 124.95 354.0

TOWER 123.7 294.7 (1100-0400Z) GND CON 118.575 275.8

① TAMPA DEP CON 119.9 290.3 (Rwy 04) 119.65 353.575 (Rwy 22)

6 AMW COMD POST (LIGHTING OPS) 311.0 321.0 PMSV METRO 344.6

AG See Global HF Systems listing in Flight Information Handbook.

RADIO AIDS TO NAVIGATION: NOTAM FILE MCF.

(L) TACAN Chan 47 MCF (111.0) N27°51.68' W82°30.81' at fld. 14/4W. MP Fri 1200-1500Z. TACAN azimuth and DME unusable 261°-279° byd 10 NM blo 5,000'.

ILS 109.5 I-MCF Rwy 04. Course line is offset 2.9° to SE, rwy heading is 045°. MP Tue-Wed 1200-1500Z.

ILS 111.7 I-GBZ Rwy 22. Course line is offset 2.7° to NE, rwy heading is 225°. MP Tue-Wed 1200-1500Z.

COMM/NAV/WEATHER REMARKS: MacDill surveillance radar provided by Tampa.

## MALABAR

VALKARIA (X59) 1 W UTC-5(-4DT) N27°57.65' W80°33.50'

MIAMI

26 FUEL 100LL TPA-1026(1000) NOTAM FILE PIE

L-24F

RWY 14-32: H4000X75 (ASPH) S-12.5

RWY 14: Thld dsplcd 390'. Trees.

RWY 32: Trees.

RWY 09-27: H4000X75 (ASPH) S-12.5

RWY 09: Thld dsplcd 327'. Trees.

RWY 27: Thld dsplcd 450'. Trees.

AIRPORT REMARKS: Attended 1300-2200Z. Rwy 14-32 is preferred rwy. Voluntary noise abatement in effect, ctc arpt manager 321-952-4590. Avoid overflight of houses immediately East of arpt.

WEATHER DATA SOURCES: AWOS-1 122.75 (617) 363-3825.

COMMUNICATIONS: CTAF/UNICOM 122.725

RADIO AIDS TO NAVIGATION: NOTAM FILE MLB.

MELBOURNE (L) VOR/DME 110.0 MLB Chan 37 N28°06.32' W80°38.12' 157° 9.6 NM to fld. 30/02W.

## MARATHON

THE FLORIDA KEYS MARATHON (MTH) 3 E UTC-5(-4DT) N24°43.57' W81°03.08'

MIAMI

5 B S2 FUEL 100LL, JET A1 + LRA Class I, ARFF Index A NOTAM FILE MTH

H-81, L-23C

RWY 07-25: H5008X100 (ASPH-GRVD) S-75, D-129, DT-191 MIRL

IAP

RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Tree.

RWY 25: PAPI(P4L)—GA 3.0° TCH 25'. Antenna.

AIRPORT REMARKS: Attended 1300-2300Z. For fuel after hrs call 305-743-4222 or 305-481-7615. 24 hr PPR for unscheduled air carrier ops with more than 9 passenger seats or wing spans greater than 79 ft, call arpt manager 305-289-6060. 24 hr PPR for acft exceeding rwy weight bearing capacity; call arpt manager 305-289-6060. MRL Rwy 07-25 preset low ints; increase ints and ACTIVATE PAPI Rwy 07 and Rwy 25 and REIL Rwy 07—CTAF. Arpt restricted to all acft with a wing overhang of more than 38.5 ft. Extremely noise sensitive area. Use NBAA close in noise abatement procedures. Local ordinance rqr engine runups in designated areas on commercial ramp or FBO ramps from 0400-1200Z and fines. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 135.525 (305) 743-8373.

COMMUNICATIONS: CTAF/UNICOM 122.8

MIAMI CENTER APP/DEP CON 133.5


MARATHON RCO 122.6 (MIAMI RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE EYW.

KEY WEST (H) VORTAC 113.5 EYW Chan 82 N24°35.15' W81°48.03' 077° 41.8 NM to fld. 10/01E.

HIWAS.

MARATHON NDB (HW) 260 MTH N24°42.71' W81°05.72' 074° 2.5NM to fld. NOTAM FILE MTH.



MARATHON N24°42.71' W81°05.72' NOTAM FILE MTH.

MIAMI

NDB (HW) 260 MTH 074° 2.6 NM to The Florida Keys Marathon.

H-81, L-23C

RCO 122.6 (MIAMI RADIO) at The Florida Keys Marathon.



**MARCO ISLAND** (MKY) 4 NE UTC-5(-4DT) N25°59.70' W81°40.35'

MIAMI

5 B FUEL 100LL, JET A NOTAM FILE MIA

H-8H, L-23B, 21D

RWY 17-35: H5000X100 (ASPH) D-100 MIRL

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 31'. Trees.

RWY 35: PAPI(P4L)—GA 3.0° TCH 31'. Trees. Rgt tfc.

**AIRPORT REMARKS:** Attended 1200-0000Z†. For fuel and svc after hrs call 239-394-3355. Exercise extreme caution, acft back-taxiing on rwy. Numerous cranes opr 1 mile W of fld 180' lgtd and unlgtd. Banner towing on and invof arpt. Noise Sensitive Area. Use NBAA close in Noise Abatement Procedures. Rwy 17-35 grass growing thru cracks. Arpt visibility unreliable. MIRL Rwy 17-35 preset on low ints, to increase ints and ACTIVATE PAPI Rwy 17 and Rwy 35 0000-1200Z†—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 120.075 (239) 394-8187.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

® FORT MYERS APP/DEP CON 119.75 (1100-0500Z†) CLNC DEL 120.8

® MIAMI CENTER APP/DEP CON 134.75 (0500-1100Z†)


**RADIO AIDS TO NAVIGATION:** NOTAM FILE APF.

CYPRESS (T) VORW/DME 108.6 CYY Chan 23 N26°09.21'

W81°46.69' 152° 11.1 NM to fld. 9/03W.

ILS 109.95 I-MQV Rwy 17. (LOC only). OTS indef.

Unmonitored 0000-1200Z†.



**MARIANNA MUNI** (MAI) 4 NE UTC-6(-5DT) N30°50.27' W85°10.91'

NEW ORLEANS

110 B S2 FUEL 100, JET A NOTAM FILE MAI

L-21C, 22I

RWY 18-36: H4896X100 (ASPH) MIRL

IAP

RWY 18: PAPI(P4L)—TCH 34'. Trees.

RWY 36: PAPI(P4L)—TCH 25'. Trees.

RWY 08-26: H4895X100 (ASPH)

RWY 26: Tree.

Rwy 08: Trees.

**AIRPORT REMARKS:** Attended May-Oct 1300-0100Z†, Nov-Apr 1200-2230Z†. For svcs after hrs call 526-3125. Military performing special helicopter ops on and invof arpt. Rwy 08-26 cracking with grass growing.

**WEATHER DATA SOURCES:** ASOS 133.525 (850) 482-6082.

**COMMUNICATIONS:** CTAF/UNICOM 123.0

RCO 122.1R 114.0T (GAINESVILLE RADIO)

® CAIRNS APP/DEP CON 133.75 (Sun-Mon 1200-0500Z†, Tue-Sat 24 hrs), other times ctc

® JACKSONVILLE CENTER APP/DEP CON 134.3

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MAI.

(L) VORTAC 114.0 MAI Chan 87 N30°47.17' W85°07.47'

316° 4.3 NM to fld. 120/00E.


VORTAC unusable:

261°-276° byd 25 NM blo 3,000'

346°-061° byd 30 NM blo 2,000'

SOYYA NDB (MHW) 329 SMY N30°52.30' W85°13.50' 134° 3 NM to fld. NOTAM FILE GNV. NDB

unmonitored 0300-1100Z†.



**MASSEY RANCH AIRPARK** (See NEW SMYRNA BEACH)



---

**MAYPORT NS** (ADM DAVID L MC DONALD FLD) (NRB) N 1 NW UTC-5(-4DT)
**JACKSONVILLE**

N30°23.48' W81°25.47'

H-8H, L-21D, 24G, A

15 B NOTAM FILE JAX

Not insp.

DIAP, AD

**RWY 05-23:** H8001X200 (ASPH) PCN 76 R/C/W/T HIRL**RWY 05:** REIL. PAPI(P4L). **RWY 23:** REIL. PAPI(P4L). Rgt tfc.**ARRESTING GEAR/SYSTEM****RWY 05** HOOK E28(B) (1200')HOOK E28(B) (1185') **RWY 23****MILITARY SERVICE:** JASU 1(NC-8) 1(GTC-85) 1(A/NCPP-105) **FUEL** J5 Expect 2 hr delay after normal working hr.**TRAN ALERT** Hung Ordance/Divert Alert—No organic air-launched weapons safing capability. No tran maintenance avbl. Ltd tran parking avbl.

**MILITARY REMARKS:** Opr Mon-Thu 1200-0400Z (DT 1100-0400Z), Special local ops 0400-0700Z, Fri 1300-2300Z (DT 1200-2200Z), clsd Sat, Sun, hol. **RSTD** Participating acft only during special local ops hrs. 24 hr PPR rqr. Ctc base OPS DSN 270-6130/31, C904-270-6130/31. **CAUTION** Light to heavy bird activity on and invof arpt. Expect simultaneous same direction ops during dual rwy ops. Vessels with masts to 210' frequently berthed 800' left of Rwy 23 thld or Rwy 23 extended centerline. Large vessels with masts up to 160' frequently transit the river channel adjacent to apch end Rwy 23 during final apch. Exercise extreme vigilance during IFR apch Rwy 05 in VMC due extensive controlled/uncontrolled General Aviation acft vicinity Craig Muni Arpt. Pads 1 and 3 have altered lgt. **TFC PAT** Simultaneous ldg/dep between helicopter conducted on parallel twy located 325' from Rwy 05-23. Approved reduced radar separation helicopter/helicopter 500' vertical and 2 NM.

**NS ABTMT** North shore of St. Johns River is a noise sensitive area. **CSTMS/AG/IMG** Customs/Agriculture avbl if prior arrangements made with minimum 48 hr advance ntc. **MISC** For detailed opr procedures go to WWW.NSMAYPORT.NAVY.MIL.

**COMMUNICATIONS:** ATIS 267.6 (Mon-Thu 1200-0400Z (DT 1100-0400Z), Fri 1300-2300Z±, clsd Sat, Sun, hol.

PTD 308.5

Ⓡ **JACKSONVILLE APP/DEP CON** 124.9 308.4

**TOWER** 118.75 239.3 288.325X Mon-Thu 1200-0400Z (DT 1100-0400Z), special local ops 0400-0700Z, Fri 1300-2300Z (DT 1200-2200Z), clsd Sat, Sun, hol.

**GND CON** 126.5 233.7 **PMSV METRO** 289.95 (Mon-Fri 1000-0700Z±, Sat-Sun 1600-0400Z±) other times ctc Naval Aviation Forecast Center for wx advisory or wx forecast DSN 564-2594, C757-444-2594.

**AIRSPACE:** CLASS D and CLASS E svc 700' and blo eff Mon-Thu 1200-0400Z (DT 1100-0400Z), special local ops 0400-0700Z, Fri 1300-2300Z (DT 1200-2200Z), clsd Sat, Sun and hol. Other times CLASS G airspace 700' and blo. Jacksonville CLASS E airspace 700' and abv eff continuously.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE NRB.

(L) **TACAN** Chan 51 NRB (111.4) N30°23.32' W81°25.38' at fld. 7/3W. Monitored arpt opr hr only. TACAN 2.5° to 3° of roughness at 8 NM on apch radial due to location of ships in basin.

**ASR/PAR**

**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima. PTD frequency avbl Mon-Fri 1030-1830Z±, other times ctc Naval Aviation Forecast Center for wx advisory or wx forecast DSN 564-2594, C757-444-2594.

---



**MELBOURNE INTL** (MLB) 2 NW UTC-5(-4DT) N28°06.17' W80°38.72'

JACKSONVILLE

33 B S4 FUEL 100LL, JET A Class I, ARFF Index C NOTAM FILE MLB

H-81, L-24F

RWY 09R-27L: H10181X150 (ASPH-GRVD) S-100, D-165, ST-175, DT-300 HIRL CL

IAP, AD

RWY 09R: MALSR. TDZL. PAPI(P4L)—GS 3.0° TCH 76'.

RWY 27L: REIL. PAPI(P4L)—GA 3.0° TCH 52'. Thld dsplcd 700'.

RWY 09L-27R: H6000X150 (ASPH) S-60, D-60 MIRL

RWY 09L: PAPI(P4L)—GA 3.0° TCH 37'.

RWY 27R: PAPI(P4L)—GA 3.0° TCH 37'.

RWY 05-23: H3001X75 (ASPH) S-26 MIRL

RWY 05: PAPI(P2L)—GA 3.0° TCH 21'.

RWY 23: PAPI(P2L)—GA 3.0° TCH 21'.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 05: TORA-3000 TODA-3000 ASDA-3000 LDA-3000

RWY 09L: TORA-6000 TODA-6000 ASDA-6000 LDA-6000

RWY 09R: TORA-10181 TODA-10181 ASDA-10181 LDA-10181

RWY 23: TORA-3000 TODA-3000 ASDA-3000 LDA-3000

RWY 27L: TORA-10181 TODA-10181 ASDA-10181 LDA-9481

RWY 27R: TORA-6000 TODA-6000 ASDA-6000 LDA-6000

**AIRPORT REMARKS:** Attended continuously. Touch and go ops restricted after 2100Z± or 2 hrs after SS (whichever is latest). U.S. customs user fee arpt. When twr clsd ACTIVATE preselected rwy lgts (normally Rwy 09R-27L); REIL Rwy 27L; and MALSR Rwy 09R—CTAF.

**WEATHER DATA SOURCES:** ASOS (321) 723-7403. LAWRS.**COMMUNICATIONS:** CTAF 118.2 ATIS 132.55 UNICOM 122.95

RCO 122.1R 110.0T (ST PETERSBURG RADIO) RCO 122.6 (ST PETERSBURG RADIO)

Ⓡ ORLANDO APP/DEP CON 132.65 ORLANDO CLNC DEL 132.65 (when twr clsd)


TOWER 118.2 124.05 (1100-0500Z±) GND CON 121.9 CLNC DEL 121.9

**AIRSPACE:** CLASS D svc 1100-0500Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLB.

(L) VOR/DME 110.0 MLB Chan 37 N28°06.32' W80°38.12' at fld. 30/02W. VOR portion unusable 276°-319 byd 8NM blo 4000'; 325°-334°; DME unusable byd 33 NM.

SATELLITE NDB (HW) 257 SQT N28°05.97' W80°42.05' 089° 3.0 NM to fld.

ILS 108.3 I-MLB Rwy 09R. Unmonitored.

**MERRITT ISLAND** (COI) Ø S UTC-5(-4DT) N28°20.50' W80°41.13'

JACKSONVILLE

6 B S4 FUEL 100LL, JET A LRA NOTAM FILE PIE

L-24F

RWY 11-29: H3601X75 (ASPH) S-22 MIRL

IAP

RWY 11: PAPI(P2L)—GA 3.0° TCH 33'. Tree.

RWY 29: PAPI(P2L)—GA 3.0° TCH 33'.

**AIRPORT REMARKS:** Attended 1300-0100Z±. Banner towing invof arpt. 24 hr helicopter ops SW ramp. ACTIVATE rotating bcn and MIRL Rwy 11-29—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 119.025 (321) 986-8864.**COMMUNICATIONS:** CTAF/UNICOM 122.975

Ⓡ ORLANDO APP/DEP CON 134.95


**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.

ORLANDO (H) VORTAC 112.2 ORL Chan 59 N28°32.56'

W81°20.10' 109° 36.4 NM to fld. 102/00E.

HIWAS.

NDB (MHW) 247 COI N28°20.45' W80°41.31' at fld. NOTAM FILE PIE.





## MIAMI

## DADE—COLLIER TRAINING AND TRANSITION (TNT) 36 W UTC-5(-4DT)

N25°51.71' W80°53.82'

13 B NOTAM FILE MIA

RWY 09-27: H10499X150 (ASPH-PFC) S-130, D-200, ST-175,  
DT-400, DDT-800 HIRL

RWY 09: MALSR.

RWY 27: PAPI(P4L)—GA 3.0° TCH 46'. Rgt tfc.

**AIRPORT REMARKS:** Attended continuously. Arpt CLOSED to public except by arrangement with Miami-Dade Aviation Department, Miami 305-869-1660. Be alert to low flying National Park Service acft all quadrants. Men and equipment working in buffer island between Rwy 09-27 and twy. Wildlife occasionally on and invof arpt. Fee for use for acft over 12500 lbs. ACTIVATE HIRL Rwy 09-27; PAPI Rwy 27—CTAF or by calling 239-695-3300.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.3 (MIAMI RADIO)

① MIAMI CENTER APP/DEP CON 132.4

AIRSPACE: CLASS E svc Mon-Fri 1200-2300Z, Sat-Sun 1200-1730Z  
other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE MIA.

DOLPHIN (H) VORTAC 113.9 DHP Chan 86 N25°48.00'

W80°20.94' 281° 29.9 NM to fld. 10/4W. HIWAS.

MONRY NDB (LOM) 227 TN N25°51.71' W81°00.66' 095° 6.2 NM to fld.

ILS 108.3 I-TNT Rwy 09. LOM MONRY NDB. ILS unmonitored.

MIAMI  
H-81, L-23C  
IAP

## KENDALL—TAMiami EXECUTIVE (TMB) 13 SW UTC-5(-4DT) N25°38.87' W80°25.97'

8 B S4 FUEL 100LL, JET A OX 2 LRA TPA—See Remarks NOTAM FILE TMB

RWY 09L-27R: H5003X150 (ASPH-GRVD) S-65, D-110, ST-139, DT-195 MIRL

RWY 09L: PAPI(P4L)—GA 3.0°.

RWY 27R: PAPI(P2L)—GA 3.0°.

RWY 09R-27L: H5002X150 (ASPH-GRVD) S-65, D-110, ST-139,  
DT-195 HIRL

RWY 09R: MALSR. VASI(V4L)—GA 3.0° TCH 55'. Rgt tfc.

RWY 27L: PAPI(P4L)—GA 3.0°. Rgt tfc.

RWY 13-31: H4001X150 (ASPH-GRVD) S-65, D-110, ST-139,  
DT-195 MIRL

RWY 13: PAPI(P4L)—GA 3.0° TCH 40'. Brush.

RWY 31: Pole.

**AIRPORT REMARKS:** Attended continuously. Birds on and invof arpt. CAUTION—Agriculture acft operating in immediate vicinity of airport below 200' AGL from SR-SS. TPA—1008(1000), high performance acft 1508(1500). Helicopter tfc pattern Rwy 09R within fixed wing pattern at or blo 508(500). Arpt CLOSED to non-engine acft. Portions of Twy A between spots 1 and 2 portions of Twy E between spots 14 and 16 not visible from twr. Rwy 09L-27R CLOSED when twr clsd. Simultaneous movement of acft with wingspans in excess 95' are precluded from using parallel Twy C, Twy D, Twy E and Twy H. Noise sensitive areas Twy N, Twy S and Twy E. Rgt tfc pattern on Rwy 09R, left tfc on Rwy 27L when twr clsd. When twr clsd ACTIVATE MALSR Rwy 09R—CTAF. MIRL Rwy 13-31 avbl thru request from Miami FSS—118.9. Flight notification service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (305)235-1332.

COMMUNICATIONS: CTAF 118.9 ATIS 124.0

MIAMI FSS (MIA) on arpt. 123.65 122.55 122.3 122.2

MIAMI IFSS (MIA) on arpt. 127.9 126.9 126.7

① MIAMI APP/DEP CON 125.5

TOWER 118.9 134.6 (1200-0400Z) GND CON 121.7 CLNC DEL 133.0

AIRSPACE: CLASS D svc 1200-0400Z other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE MIA.

DOLPHIN (H) VORTAC 113.9 DHP Chan 86 N25°48.00' W80°20.94' 211° 10.2 NM to fld. 10/4W. HIWAS.

QEEZY NDB (LOM) 266 TM N25°38.50' W80°30.29' 087° 3.9 NM to fld. NOTAM FILE TMB. LOM unmonitored.

ILS 108.7 I-TMB Rwy 09R. LOM QEEZY NDB. LOM unmonitored.

COMM/NAV/WEATHER REMARKS: Ctc Miami Radio for airport advisory service on 118.9 when twr is clsd.

MIAMI  
H-81, L-23C, A  
IAP, AD



**MIAMI INTL** (MIA) 8 NW UTC-5(-4DT) N25°47.72' W80°17.41' **MIAMI**

8 B S4 FUEL 100, JET A OX 1, 2, 3, 4 AOE Class I, ARFF Index E NOTAM FILE MIA H-81, L-23C, A  
 RWY 09-27: H13000X150 (ASPH-GRVD) S-130, D-210, ST-175, DT-420 DDT 850 HIRL CL IAP, AD  
 RWY 09: MALSR. PAPI(P4L)—GA 3.0° TCH 72'. Thld dsplcd 1350'. Railroad. Rgt tfc.  
 RWY 27: MALSR. PAPI(P4L)—GA 3.0° TCH 71'. Thld dsplcd 253'.  
 RWY 08R-26L: H10506X200 (ASPH-GRVD) S-130, D-210, ST-175, DT-420 DDT 850 HIRL CL  
 RWY 08R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 77'.  
 RWY 26L: MALSF. PAPI(P4L)—GA 3.0° TCH 73'. Rgt tfc.  
 RWY 12-30: H9354X150 (ASPH-GRVD) S-130, D-210, ST-175, DT-420, DDT-850 HIRL CL  
 RWY 12: MALSR. PAPI(P4R)—GA 3.0° TCH 72'. Tower.  
 RWY 30: MALSR. PAPI(P4L)—GA 3.0° TCH 71'. Thld dsplcd 939'. Tree.  
 RWY 08L-26R: H8600X150 (ASPH-GRVD) S-130, D-210, DT-420 DDT 850 HIRL CL  
 RWY 08L: REIL. PAPI(P4L)—GA 3.0° TCH 60'  
 RWY 26R: REIL. PAPI(P4L)—GA 3.0° TCH 60'

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 09	12-30	9750
RWY 12	09-27	8100

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 09:	TORA-13000	TODA-13000	ASDA-12747	LDA-11397
RWY 12:	TORA-9354	TODA-9354	ASDA-8579	LDA-8579
RWY 27:	TORA-13000	TODA-13000	ASDA-13000	LDA-12747
RWY 30:	TORA-9354	TODA-9354	ASDA-8852	LDA-7911

**AIRPORT REMARKS:** Attended continuously. CLOSED to non-engine aircraft. RWY 08L-26R CLOSED 0300-1200Z when RWY 08R-26L and RWY 09-27 are in use. RWY 12-30 CLOSED 0300-1200Z when RWY 08R-26L and RWY 09-27 are in use. Birds on and in/ovf arpt. PPR 3 hrs prior to domestic arrivals on the General Aviation Center ramp. Ctc Ramp Control at 305-876-7550. Acft with a wingspan greater than 170' are prohibited from taxiing on Twy P between Twy U and Twy Q8. Acft with a wingspan greater than 143' are prohibited from using Twy AA. RWY 08L touchdown rwy visual range avbl. RWY 09 touchdown and midfield rwy visual range avbl. RWY 26L touchdown rwy visual range avbl. RWY 08R touchdown rwy visual range avbl. RWY 27 touchdown rwy visual range avbl. Turbojet acft except B727/F28 series use distant noise abatement dep procedure all rwys. DC9 use close-in noise abatement procedure. RWY 27 thld lgts OTS indef. Ldg fee. All medical emergencies arrivals, with the exception of air ambulance flights, must secure doors until ARFF is on scene. ASDE-X surveillance system in use: pilots should operate transponders with mode C on all twys and rwys. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—Continuous Power Facilities and U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS (305) 870-0235. TDWR.

**COMMUNICATIONS:** D-ATIS ARR 119.15 (305) 869-5445 D-ATIS DEP 133.675 (305) 869-5446 UNICOM 123.0  
 (R) APP CON 124.85 (270°-089°) 120.5 (090°-269°) 125.75  
 TOWER 123.9 (090°-269°) 118.3 (270°-089°) GND CON 127.5 (09-27-30) 121.8 (8L/8R/12/26L/26R)  
 CLNC DEL 135.35 120.35  
 (R) DEP CON 125.5 (090°-269°) 119.45 (270°-089°)

**AIRSPACE:** CLASS B See VFR Terminal Area Chart.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.

**DOLPHIN (H) VORTAC** 113.9 DHP Chan 86 N25°48.00' W80°20.94' 099° 3.2 NM to fld. 10/4W. HIWAS.  
**KEYES NDB (LOM)** 248 MI N25°47.44' W80°11.65' 278° 5.2 NM to fld. SHUTDOWN.  
**ILS/DME** 110.3 I-MFA Chan 40 RWY 08R. Class IA. LOC unusable beyond 20° either side of centerline and unusable inside 1.2 NM/3.1 DME inbound. GS unusable for coupled apchs blo 500'.  
**ILS** 109.5 I-MIA RWY 27. Class IA. LOM KEYES NDB. LOM SHUTDOWN.  
**ILS/DME** 109.1 I-VIN Chan 28 RWY 26L. Class IB. GS unusable for coupled apchs blo 385'.  
**ILS** 110.9 I-BUL RWY 09.  
**ILS/DME** 111.7 I-DCX Chan 54 RWY 30. (LOC only) LOC unusable within 0.5 NM of thld.  
**ILS/DME** 108.9 I-GEM Chan 26 RWY 12. Class IA. LOC unusable byd 27° left of course.  
**ILS/DME** 109.3 I-ROY Chan 30 RWY 08L. LOC unusable byd 025° right of course. DME portion unusable byd 029° left of course (centerline).  
**ILS/DME** 109.3 I-CNV Chan 30 RWY 26R.

**MIAMI SPB** (X44) 2 E UTC-5(-4DT) N25°46.70' W80°10.22' **MIAMI**

00 AOE NOTAM FILE MIA  
**WATERWAY NW-SE:** 15000X600 (WATER)  
**SEAPLANE REMARKS:** Attended dalgth hrs. Numerous watercraft and large passenger vessels in area.  
**COMMUNICATIONS:** CTAF/UNICOM 122.8



**OPA-LOCKA EXECUTIVE** (OPF) 10 N UTC-5(-4DT) N25°54.42' W80°16.70'

MIAMI

8 B S4 FUEL 100LL, JET A TPA-1008 (1000) LRA NOTAM FILE OPF

H-81, L-23C, A

RWY 09L-27R: H8002X150 (ASPH-GRVD) S-96, D-155, ST-175, DT-290 HIRL

IAP, AD

RWY 09L: MALSR. VASI(V4L)—GA 3.0° TCH 52'.

RWY 27R: MALSR. VASI(V4L)—GA 3.0° TCH 52'. Trees. Rgt tfc.

RWY 12-30: H6800X150 (ASPH-GRVD) S-96, D-200, ST-175 HIRL

RWY 12: MALSR. PAPI(P4L)—GA 3.0° TCH 50'. Thld dsplcd 800'.

RWY 30: PAPI(P4L)—GA 3.0° TCH 50'.

RWY 09R-27L: H4306X100 (ASPH) S-37, D-61 MIRL

RWY 09R: VASI(V4L)—GA 3.0° TCH 26'. Rgt tfc.

RWY 27L: PAPI(P4L)—GA 3.0° TCH 50'.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 09L: TORA-8002 TODA-8202 ASDA-8202 LDA-8002

RWY 09R: TORA-4306 TODA-4306 ASDA-4306 LDA-4306

RWY 12: TORA-6800 TODA-7800 ASDA-7000 LDA-6000

RWY 27L: TORA-4306 TODA-4306 ASDA-4306 LDA-4306

RWY 27R: TORA-8002 TODA-8202 ASDA-8202 LDA-8002

RWY 30: TORA-6800 TODA-7000 ASDA-7000 LDA-6800

**AIRPORT REMARKS:** Attended continuously. Rwy 09L-27R CLOSED

0200-1200Z except with 30 minutes PPR to request activate rwy

lgts call 305-869-1660 or ctc CTAF. Birds invof arpt. Dual tfc

patterns for helicopters and fixed wing acft in use Rwy 09R-27L. Banner towing invof arpt. Noise sensitive arpt.

Flight training is limited to acft 40,000 pounds max gross tkf weight and blo and only between 1200-0200Z.

Rwy 12-30 limited by arpt manager to 155,000 lbs dual wheel gear. VFR acft arriving OPA LOCKA arpt enter arpt tfc area blo 2000 ft; air tfc svc 2000 ft and abv in the OPA LOCKA arpt tfc area provided by MIAMI app con.

Specific tfc patterns are published for helicopters and fixed wing tfc; compliance is mandatory. Obtain this

information from twr or fixed base operator or arpt manager; or req specific tfc pattern instruction on initial ctc.

Helicopters arriving and departing helipads avoid flying over parked or taxiing acft. Twy E between Twy G and Twy

P non movement area indef. Twy E and Taxilane B non-movement area indef. When twr clsd HIRL Rwy 12-30

preset med ints. ACTIVATE MALSR Rwy 09L and Rwy 12 and MALSR Rwy 27R—CTAF. When twr clsd HIRL Rwy

12-30 intensity controlled on CTAF. Flight Notification Service (ADCUS) avbl 1400-0200Z. NOTE: See Special

Notices—U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS (305) 681-4063. LAWRS.

**COMMUNICATIONS:** CTAF 120.7 ATIS 125.9

① MIAMI APP/DEP CON 128.6 (4000' and below)

TOWER 120.7 118.6 (1200-0200Z) GND CON 121.9 CLNC DEL 119.2

**AIRSPACE:** CLASS D svc 1200-0200Z other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.


**DOLPHIN (H) VORTAC** 113.9 DHP Chan 86 N25°48.00' W80°20.94' 035° 7.5 NM to fld. 10/4W. HIWAS.

ILS 110.5 I-OPF Rwy 09L. (LOC unmonitored when twr clsd).

ILS/DME 111.35 I-PLJ Chan 50(Y) Rwy 27R. Class IA.

ILS/DME 111.55 I-OLX Chan 52(Y) Rwy 12.

**COMM/NAV/WEATHER REMARKS:** Initial ctc for Tower on 120.7 for rwy procedure and frequency assignment.





**MILTON****PETER PRINCE FLD** (2R4) 3 E UTC-6(-5DT) N30°38.26' W86°59.62'

82 B S4 FUEL 100, JET A1+ NOTAM FILE GNV

RWY 18-36: H3701X75 (ASPH) S-22 MIRL

RWY 18: PAPI(P2L). Trees. Rgt tfc.

RWY 36: PAPI(P2L). Railroad.

**AIRPORT REMARKS:** Attended 1500Z±-dusk. Be alert arpt situated in cut-off of NAS Whiting Class C airspace located 1400' overhead within 1 mile from the center of the arpt on three sides to the east, north, and west from surface to 4200'. Intensive flight training invov arpt. ACTIVATE MIRL Rwy 18-36 and PAPI Rwy 18 and Rwy 36—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.975

® PENSACOLA APP/DEP CON 124.85

GCO 121.725 (PENSACOLA APCH)


**RADIO AIDS TO NAVIGATION:** NOTAM FILE CEW.

CRESTVIEW (H) VORTACW 115.9 CEW Chan 106 N30°49.57' W86°40.75' 232° 19.8 NM to fld. 255/03E. HIWAS.

NEW ORLEANS

L-21C, 22H

IAP

**MONRY** N25°51.71' W81°00.66' NOTAM FILE MIA.

MIAMI

NDB (LOM) 227 TN 095° 6.2 NM to Dade-Collier Training and Transition.

**MOTORSPORTS COMPLEX EMS** (See HOMESTEAD)**MOTORSPORTS COMPLEX VIP** (See HOMESTEAD)**MUFFE** N26°29.06' W81°50.08' NOTAM FILE RSW.

MIAMI

NDB (LOM) 336 RS 054° 5.3 NM to Southwest Florida Intl. Unmonitored when twr clsd.



**NAPLES MUNI** (APF) 2 NE UTC-5(-4DT) N26°09.14' W81°46.55'

MIAMI

8 B S4 FUEL 100LL, JET A OX 3, 4 TPA-See Remarks Class I, ARFF Index A  
NOTAM FILE APF

H-8H, L-21D, 23B  
IAP, AD

RWY 05-23: H5290X150 (ASPH-GRVD) D-75 MIRL

RWY 05: REIL. PAPI(P4R)—GA 3.5° TCH 30'. Thld dsplcd 290'. Bldg.  
Rgt tfc.

RWY 23: ODALS. PAPI(P4L)—GA 3.0° TCH 43'.

RWY 14-32: H5000X75 (ASPH) D-75 MIRL

RWY 14: REIL. PAPI(P4L)—GA 3.5° TCH 40'. Thld dsplcd 128'. Rgt  
tfc.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 38'. Thld dsplcd 450'.

RWY SW/NE: 1850X100 (TURF)

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 05: TORA-5000 TODA-5290 ASDA-5000 LDA-5000

RWY 14: TORA-5000 TODA-5000 ASDA-4550 LDA-4420

RWY 23: TORA-5000 TODA-5000 ASDA-5000 LDA-5000

RWY 32: TORA-5000 TODA-5000 ASDA-4870 LDA-4420

**AIRPORT REMARKS:** Attended 1100-0300Z†. CLOSED to all acft exceeding 75,000 lbs maximum gross weight dual gear as indicated on acft operating certificate issued by the manufacturer. Extremely noise sensitive area all quadrants. All turbojets use close-in noise abatement procedures. Stage 1 jet acft and Stage 2 jet acft ops prohibited. Voluntary restrictions exist for Stage 3 jet acft ops 0300-1200Z†. Voluntary restraint from touch and go ops 0300-1200Z†. Use care when exiting Rwy 05 onto Twy G. Do not turn onto Rwy 14-32 unless instructed by ATC. Use of turf Rwy SW-NE restricted to individuals who have reviewed and signed letter of agreement avbl at General Aviation Terminal. TPA for single engine acft 1008(1000). Twy C from C-1 to the AER 32 not visible from the twr. When twr clsd ACTIVATE MIRL Rwy 14-32, 05-23, PAPI Rwy 14 and Rwy 32, REIL Rwy 14, Rwy 32, Rwy 05 and ODALS Rwy 23—CTAF.

**WEATHER DATA SOURCES:** ASOS (239) 643-9886.

**COMMUNICATIONS:** CTAF 128.5 ATIS 134.225 (239) 643-5230

RCO 123.6 (MIAMI RADIO)

Ⓡ FORT MYERS APP/DEP CON 119.75 (1100-0500Z†)

Ⓡ MIAMI CENTER APP/DEP CON 134.75 (0500-1100Z†)

TOWER 128.5 (1100-0300Z†) GND CON 121.6 CLNC DEL 118.0


**AIRSPACE:** CLASS D svc 1100-0300Z† other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE APF.

CYPRESS (T) VORW/DME 108.6 CYY Chan 23 N26°09.21' W81°46.69' at fld. 9/03W.

NDB (MHW) 201 APF N26°09.34' W81°46.46' at fld. SHUTDOWN.

**COMM/NAV/WEATHER REMARKS:** UNICOM FREQ, pilots may ctc Naples Airport Authority for UNICOM svcs on 128.825.

**NASA SHUTTLE LANDING FACILITY** (TTS) NASA 6 E UTC-5(-4DT)

JACKSONVILLE

N28°36.90' W80°41.67'

H-8I, L-24F

10 B Class I, ARFF Index Ltd. NOTAM FILE PIE

DIAP

RWY 15-33: H15000X300 (CONC-GRVD) S-120, T-220, ST-175, TT-500, DDT-800 HIRL (NSTD) CL

RWY 15: ALSF2. RWY 33: ALSF2.

**MILITARY SERVICE:** LGT For HIRL Rwy 15-33 ctc twr—128.55. Rwy 15-33 NSTD HIRL; 85' from rwy edge. Centerline lights Rwy 15-33 NSTD, 10,000'. JASU 3(M32A-60A) Must be scheduled in advance. FUEL J8. Must be scheduled 24 hr in advance.

**MILITARY REMARKS:** Attended 1100-0330Z†. RSTD Official Business Only. For PPR telephone C321-867-2100. Airfield unattended holidays. **CAUTION** Numerous birds in vicinity of arpt. Part of ramp not visible from twr. Portions of rwy not visible from Base OPS. **MISC** The mid 8000' of Rwy 15-33 grooved. Limited twy and ramp space. WX DSN 476-8484.

**COMMUNICATIONS:** CTAF 123.6

Ⓡ ORLANDO APP/DEP CON 134.95 281.425

TOWER 128.55 284.0 (weekdays 1300-0100Z† except holidays, other times as required) GND CON 121.75  
PMSV METRO 344.6

**AIRSPACE:** CLASS D svc weekdays 1300-0100Z† except holidays, other times as required, other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLB.

KENNEDY SPACE CENTER (H) TACAN Chan 59(Y) TTS (112.25) N28°37.57' W80°41.75' at fld. 57/OE. No

NOTAM, intermittent opr.



**NAVARRE****FT WALTON BEACH** (1J9) 2 E UTC-6(-5DT) N30°24.38' W86°49.75'

NEW ORLEANS

22 NOTAM FILE GNV

**RWY 18-36:** 2100X65 (TURF)**RWY 18:** Road.**AIRPORT REMARKS:** Attended 1600Z±-dusk. Rwy 18-36 all tkfs Rwy 18; all ldfs Rwy 36. No helicopter ops. Rwy 18-36 marked with white cones.**COMMUNICATIONS:** CTAF/UNICOM 122.7**NEW HIBISCUS AIRPARK** (See VERO BEACH)**NEW SMYRNA BEACH****MASSEY RANCH AIRPARK** (X50) 3 S UTC-5(-4) N28°58.73' W80°55.50'

JACKSONVILLE

12 S4 FUEL 100LL, JET A NOTAM FILE PIE

L-24F

**RWY 18-36:** H3852X60 (ASPH) LIRL

IAP

**RWY 18:** Road.**RWY 36:** Fence.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2200Z±, Sat-Sun irregularly. Self svc fuel. Acft maintenance call 386-426-6346. Glider and banner towing, aerobatics and parachuting activity on and in/ov arpt. Rwy 18 marked with 4' chain link fence. Rwy 18-36 LIRL are positioned 20' either side of rwy. Rwy 18-36 has 315' paved stopway on N end and 200' paved stopway on S end.**COMMUNICATIONS:** CTAF/UNICOM 122.7


® DAYTONA APP/DEP CON 125.35

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OMN.**ORMOND BEACH (H) VORTAC** 112.6 OMN Chan 73 N29°18.20'

W81°06.76' 153° 21.8 NM to fld. 19/00E.

**NEW SMYRNA BEACH NDB (MHW)** 417 EVB N29°03.25'

W80°56.49' 173° 4.6 NM to fld. NOTAM FILE PIE.

**NEW SMYRNA BEACH MUNI** (EVB) 3 NW UTC-5(-4DT) N29°03.34' W80°56.94'

JACKSONVILLE

10 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE EVB


H-8H, L-24F

**RWY 07-25:** H5000X75 (ASPH) S-55 MIRL

IAP, AD

**RWY 07:** Thld displcd 335'. Fence.**RWY 25:** Thld displcd 300'. Fence.**RWY 11-29:** H4319X100 (ASPH) S-55 MIRL**RWY 11:** PAPI(P4L) Trees.**RWY 29:** PAPI(P4L)—GA 3.0° TCH 32'. Road.**RWY 02-20:** H4000X100 (ASPH) S-55**RWY 02:** Thld displcd 785'. Fence.**RWY 20:** P-line.**AIRPORT REMARKS:** Attended 1200-0300Z±. For attendant after 0300Z± call 386-424-2199. Arpt CLOSED for ultralights except PPR 386-424-2199. Birds on and in/ov arpt. Voluntary noise abatement: in effect ctc arpt manager details at 386-424-2199. TPA—Igt acft 798(788), heavy acft 1198(1188). Rwy 02-20 and twy cracking with grass. ACTIVATE PAPI Rwy 11 and Rwy 29 and MIRL Rwy 11-29 and Rwy 07-25 after 0300Z±—CTAF.**WEATHER DATA SOURCES:** AWOS-3 124.625 (386) 409-7405.**COMMUNICATIONS:** CTAF 119.675 ATIS 124.625 UNICOM 122.95

® DAYTONA APP/DEP CON 125.35

**TOWER** 119.675 (1200-0300Z±) **GND CON** 121.325**AIRSPACE:** CLASS D svc 1200-0300Z±, other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE OMN.**ORMOND BEACH (H) VORTAC** 112.6 OMN Chan 73 N29°18.20' W81°06.76' 150° 17.1 NM to fld. 19/00E.**NDB (MHW)** 417 EVB N29°03.25' W80°56.49' at fld. NOTAM FILE PIE.**ASR**



NORTH PALM BEACH CO GENERAL AVIATION (See WEST PALM BEACH)

**NORTH PERRY** (See HOLLYWOOD)

**OAK TREE LANDING** (See HIGH SPRINGS)

## OCALA INTL-JIM TAYLOR FLD

(OCE) 4 W UTC-5(-4DT) N29°10.31' W82°13.45'

## JACKSONVILLE

90 B S4 FUEL 100LL JET A1 + OX 1.2 Class IV. ARFF Index A. NOTAM FILE OCF

H-8H, L-21D, 24F

RWY 18-36: H7467X150 (ASPH-GRVD) S-60, D-125, ST-158, DT-220 MIRL

IAP

RWY 18: PAPI(P4L)—GA 3.0° TCH 52'. Thld dspcd 160'. Trees.

**RWY 36:** MALSR. PAPI(P4L)—GA 3.0° TCH 29'. Thld dspcd 561'.

RWY 08-26: H3009X50 (ASPH) S-30

RWY 08: Trees. RWY 26: P-line.

### RUNWAY DECLARED DISTANCE INFORMATION

RWY 18: TORA-7467 TODA-7467 ASDA-6907 LDA-6747

RWY 36: TORA-7467 TODA-7467 ASDA-6907 LDA-6347

**AIRPORT REMARKS:** Attended 1230-0100Z+. For attendant after 0100Z+ call 352-239-1366. Rwy 08-26 CLOSED to air carrier acft. CLOSED to air carrier operations with more than 30 passenger seats except 24 hrs PPR call arpt manager 352-629-8377. All acft departing Rwy 18 maintain rwy heading to 800' AGL or until reaching end of rwy whichever occurs later before making left turns. Customs svc unavbl. Rwy 36 designated calm wind rwy. Twy E lgtS OTS indef. MIRL Rwy 18-36 preset on low ints; to increase ints and ACTIVATE MALSR Rwy 36 and PAPI Rwy 18 and Rwy 36—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 128.125 (352) 237-8525.

**COMMUNICATIONS: CTAF/UNICOM 123.0**

RCO 122.1R 113.7T (GAINESVILLE RADIO)


® JACKSONVILLE APP/DEP CON 118.6

**RADIO AIDS TO NAVIGATION:** NOTAM FILE OCF.

(L) VORTAC 113.7 OCF Chan 84 N29°10.65' W82°13.58'  
at fld. 80/00E.

JUMPI NDB (LOM) 423    OC    N29°03.39' W82°13.39'    004° 7 NM to fld.

**ILS 111.5** I-OCF Rwy 36. Class IE. LOM JUMPI NDB. (Unmonitored).



OKEECHOBEE CO

(OBF) 3 NW UTC-5(-4DT) N27°15' 99" W80°51' 02"

MIAMI

34 B S3 FUEL 100LL JET A OX 1.3 NOTAM FILE PIF

H-81. L-23C

RWY 05-23: H5000X100 (ASPH) S-40 MIBL

IAP

RWY 05: REIL. PAPI(P4R)—GA 3.0° TCH 52'. Tree.

RWY 23: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Tree.

RWY 14-32: H4000X75 (ASPH) S-30

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Tree.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Tree.

**AIRPORT REMARKS:** Attended 1300-2200Z+. After hrs call 863-634-0352. Ultralight activity on and in/ov arpt. Bird Hazard, cranes in/ov arpt. Non-powered flt activity prohibited within arpt tfc pat. Tkf and ldg on grass areas are at own risk. Rwy 05 calm wind rwy. Rwy 05-23 outboard 25' paved shoulders. Rwy 14-32 outboard 37' paved shoulders. FBO phone is 863-467-5888. ACTIVATE MRL Rwy 05-23--CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.675 (863) 467-1148.

**COMMUNICATIONS: CTAF/UNICOM 123.0**

MIAMI CENTER APP/DEP CON 132.25

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.

PAHOKEE (H) VORTAC 115.4	PHK	Chan 101	N26°46.96' W80°41.49'	344° 30.2 NM to fld. 16/00E.
HIWAS.				

**OPA LOCKA EXECUTIVE** (See MIAMI)



**ORLANDO****EXECUTIVE** (ORL) 3E UTC-5(-4DT) N28°32.73' W81°19.98'

113 B S4 FUEL 100, JET A OX 4 NOTAM FILE ORL

**RWY 07-25:** H6004X150 (ASPH-GRVD) S-45, D-65, ST-82, DT-115**RWY 07:** MALSR. PAPI(P2L)—GA 3.0° TCH 40'.**RWY 25:** REIL. VASI(V4L)—GA 3.0° TCH 46'. Trees. Rgt tfc.**RWY 13-31:** H4625X100 (ASPH-GRVD) S-35, D-60 HIRL**RWY 13:** REIL. PAPI(P2L)—GA 3.0° TCH 28'. Trees.**RWY 31:** REIL. PAPI(P2L)—GA 3.0° TCH 28'. Trees. Rgt tfc.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 25</b>	13-31	4500

**RUNWAY DECLARED DISTANCE INFORMATION****RWY 07:** TORA-6003 TODA-6003 ASDA-6003 LDA-5703**RWY 25:** TORA-6003 TODA-6003 ASDA-6003 LDA-6003**AIRPORT REMARKS:** Attended continuously. PPR for acft over 100,000 lbs; ctc arpt manager 407-894-9831. Banner towing ops S of Rwy 07-25. Acft with wingspan of 65' or greater must obtain

assistance before taxiing into the E half of the N ramp and the S half of the W ramp. Noise sensitive arpt. When twr clsd Rwy 07 is preferred noise abatement rwy weather permitting. Unlighted cranes 292' MSL less .50-3 southwest of Rwy 07. Brightly lgtd bridge highway located approximately ½ mi. S. of arpt could give false indication of being rwy on apch to Rws 07 & 31 during low ceiling or poor visibility. VFR acft arriving/departing Executive Arpt exercise caution due to turbo-jet acft transiting Executive Arpt traffic area 2000' above on approach to Orlando Intl Arpt 5.6 miles south. Birds in vicinity of arpt. When twr clsd


ACTIVATE HIRL Rwy 07-25 and Rwy 13-31, PAPI Rwy 07, Rwy 13 and Rwy 31, REIL Rwy 25, Rwy 13 and Rwy 31, MALSR Rwy 07 and Twy lghts—118.7. VASI Rwy 25 continuous opr.

**WEATHER DATA SOURCES:** ASOS (407)658-6753. HIWAS 112.2 ORL. LAWRS.**COMMUNICATIONS:** CTAF 118.7 ATIS 127.25 UNICOM 122.95**ORLANDO RCO** 123.65 122.65 122.2 (ST PETERSBURG RADIO) **ORLANDO RCO** 122.1R 112.2T (ST PETERSBURG RADIO)

® **ORLANDO APP/DEP CON** 124.8 (000°-180° above 5000') 120.15 (181°-359° above 5500') 121.1 (311°-060° 5500' and blo) 127.325 (061°-180° 5000' and blo) 119.4 (181°-310° 5500' and blo)

**TOWER** 118.7 (1100-0400Z±) **GND CON** 121.4 **CLNC DEL** 128.45**AIRSPACE:** CLASS D svc 1100-0400Z± other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.**ORLANDO (H) VORTAC** 112.2 ORL Chan 59 N28°32.56' W81°20.10' at fld. 102/00E. HIWAS.**HERNY NDB (LOM)** 221 OR N28°30.41' W81°26.04' 070° 5.8 NM to fld.**ILS** 109.9 I-ORL Rwy 07. Class IB. LOM HERNY NDB. ILS unmonitored 03001000Z± daily.**COMM/NAV/WEATHER REMARKS:** When twr clsd prior to dep req clnc on 124.3. When ORL ILS Rwy 07 and MCO ILS Rws 17 and 18R simultaneous ops are conducted, ATC radar rqr.

HIRL



**JACKSONVILLE**  
H-8H, L-21D, 24F  
IAP, AD



**KISSIMMEE GATEWAY** (ISM) 16SW UTC-5(-4DT) N28°17.39' W81°26.23'**JACKSONVILLE**

82 B S4 FUEL 100LL, JET A OX 1 TPA—See Remarks NOTAM FILE ISM

H-8H, L-21D, 24F

RWY 15-33: H6000X100 (ASPH-GRVD) S-75, D-75, ST-95, DT-120 MIRL

IAP, AD

RWY 15: MALSf. PAPI(P4L)—GA 3.0° TCH 51'. Trees. Rgt tfc.

RWY 33: PAPI(P4L)—GA 3.0° TCH 45'. Trees.

RWY 06-24: H5000X150 (ASPH-GRVD) S-30, D-60 MIRL

RWY 06: PAPI(P4L)—GA 3.0° TCH 45'. Trees. Rgt tfc.

RWY 24: PAPI(P4L)—GA 3.0° TCH 45'. Trees.

**AIRPORT REMARKS:** Attended 1200-0300Z†. Arpt CLOSED to ultralight acft except by prior permission from arpt manager. Noise sensitive area ½ mile north of AER 24. Rwy 06 holding bay restricted to acft with wingspan of 49' or less. No early turnouts on Rwy 06 departures. Req all Jets/Turbo props use National Business Acft Association close-in procedures. Rwy 15 is preferred calm wind rwy. TPA for lgt acft 1000(918), turboprop and jet acft 1500(1418). MIRL Rwy 15-33 and Rwy 06-24 preset low ints dusk-0300Z†, to increase ints and ACTIVATE after 0300Z†—CTAF. ACTIVATE MALSf Rwy 15 and PAPI Rwy 06, Rwy 24, Rwy 15 and Rwy 33—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 128.775 (407) 847-0533. HIWAS 112.2 ORL.

**COMMUNICATIONS:** CTAF 124.45 UNICOM 122.95

Ⓡ **ORLANDO APP/DEP CON** 119.4 **CLNC DEL** 119.95 (0100-1300Z†)

**TOWER** 124.45 (1200-0300Z†) **GND CON** 121.7 **CLNC DEL** 121.7


**AIRSPACE:** CLASS D svc 1200-0300Z† other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.

**ORLANDO (H) VORTAC** 112.2 ORL Chan 59 N28°32.56' W81°20.10' 200° 16.1 NM to fld. 102/00E. HIWAS.

**NDB (MHW)** 329 ISM N28°17.36' W81°26.05' at fld. NOTAM FILE ISM. NDB unmonitored 0300-1200Z†.

**ILS/DME** 109.75 I-ISM Chan 34(Y) Rwy 15. Unmonitored.





**ORLANDO INTL** (MCO) 6 SE UTC-5(-4DT) N28°25.76' W81°18.54'

**JACKSONVILLE**

96 B S2 FUEL 100LL, JET A LRA Class I, ARFF Index E NOTAM FILE MCO

H-8H, L-21D, 24F

**RWY 18L-36R:** H12005X200 (CONC-ASPH-GRVD) S-165, D-200, ST-175, DT-400 HIRL CL IAP, AD

**RWY 18L:** VASI(V6L)—Upper GA 3.25° TCH 90'. Lower GA 3.0° TCH 52'.

**RWY 36R:** ALSF2. TDZL.

**RWY 18R-36L:** H12004X200 (CONC-GRVD) S-100, D-200, ST-175, DT-400 HIRL CL

**RWY 18R:** MALSR. TDZL. Rgt tfc.

**RWY 36L:** TDZL. REIL. VASI(V6L)—Upper GA 3.25° TCH 94'. Lower GA 3.0° TCH 52'.

**RWY 17R-35L:** H10000X150 (CONC-GRVD) S-75, D-210, ST-175, DT-400 HIRL CL

**RWY 17R:** ALSF2. TDZL. **RWY 35L:** ALSF2.

**RWY 17L-35R:** H9000X150 (CONC-GRVD) S-75, D-210, DT-420, DDT-900 HIRL CL

**RWY 17L:** ALSF2. TDZL. PAPI(P4L).

**RWY 35R:** ALSF2. TDZL. PAPI(P4R).

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 18L:** TORA-12005 TODA-12005 ASDA-12005 LDA-12005

**RWY 18R:** TORA-12004 TODA-12004 ASDA-12004 LDA-12004

**RWY 36L:** TORA-12004 TODA-12004 ASDA-11621 LDA-11621

**RWY 36R:** TORA-12004 TODA-12005 ASDA-11601 LDA-11601

**AIRPORT REMARKS:** Attended continuously. CAUTION—Birds and deer on and in/ovf arpt. Use caution in vicinity of twy A along west ramp. ASDE-X Surveillance System in Use: Pilots should operate transponders with Mode C on all twys and rwys. When ORL ILS Rwy 07 and MCO ILS Rws 17 and 18R simultaneous ops are conducted, ATC radar required. Bright lights on road between Rwy 17R-35L and Rwy 17L-35R may be mistaken for rwy lights. Rwy 17L touchdown, midfield and rollout runway visual range avbl. Rwy 35R touchdown, midfield and rollout runway visual range avbl. Ground ops of acft with wingspan greater than 213' must use twys west of Rwy 18L/36R except north of Twy A which is restricted to wingspan less than 213'. Avoid contact with twy edge lgts; all acft determined to be FAA design group IV and above must perform judgmental oversteering instead of cockpit centerline steering when taxiing. Acft parked on Airside 2 centerline west of Twy G1 and/or south of Twy J3 between 0300Z and 1200Z. Flight Notification Service (ADCUS) avbl.

**WEATHER DATA SOURCES:** ASOS (407) 855-5235. HIWAS 112.2 ORL. LLWAS.

**COMMUNICATIONS:** D-ATIS ARR 121.25 D-ATIS DEP 120.525 UNICOM 122.95

① **APP/DEP CON** 124.8 (000°-180° abv 5000') 120.15 (181°-359° abv 5500') 121.1 (311°-060° 5500' and blo) 127.325 (061°-180° 5000' and blo) 119.4 (181°-310° 5500' and blo) (APP ONLY Secondary 134.05 125.55 123.85)

**TOWER** 124.3 (Rwy 18L-36R and Rwy 18R-36L) 118.45 (Rwy 17L-35R and Rwy 17R-35L) **GND CON** 121.8 126.4 **CLNC DEL** 134.7

**AIRSPACE:** CLASS B See VFR Terminal Area Chart.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.

(H) VORTAC 112.2 ORL Chan 59 N28°32.56' W81°20.10' 169° 6.9 NM to fld. 102/00E. HIWAS.

ILS/DME 111.75 I-DIZ Chan 54Y Rwy 17R. Class IIE.

ILS/DME 110.5 I-DDO Chan 42 Rwy 35L. Class IIIE.

ILS/DME 110.95 I-ARK Chan 46(Y) Rwy 17L. Class IIE.


ILS/DME 111.15 I-CER Chan 48(Y) Rwy 35R. Class IIE.

ILS/DME 110.7 I-OJP Chan 44 Rwy 36R. Class IIIE.

ILS/DME 111.9 I-TFE Chan 56 Rwy 18R. Class IA.

• • • • •  
**HELIPAD H1:** H44X44 (CONC)

**HELIPORT REMARKS:** Rooftop helipad CLOSED. 24 hr PPR for Helipad ldg call 407-825-2036.





**ORLANDO SANFORD INTL** (SFB) 16 NE UTC-5(-4DT) N28°46.60' W81°14.13'**JACKSONVILLE**55 B S4 FUEL 100LL, JET A OX 3 TPA-1055(1000) AOE ARFF Index—See Remarks H-8H, L-21D, 24F  
NOTAM FILE SFB IAP, AD**RWY 09L-27R:** H9600X150 (ASPH-GRVD) S-30, D-170, ST-175, DT-300 HIRL**RWY 09L:** MALSR. PAPI(P4L)—GA 3.0° TCH 71'. Thld dsplcd 1000'.**RWY 27R:** MALSR. PAPI(P4L)—GA 3.0° TCH 75'. Thld dsplcd 600'.

Trees. Rgt tfc. 0.4% up.

**RWY 09R-27L:** H6647X75 (ASPH) S-30 HIRL 0.3% up W**RWY 09R:** MALSR. PAPI(P4L)—GA 3.0° TCH 45'. Thld dsplcd 1647'. Rgt tfc.**RWY 27L:** REIL. PAPI(P4L)—GA 3.0° TCH 45'.**RWY 18-36:** H6002X150 (ASPH-CONC-GRVD) S-30, D-170, ST-175, DT-300 HIRL**RWY 18:** REIL. PAPI(P4L)—GA 3.0° TCH 45'.**RWY 36:** REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees. Rgt tfc.**RWY 09C-27C:** H3578X75 (ASPH) S-12 MIRL**RWY 09C:** REIL. PAPI(P2L)—GA 4.0° TCH 35'. Pole. Rgt tfc.**RWY 27C:** PAPI(P2L)—GA 3.0° TCH 27'. Trees.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 09L</b>	18-36	5500
<b>RWY 09C</b>	18-36	3150
<b>RWY 18</b>	09R-27L	4624
<b>RWY 27L</b>	18-36	5760
<b>RWY 36</b>	09L-27R	5300

**RUNWAY DECLARED DISTANCE INFORMATION:**

<b>RWY 09L:</b> TORA-9600 TODA-9600 ASDA-9600 LDA-8600
<b>RWY 09C:</b> TORA-3578 TODA-3578 ASDA-3578 LDA-3578
<b>RWY 09R:</b> TORA-6647 TODA-6647 ASDA-6647 LDA-5000
<b>RWY 27L:</b> TORA-6647 TODA-6647 ASDA-6132 LDA-6132
<b>RWY 27C:</b> TORA-3578 TODA-3578 ASDA-3578 LDA-3578
<b>RWY 27R:</b> TORA-9600 TODA-9600 ASDA-9600 LDA-9000

**AIRPORT REMARKS:** Attended continuously. Class I, ARFF Index D. CLOSED to repetitive air carrier training ops except 24 hrs PPR ctc arpt manager 407-585-4000 ext 4006 or 407-585-4119. ARFF index E avbl with 24 hr PPR (charter carriers on published schedule exempt). Rwy 09C-27C and Rwy 09R-27L non-air carrier use only. Rwy 18-36 and Rwy 09L-27R primary rwys for air carrier ops. 210' of Rwy 18-36 1302' from Rwy 18 thld ungrooved. Twy K clsd to acft with wingspan greater than 80'. Twy P clsd to acft with wingspan greater than 40'. Noise sensitive area under ILS apch from SEMCO OM to Rwy 09L and from 4 miles out straight-in to Rwy 27R. Turbojets are to use company fly quiet or noise abatement procedures, for details ctc arpt manager at phone number 407-585-4000. Dense flight training activity in tfc pattern and local area; Rwy 09R-27L primary flight training rwy. Large birds, including eagles invof arpt. All acft with less than 30 seats arriving to clear Customs ctc 129.075 prior to ldg. PAEW on terminal ramp within 75' of Twy C centerline when acft using gates 3 or 4. When twr clsd ACTIVATE HIRL Rwy 09L-27R, Rwy 09R-27L, MIRL Rwy 18-36, PAPI Rwy 09L, Rwy 27R, Rwy 09R, Rwy 27L, Rwy 18 and Rwy 36—CTAF.

**WEATHER DATA SOURCES:** ASOS (407) 321-9384. HIWAS 112.2 ORL. LAWRS.**COMMUNICATIONS:** CTAF 120.3 ATIS 125.975

Ⓡ **ORLANDO APP/DEP CON** 119.775 (South of SFB within 20 NM 3500' and blo) 121.1 (North of SFB within 20 NM 3500' and blo) **CLNC DEL** 121.35 (When Twr CLOSED) 123.975 Clnc Del avbl when advertised on ATIS.

**TOWER** 120.3 135.25 (1130-0400Z±) **GND CON** 121.35**AIRSPACE:** CLASS C svc 1130-0400Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.

**ORLANDO (H) VORTAC** 112.2 ORL Chan 59 N28°32.56' W81°20.10' 021° 15 NM to fld. 102/00E. HIWAS.


**SANFORD NDB (MHW)** 408 SFB N28°47.10' W81°14.60' at fld. NOTAM FILE SFB.

NDB unmonitored when twr clsd.

ILS 108.9 I-SND Rwy 09L. ILS unmonitored when twr clsd.

ILS/DME 111.55 I-00S Chan 52(Y) Rwy 09R. Class I.

ILS/DME 110.15 I-FNU Chan 38(Y) Rwy 27R. Class IB.

**ORLANDO APOPKA** (See APOPKA)



**ORMOND BEACH** N29°18.20' W81°06.76' NOTAM FILE OMN**JACKSONVILLE**

(H) VORTAC 112.6 OMN Chan 73 at Ormond Beach Muni. 19/00E. NOTAM FILE PIE. H-8H, L-21D, 24G  
 VOR portion unusable 147°-155° byd 12 NM blo 2000'; useable 147°-155° byd 25 NM blo 3000'; useable  
 243°-253° byd 35 NM blo 3000'.

RCO 122.1R 112.6T (ST PETERSBURG RADIO)

RCO 122.4 (ST PETERSBURG RADIO)

**ORMOND BEACH MUNI** (OMN) 3 NW UTC-5(-4DT) N29°18.03' W81°06.82'**JACKSONVILLE**

29 B S4 FUEL 100LL, JET A TPA-1029(1000) NOTAM FILE PIE

L-21D, 24G

RWY 08-26: H4004X75 (ASPH) S-30, D-40 MIRL

IAP, AD

RWY 08: PAPI(P2L)-GA 3.0° TCH 38'. Trees.

RWY 26: PAPI(P2L)-GA 3.0° TCH 38'. Trees. Rgt tfc.

RWY 17-35: H3701X100 (ASPH) S-30, D-40 MIRL

RWY 17: REIL. PAPI(P2L)-GA 3.0° TCH 38'. Trees. Rgt tfc.

RWY 35: PAPI(P2L)-GA 3.0° TCH 38'. Trees.

**AIRPORT REMARKS:** Attended 1200-0000Z. Line of sight obstructed  
 btn Rwy 08-26, 17-35. Twy C clsd indef. Portions of twy  
 cracking with grass growing through. Noise abatement procedures  
 in effect ctc arpt mgr at 386-676-3224 for details. Rwy 17-35  
 lgts OTS indef exc med/low ints. ACTIVATE MIRL Rwy 08-26 and  
 17-35 and PAPI Rwy 08, Rwy 26, Rwy 17 and Rwy 35, REIL  
 Rwy 17-CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.475 (386) 615-7084.**COMMUNICATIONS:** CTAF 119.075 ATIS 118.475 UNICOM 123.05

RCO 122.1R 112.6T (ST PETERSBURG RADIO)

RCO 122.4 (ST PETERSBURG RADIO)

DAYTONA APP/DEP CON 125.8

TOWER 119.075 (1200-0000Z) GND CON 121.625

CLNC DEL 121.625

**AIRSPACE:** CLASS D svc 1200-0000Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE OMN.

(H) VORTAC 112.6 OMN Chan 73 N29°18.20' W81°06.76' at fld. 19/00E.

ASR

**PAGE FLD** (See FT MYERS)**PAHOKEE** N26°46.96' W80°41.49' NOTAM FILE MIA.**MIAMI**

(H) VORTAC 115.4 PHK Chan 101 at Palm Beach Co Glades. 20/00. HIWAS.

H-8I, L-23C

RCO 122.35 122.1R 115.4T (MIAMI RADIO)

**PAHOKEE****PALM BEACH CO GLADES** (PHK) 3 SW UTC-5(-4DT) N26°47.10' W80°41.60'**MIAMI**

16 B S4 FUEL 100LL, JET A NOTAM FILE MIA

L-23C

RWY 17-35: H4116X75 (ASPH) S-20 MIRL

IAP

RWY 17: VASI(V2L)-GA 2.75° TCH 20'. Thld dsplcd 100'. P-line.

RWY 35: VASI(V2L)-GA 2.5° TCH 20'. Thld dsplcd 50'. Fence.

**AIRPORT REMARKS:** Attended 1300-2300Z. Parachute Jumping. Birds  
 on and invof arpt. MIRL Rwy 17-35 preset on medium ints, to  
 increase ints ACTIVATE-CTAF.


**WEATHER DATA SOURCES:** HIWAS 115.4 PHK.**COMMUNICATIONS:** CTAF/UNICOM 122.8

PAHOKEE RCO 122.35 122.1R 115.4T (MIAMI RADIO)

® PALM BEACH APP/DEP CON 124.6

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.

PAHOKEE (H) VORTAC 115.4 PHK Chan 101 N26°46.96'  
 W80°41.49' at fld. 16/00E. HIWAS.





**PALATKA MUNI—LT. KAY LARKIN FLD** (28J) 2 NW UTC-5(-4DT) N29°39.50' W81°41.37'**JACKSONVILLE**

48 B S3 FUEL 100LL, JET A TPA-1048(1000) NOTAM FILE GNV

H-8H, L-21D, 24G

RWY 09-27: H5999X100 (ASPH) S-21, D-60 MIRL

IAP

RWY 09: PAPI(P4L)—GA 3.0° TCH 30'. Tree.

RWY 27: PAPI(P4L)—GA 3.0° TCH 30'. Thld dspcd 449'. Tree.

RWY 17-35: H3510X75 (ASPH) S-31, D-60 MIRL 0.5% up S

RWY 17: PAPI(P2L)—GA 3.0° TCH 27'. Tree.

RWY 35: PAPI(P2L)—GA 3.45° TCH 35'. Trees.

RWY 12-30: H3000X75 (ASPH) S-10


RWY 12: Tree.

RWY 30: Tree.

**AIRPORT REMARKS:** Attended 1100-0000Z+. Self serve AVGAS avbl 24 hrs with credit card. Parachute Jumping. Wildlife on and invof arpt. Rwy 17-35 restricted to acft 12,500 lbs gross weight or less. Rwy 12-30 cracking with grass growth. Preferential Rwy 09 conditions permitting. ACTIVATE MIRL Rwy 09-27 and MIRL Rwy 17-35—CTAF. PAPI lgt operate continuously.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.25 (GAINESVILLE RADIO)

① **JACKSONVILLE APP/DEP CON** 118.175**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.**GATORS (L) VORTAC** 116.2 NM Chan 109 N29°41.53'W82°16.38' 098° 30.6 NM to fld. 128/04W. **HIWAS.****NDB (MHW)** 243 IAK N29°39.17' W81°48.70' 090° 6.4 NM to fld. NDB unmonitored 0000-1300Z+.**PALM BEACH CO GLADES** (See PAHOKEE)**PALM BEACH CO PARK** (See WEST PALM BEACH)**PALM BEACH INTL** (See WEST PALM BEACH)**PALM COAST****FLAGLER CO** (XFL) 3 E UTC-5(-4DT) N29°28.04' W81°12.38'**JACKSONVILLE**

33 B S4 FUEL 100LL, JET A TPA-1033(1000) NOTAM FILE GNV

H-8H, L-21D, 24G

RWY 06-24: H5000X100 (ASPH) S-60 MIRL

IAP

RWY 06: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 24: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 11-29: H4999X100 (ASPH) S-60 MIRL


RWY 11: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 29: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

**AIRPORT REMARKS:** Attended 1200-2300Z+. For fuel after hrs call 386-437-0401, 24 hrs in advance. Parachute Jumping. Caution: Occasional ultralight and gyro-copter activity center and south of arpt. Twy D south of Twy E clsd indef. Twy C south of Rwy 06-24 clsd indef. Touch and go ldg and stop and go ldgs prohibited except by prior permission from arpt manager 386-437-0401. Noise abatement procedures in effect, etc arpt manager for details at 386-437-0401. Noise sensitive area northwest quadrant. All acft must come to full stop and use arpt taxi pattern.

**WEATHER DATA SOURCES:** AWOS-3 128.325 (386) 437-0267.**COMMUNICATIONS:** CTAF 118.95 UNICOM 123.0① **DAYTONA APP/DEP CON** 125.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE OMN.**ORMOND BEACH (H) VORTAC** 112.6 OMN Chan 73 N29°18.20'

W81°06.76' 333° 11 NM to fld. 19/00E.



22

**WATERWAY 18W-36W:** 3000X500 (WATER)

**SEAPLANE REMARKS:** For seaplane refueling at lake call 386-437-0401, 24 hrs in advance. Rwy 18W-36W seaplane ldg area is Gore Lake (3196' by 1633'). 40' trees at water's edge all quadrants. Plan all apchs at heading 180° or 360° past trees. Rwy 18W-36W ldg area not marked.



**PALMETTO****AIRPORT MANATEE** (48X) 7 NE UTC-5(-4DT) N27°38.55' W82°31.21'

MIAMI

27 S2 NOTAM FILE PIE

**RWY 07-25:** 3405X100 (TURF) LIRL**RWY 07:** Brush. Rgt tfc. **RWY 25:** Brush.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2200Z, Sat 1400-1700Z. Rwy 07-25 first 500' E end soft after rains. Rwy 07-25 thlds marked by one green lgt and four buckets on each side of rwy.**COMMUNICATIONS:** CTAF 122.9**PANACEA****WAKULLA CO** (2J0) 3 S UTC-5(-4DT) N29°59.37' W84°23.72'

JACKSONVILLE

11 B NOTAM FILE GNV

**RWY 18-36:** 2590X70 (TURF) LIRL**RWY 18:** Thld dspcd 200'. Road. **RWY 36:** Thld dspcd 375'. Trees.**AIRPORT REMARKS:** Unattended. Parachute Jumping. Ground access by prior request 850-984-0590. +50' trees both sides of rwy 100' from centerline in transitional surface. Rwy 18-36 length and width and dspcd thlds marked with white tires. Rwy 18-36 north 500' soft turf. ACTIVATE LIRL Rwy 18-36—CTAF.**COMMUNICATIONS:** CTAF 122.9**PANAMA CITY-BAY CO INTL** (PFN) 3 NW UTC-6(-5DT) N30°12.73' W85°40.97'

NEW ORLEANS

20 B S4 FUEL 100LL, JET A OX 1, 2 LRA ARFF Index—See Remarks

H-8G, L-21C, 22I

NOTAM FILE PFN

IAP, AD

**RWY 14-32:** H6308X150 (ASPH-GRVD) S-100, D-174, ST-175,

DT-300 HIRL


**RWY 14:** MALSR.**RWY 32:** REIL. VASI(V4L)—GA 3.0° TCH 50'. Trees.**RWY 05-23:** H4884X150 (ASPH) S-40, D-70, ST-89, DT-120

MIRL

**RWY 05:** VASI(V4L). Trees.**RWY 23:** VASI(V4L)—GA 3.0° TCH 39'. Trees.**AIRPORT REMARKS:** Attended continuously. Heavy bird activity on and in/ovf arpt. Class I, ARFF Index B. ARFF equipment and personnel meet FAR 139 Index B, call 850-769-4791/6033. Acft arriving/departing S.E.—N.W. use caution due to intensive military jets transiting arpt tfc area 1500' and above on apch to Tyndall AFB. All IFR acft departing Rwy 14 must turn to assigned heading within 1 NM of departure EOR. ACTIVATE HIRL Rwy 14-32; MIRL Rwy 05-23; MALSR Rwy 14; REIL Rwy 32 and taxiway lgts—CTAF. Flight Notification Service (ADCUS) avbl.**WEATHER DATA SOURCES:** ASOS (850) 872-0385. LAWRS.**COMMUNICATIONS:** CTAF 120.5 ATIS 119.975 UNICOM 122.95

RCO 122.1R 114.3T (GAINESVILLE RADIO)

® **TYNDALL APP/DEP CON** 124.15 (South abv 5000') 125.2 (North abv 5000') (Mon-Fri 1200-0400Z, Sat-Sun 1500-2300Z). Clsd holidays and weekends associated with holidays, other times etc.

**JAX CENTER APP/DEP CON** 119.1**TOWER** 120.5 (1200-0400Z) **GND CON** 121.65**AIRSPACE:** CLASS D svc 1200-0400Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PFN.(L) **VORTAC** 114.3 PFN Chan 90 N30°12.98' W85°40.86' at fld. 10/OW.**LYNNE NDB (LOM)** 278 PF N30°19.60' W85°46.94' 143° 8.6 NM to fld.**ILS** 110.5 I-PFN Rwy 14. BC unusable. LOM LYNNE NDB. (ILS unmonitored when twr clsd).



**PATRICK AFB** (COF)(KCOF) AF 3 S UTC-5(-4DT) N28°14.10' W80°36.60'

**JACKSONVILLE**

8 B TPA—See Remarks Class I, ARFF Index A NOTAM FILE COF Not insp.

H-8I, L-24F

**RWY 02-20:** H9023X200 (ASHP-CONC-GRVD) PCN 50 R/C/W/T HIRL

DIAP, AD

**RWY 02:** ALSF1. PAPI(P4L).

**RWY 20:** PAPI(P4L).

**RWY 11-29:** H4000X200 (ASPH) PCN 54 F/B/W/T MIRL

**RWY 11:** PAPI(P4L).

**RWY 29:** PAPI(P4L). Thld dsplcd 300'.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 02:** TORA-9023 TODA-9023

**RWY 20:** TORA-9023 TODA-9023

**MILITARY SERVICE:** LGT Rwy 02-20 edge lgts are positioned approximately 30' from usable surface. **FUEL J8**

**FLUID SP PRESAIR LHOX LOX** OIL O-128-133-148 **TRAN ALERT** Opr 1300-0500Z†, clsd holidays. All tran acft rqr Tran Alert assistance no arr later than 0430Z†.

**MILITARY REMARKS:** Opr 1300-0500Z†. **RSTD** Acft turns on Rwy 02-20 restricted to conc ends. PPR for all acft, except EVAC, DSN 854-2222 C321-494-2222. East side Twy C clsd to jet acft. Run-on ldg/tkf conducted by rotary wing acft equipped with skids rstd to Rwy 11-29 west of Rwy 02-20 and Twy B south of Twy C. **CAUTION** First 240' Rwy 29 not visible from twr. Exercise caution due to extensive local general aviation acft over Melbourne Intl, 7 NM S of Patrick AFB during VFR weather conditions. Bird hazard potential exists. Migratory Season Phase II Oct 1-Mar 31. During Bird Watch Condition Moderate, tkf and ldg permission. During Bird Watch Condition Severe, tkf and ldg prohibited. Ctc TWR/GND/ATIS for current Bird Watch Condition Code. Rwy 11-29 has NSTD landing zone touchdown box markings. **TFC PAT** TPA-1500(1492) rectangular, 2000(1992) overhead. **CSTMS/AG/IMG** All acft rqr support ctc PTD with arr info 1 hr prior to ldg via direct air/gnd communications or telephone patch. Provide 2 hr notification Sat, Sun. If no notice expect 1-2 hr delay. **MISC** Base OPS DSN 854-2222, C321-494-2222, fax C321-494-6442. WX DSN 467-8484, C321-853-8484. Fleet svc not avbl. Rwy 02-20 mid 7000' asphalt. Rwy 02-20 first 100' grooved conc. No COMSEC storage avbl at AMOPS, ctc CMD POST (bldg 423, extension 7001) for COMSEC storage.

**COMMUNICATIONS:** ATIS 119.175 273.5 **PTD** 139.3 372.2

① **ORLANDO APP/DEP CON** 132.65 134.95 281.425 358.3

**TOWER** 133.75 269.375 (1300-0500Z†) **GND CON** 124.35 335.8

**CLNC DEL** 118.4 289.4

**PATRICK COMD POST** (Call BARRIER) 138.3 383.0 (Global HF thru CAPE ROD) **PMSV METRO** 344.6

**KING OPS** 150.35 321.0 **RESCUE OPS** 138.475 255.5

**AIRSPACE:** CLASS D svc 1300-0500Z†, other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLB.

**MELBOURNE (L) VOR/DME** 110.0 MLB Chan 37 N28°06.32' W80°38.12' 012° 7.9 NM to fld. 30/2W.

(T) **TACAN** Chan 97 COF (115.0) N28°14.26' W80°36.71' at fld. 10/4W. NOTAM FILE COF. Unmonitored 0500-1300Z†. No NOTAM MP Wed 0900-1500Z†.

**ILS** 109.1 I-COF Rwy 02. Unmonitored 0500-1300Z†. No NOTAM MP Tue 0900-1500Z†.

**ILS** 110.9 I-PKC Rwy 20. Unmonitored 0500-1300Z†. No NOTAM MP Thu 0900-1500Z†.

**COMM/NAV/WEATHER REMARKS:** ILS Rwy 02 coupled/autoland ILS apch use caution, localizer signal not protected, possible interference. OM not installed, DME or RADAR rqr. Weather DSN 467-8484

## PENSACOLA

**COASTAL** (83J) 10 NW UTC-6(-5DT) N30°31.91' W87°23.12'

**NEW ORLEANS**

110 TPA-1010(900) NOTAM FILE GNV

**RWY 18-36:** 2526X230 (TURF)

**RWY 18:** Thld dsplcd 500'. Fence. Rgt tfc.

**RWY 36:** Thld dsplcd 360'. Fence.

**AIRPORT REMARKS:** Attended 1500Z†-SS. Extensive military helicopter opr at adjacent fld ¼ mile N-E. Glider activity on and invof arpt. Rwy 18-36 length and width and dsplcd thlds marked with pavers.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

**FERGUSON** (82J) 7 SW UTC-6(-5DT) N30°23.90' W87°20.93'

**NEW ORLEANS**

27 S4 **FUEL** 100LL TPA-527(500) NOTAM FILE GNV

L-21C, 22H

**RWY 18-36:** H3200X200 (ASPH-TURF) LIRL

**RWY 18:** Tree.

**RWY 36:** Tree.

**AIRPORT REMARKS:** Attended Mon-Sat 1500-0100Z†, Sun 2000-2200Z†. After hrs call 850-455-4171. Fuel avbl only during attendance hrs. Frequent flight demonstrations and preactive airshows at Pensacola NAS. Arpt lies within 3 NM of Pensacola NAS (Forrest Sherman Fld) NPA. Apch and dep N of the arpt. Rwy 18-36 eastern 40' asph entire length and western 80' turf entire length. ACTIVATE LIRL Rwy 18-36-CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

**RADIO AIDS TO NAVIGATION:** NOTAM FILE CEW.

**CRESTVIEW (H) VORTACW** 115.9 CEW Chan 106 N30°49.57' W86°40.75' 231°43.1 NM to fld. 255/03E. **HIWAS.**



**PENSACOLA RGNL** (PNS) 3 NE UTC-6(-5DT) N30°28.41' W87°11.20'

NEW ORLEANS

121 B S4 FUEL 100, 100LL, JET A OX 1 TPA-1121(1000) LRA

H-7E, 8G, L-21C, 22H

Class I, ARFF Index C NOTAM FILE PNS

IAP, AD

**RWY 17-35:** H7004X150 (CONC-GRVD) S-85, D-150, ST-175, DT-270 HIRL CL 0.3% up N

**RWY 17:** MALSR. TDZL. P-line.

**RWY 35:** REIL. PAPI(P4L)—GA 3.0° TCH 55'.

**RWY 08-26:** H7000X150 (ASPH) S-85, D-150, ST-175, DT-270 HIRL

**RWY 08:** REIL. PAPI(P4L)—GA 3.0° TCH 50'. Pole.

**RWY 26:** REIL. PAPI(P4L)—GA 3.0° TCH 50'.

**AIRPORT REMARKS:** Attended continuously. Black hole illusion exist during Rwy 26 apch at night. Fixed wing VFR departures proceed to arpt boundary before turning unless otherwise directed by ATC. Rwy 08 is preferred dep rwy. Turbojet powered acft with a maximum certified tkf weight over 75,000 lbs should execute the standard noise abatement departure profile for all departures in accordance with FAA AC 91-53. Helicopter Idg etc Heliworks 850-438-6056. Helicopter parking is located NW of air carrier ramp on the asph ramp. Large numbers of birds on and invof arpt. Rwy 08 has 5' radar reflector 1651' from thld. PPR 24 hrs for unscheduled air carrier ops with more than 30 passenger seats or for unscheduled acft greater than 65,000 lbs gross weight call 850-436-5000. Run-up pad for piston acft located on twy D between twy D1 and twy C. Face nose of acft south. All other acft run-up info, etc ops at 850-436-5000. Twy C south of Rwy 08-26, Twy C1, Twy C2, Twy D east of Rwy 17-35, Twy D1, Twy D2, Twy D3, Twy D4 and Twy D5 are only 35' wide and are clsd to acft with a wingspan larger than 79'. Rwy 35 RVR touchdown. When twr clsd, ACTIVATE HIRL Rwy 17-35 and HIRL Rwy 08-26, MALSR Rwy 17—CTAF. PAPI Rwy 08, Rwy 26 and Rwy 35 on continuously. Flight Notification Service (ADCUS) avbl.

**WEATHER DATA SOURCES:** ASOS (850) 436-4799. LAWRS. LLWAS. Unmonitored 0500-1130Z†.

**COMMUNICATIONS:** CTAF 119.9 ATIS 121.25 UNICOM 122.95

RCO 122.6 122.2 (GAINESVILLE RADIO)

® APP/DEP CON 120.05 (160°-250°) 119.0 (340°-159°) 118.6 (251°-339°)

TOWER 119.9 (1130-0500Z†) GND CON 121.9 CLNC DEL 123.725

**AIRSPACE:** CLASS C 1130-0500Z†, other times CLASS E.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE CEW.


**CRESTVIEW (H) VORTACW** 115.9 CEW Chan 106 N30°49.57' W86°40.75' 228° 33.7 NM to fld. 255/03E. HIWAS.

**SAUFLEY (L) VOR** 108.8 NUN N30°28.33' W87°20.15' 088° 7.7 NM to fld. NOTAM FILE PNS.

**PICKENS NDB (MHW)** 326 PKZ N30°26.22' W87°10.70' 348° 2.2 NM to fld. NOTAM FILE PNS.

**ILS/DME** 111.1 I-PNS Chan 48 Rwy 17. Class IA. ILS unmonitored during hrs twr is clsd.

**ILS/DME** 110.95 I-PHC Chan 46(Y) Rwy 26.





**PENSACOLA NAS** (FORREST SHERMAN FLD) (NPA)(KNPA) N 6 SW UTC-6(-5DT)

**NEW ORLEANS**

N30°21.20' W87°19.08'

H-7E, 8G, L-21C, 22H

28 B NOTAM FILE PNS

Not insp.

DIAP, AD

**RWY 07L-25R:** H8002X200 (ASPH) PCN 48 R/C/W/T HIRL

**RWY 07L:** ALSF1 OLS. **RWY 25R:** OLS.

**RWY 07R-25L:** H8001X200 (ASPH) PCN 50 F/B/W/T HIRL

**RWY 07R:** OLS. **RWY 25L:** OLS.

**RWY 01-19:** H7137X200 (ASPH) PCN 44 F/B/W/T HIRL

**RWY 01:** OLS. **RWY 19:** OLS.

**ARRESTING GEAR/SYSTEM**

**RWY 07L HOOK E28(B)** (1200')

**HOOK E28(B)** (1300') **RWY 25R**

**RWY 07R HOOK E28(B)** (1300')

**HOOK E28(B)** (1450') **RWY 25L**

**RWY 01 HOOK E28(B)** (1544')

**HOOK E28(B)** (1100') **RWY 19**

**MILITARY SERVICE:** LGT Mobile OLS 3.25° avbl all rwy. **A-GEAR** Short fld arresting gear de-rigged, long fld rigged. 15 min notice for short fld arrestment. Status broadcast on ATIS. **JASU** 5(NC-8) 6(GTC-85 Navy F4 emerg start only) 3(NCPP-105). **FUEL** J5, J8 J5 limited and requires prior arrangement.

**FLUID** SP LHOX LOX OXRB Acft nitrogen and oxygen svc avbl 1400-2200Z± weekends and holidays.

**OIL** O-128-148-156 **TRAN ALERT** Tran svc avbl Mon-Fri 1300-0500Z±, Sat 1600-2330Z±, Sun and holidays 1900-0230Z±; other times no tran acft authorized. Expect extensive servicing delays during tran alert hr.

**MILITARY REMARKS:** Opr Mon-Fri 1300-0500Z±, Sat 1600-2330Z±, Sun 1900-0230Z±, holidays by NOTAM. See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** PPR all acft except AIREVAC. Ctc Base OPS for PPR number DSN 922-2431, C850-452-2431. **CAUTION** Expect simultaneous opr during duel rwy ops. Intense VFR training tfc vicinity Saufley Fld NOLF. Ponding occurs after moderate to heavy rain. **TFC PAT** Ldg/taxi light required all ldg when weather conditions permit. Wheels Watch not on station. Reduced rwy separation standard in effect Chief of Naval Air Training acft only. Multiple apch severely limited during single rwy opr. **NS ABTMT** Req all acft remain at or abv 500' and 0.5 NM off-shore from Navarre Beach to west of Johnson Beach due to nesting of protected species Apr-Oct. **CSTMS/AG/IMG** Customs, Agriculture, avbl if prior arrangements made with minimum 48 hr advance notice.

**COMMUNICATIONS:** SFA **ATIS** 124.35 266.8 (Mon-Fri 1300-0500Z±, Sat 1400-2200Z±, Sun & holidays 2000-0400Z±)

Ⓡ **APP CON** 120.05 120.65 270.8

**SHERMAN TOWER** 120.7 340.2 (Mon-Fri 1300-0500Z±, Sat 1600-2330Z±, Sun 1900-0230Z±, holidays by NOTAM) **SHERMAN GND CON** 121.7 336.4 **SHERMAN CLNC DEL** 134.1 268.7 (Dep acft ctc CLNC DEL prior to taxi.)

Ⓡ **DEP CON** 120.65 270.8

**PMSV METRO** 359.6 **SHERMAN BASE OPS** 312.1

**AIRSPACE:** CLASS C svc Mon-Fri 1300-0500Z±, Sat 1600-2200Z±, Sun 2000-0400Z± and holidays, other times ctc **APP CON** other times CLASS G.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE NPA.

(L) **TACAN** Chan 119 NPA (117.2) N30°21.48' W87°18.99' at fld. 24/1E. Opr only during fld opr hr.

TACAN unusable:

030-050° blo 2500'

051°-230° byd 30 NM blo 1500'

231°-029° byd 30 NM blo 2500'

**SAUFLEY (L) VOR** 108.8 NUN N30°28.33' W87°20.15' 172° 7.2 NM to fld. NOTAM FILE PNS.

**ILS** 109.3 I-NPA Rwy 07L.

**ASR/PAR**

**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.



**PERRY-FOLEY** (40J) 3 S UTC-5(-4DT) N30°04.16' W83°34.84'

JACKSONVILLE

44 B FUEL 100LL, JET A NOTAM FILE GNV

L-21D, 22J

RWY 18-36: H4986X100 (ASPH) S-30 MIRL

IAP

RWY 18: PAPI(P2L)—GA 4.0°. Trees.

RWY 36: PAPI(P2L)—GA 4.0°. Trees.

RWY 12-30: H4754X100 (ASPH) S-30 MIRL

RWY 12: REIL. PAPI(P2L)—GA 4.0°. Trees.

RWY 30: PAPI(P2L)—GA 4.0°. Trees.

RWY 06-24: H4378X150 (ASPH) S-30

RWY 06: Tree. RWY 24: Trees.

**AIRPORT REMARKS:** Unattended. Fuel self svc with credit card.

Centerline reflectors Rwy 18-36. ACTIVATE MIRL Rwy 12-30, Rwy 18-36, and REIL Rwy 12—CTAF. PAPIs Rwy 12, Rwy 30, Rwy 18 and Rwy 36 opr continuously.

**WEATHER DATA SOURCES:** AWOS-1 118.375 (850) 838-3526. OTS indef.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.45 (GAINESVILLE RADIO)

® JAX CENTER APP/DEP CON 127.8


**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.

GREENVILLE (L) VORTAC 109.0 GEF Chan 27 N30°33.08'

W83°46.99' 159° 30.7 NM to fld. 220/01E.

FOLEY NDB (MHW) 254 FPY N29°59.77' W83°35.18' 007°

4.4 NM to fld. Unmonitored indef. SHUTDOWN.



**PETER O KNIGHT** (See TAMPA)

**PETER PRINCE FLD** (See MILTON)

**PICKENS** N30°26.22' W87°10.70' NOTAM FILE PNS.

NEW ORLEANS

NDB (MHW) 326 PKZ 348° 2.2 NM to Pensacola Rgnl.

L-21C, 22H

**PICNY** N27°51.68' W82°32.76' NOTAM FILE TPA.

MIAMI

NDB (HW/LDM) 388 AM 008° 6.9 NM to Tampa Intl.

H-8H, L-21D, 24F

**PIERSON MUNI** (2J8) 1 N UTC-5(-4DT) N29°15.00' W81°27.55'

JACKSONVILLE

63 NOTAM FILE PIE

RWY 05-23: 2600X200 (TURF)

RWY 05: Pole. RWY 23: Trees. Rgt tfc.

**AIRPORT REMARKS:** Unattended. Center of rwy in fair condition, remainder in poor condition.

**COMMUNICATIONS:** CTAF 122.9

**PILOT COUNTRY** (See BROOKSVILLE)

**PLANTATION** N26°07.94' W80°13.13' NOTAM FILE FLL.

MIAMI

NDB (MHW) 242 PJN 138° 5.1 NM to Fort Lauderdale-Hollywood Intl.

H-8I, L-23C, A



**PLANT CITY** (PCM) 2 SW UTC-5(-4DT) N28°00.01' W82°09.80'

153 B S4 FUEL 100, JET A NOTAM FILE PCM

RWY 10-28: H3948X75 (ASPH) S-20 MIRL (NSTD) 0.3% up W

RWY 10: REIL. PAPI (P2L)—GA 3.0° TCH 22'. Thld dsplcd 198'. Road.

RWY 28: REIL. PAPI (P2L)—GA 3.0° TCH 24'. Trees.

**AIRPORT REMARKS:** Attended 1200-0000Z†. Rwy 10-28 NSTD MIRL, first 200' of Rwy 10 to dsplcd thld unlighted. ACTIVATE MIRL Rwy 10-28, and PAPI Rwy 10 and 28 and REIL Rwy 10 and 28—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 120.025 (813) 764-8259.**COMMUNICATIONS:** CTAF/UNICOM 123.05Ⓡ **TAMPA APP/DEP CON** 120.65 119.9

GCO 121.725 (Tampa clearance delivery, for PCM.)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.

LAKELAND (H) VORTAC 116.0 LAL Chan 107 N27°59.17'


W82°00.83' 275° 8 NM to fld. 135/01E.

NDB (MHW) 346 PCM N28°00.15' W82°09.40' at fld. NOTAM FILE PIE.

JACKSONVILLE

L-21D, 24F

IAP

**POMPAÑO BEACH AIRPARK** (PMP) 1 NE UTC-5(-4DT) N26°14.83' W80°06.66'

19 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks NOTAM FILE PMP

RWY 15-33: H4418X150 (ASPH) S-30 MIRL

RWY 15: ODALS. PAPI(P4L)—GA 3.50° TCH 46'. Trees.

RWY 33: REIL. PAPI(P4L)—GA 3.50° TCH 48'. Trees.

RWY 06-24: H4001X150 (ASPH) S-20 MIRL

RWY 06: REIL. PAPI(P2L)—GA 3.75° TCH 42'. Trees.

RWY 24: REIL. PAPI(P2L)—GA 3.50° TCH 49'. Trees.

RWY 10-28: H3502X100 (ASPH) S-26 MIRL

RWY 10: REIL. PAPI(P2L)—GA 3.50° TCH 41'. Pole.

RWY 28: REIL. PAPI(P2L)—GA 3.50° TCH 45'. Trees.

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 10	15-33	3000
RWY 15	10-28	3800

**AIRPORT REMARKS:** Attended 1300-0100Z†. Numerous birds on and in/ovf arpt. Acft with gross weight more than 30,000 pounds prohibited on Rwy 15-33. Rwy 06-24 and Rwy 10-28 limited to GWT 12500 lbs or less by arpt manager. TPA—for fixed wing acft 798(779), TPA for helicopters 498(479). All rwy noise sensitive, ctc arpt manager for helicopter and fixed wing operating procedures—954-786-4135. When twr clsd MIRL Rwy 15-33 and rwy most aligned with wind preset med ints only.

**WEATHER DATA SOURCES:** ASOS (954) 783-3720. LAWRS.**COMMUNICATIONS:** CTAF 125.4 ATIS 120.55 UNICOM 122.95Ⓡ **MIAMI APP/DEP CON** 119.7 (Usable 4000' and blo)

TOWER 125.4 (1300-0100Z†) GND CON 121.9

**AIRSPACE:** CLASS D svc 1300-0100Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FLL.


FT. LAUDERDALE (H) VORW/DME 114.4 FLL Chan 91 N26°04.49' W80°09.15' 012° 10.6 NM to fld. 10/00E.

ILS/DME 109.75 I-PMP Chan 34(Y) Rwy 15. LOC only.

MIAMI

L-23C, A

IAP, AD





**PORT ST JOE****COSTIN** (A51) 2 S UTC-5(-4DT) N29°45.51' W85°17.35'

NEW ORLEANS

13 NOTAM FILE GNV

**RWY 18-36:** 4230X65 (TURF)**RWY 18:** Thld dsplcd 660'. Tree. **RWY 36:** Thld dsplcd 1000'. Tree.**AIRPORT REMARKS:** Unattended. Ldg fee. Rwy 18-36 south 1000' rough, soft and sandy. 550' radio twr located 1.5 miles North of arpt. No touch and go lds. Rwy 18 dsplcd thld marked with 3 PVC pipes painted white placed perpendicular to centerline.**COMMUNICATIONS:** CTAF 122.9**PRAIZ** N26°11.14' W80°17.91' NOTAM FILE FXE.

MIAMI

**NDB (MHW/LOM)** 221 FX 087° 6.9 NM to Ft Lauderdale Exec. Unmonitored when twr clsd.

L-23C, A

**PUNTA GORDA** N26°55.01' W81°59.48' NOTAM FILE PIE.

MIAMI

**(T) VORW** 110.2 PGD at Charlotte Co. VOR unusable 166°-183° byd 20 NM.

L-21D, 23B

**RCO** 122.025 (ST PETERSBURG RADIO)**PUNTA GORDA****CHARLOTTE CO** (PGD) 3 SE UTC-5(-4DT) N26°55.17' W81°59.43'


MIAMI

26 B S4 **FUEL** 100LL, JET A, A+ OX 1, 2 TPA-1026 (1000)

H-8H, L-21D, 23B

Class I, ARFF Index B NOTAM FILE PGD

IAP

**RWY 04-22:** H7193X150 (ASPH-GRVD) S-45, D-95, DT-150, DDT-420 HIRL**RWY 04:** REIL. PAPI(P4L)-GA 3.0° TCH 47'. Trees.**RWY 22:** REIL. PAPI(P4L)-GA 3.0° TCH 31'. Trees.**RWY 15-33:** H5688X150 (ASPH) S-45, D-80, DT-140 MIRL  
**RWY 15:** REIL. PAPI(P4L)-GA 3.0° TCH 43'. Thld dsplcd 561'. Trees.**RWY 33:** REIL. PAPI(P4L)-GA 3.0° TCH 31'. Trees.**RWY 09-27:** H5044X150 (ASPH) S-45, D-80, DT-140, DDT-420  
**RWY 09:** Trees. **RWY 27:** Tree.**AIRPORT REMARKS:** Attended continuously. All fuel self serve, avbl 24hr with credit card. Rwy 09-27 length 2630X60' rstd to acft less than 6000 lbs, CLOSED to air carrier ops. Arriving jet acft and all acft over 12,500 lbs maintain 2000' AGL until established on final apch. HIRL Rwy 04-22 and MIRL Rwy 15-33 preset on low ints; to incr ints and ACTIVATE PAPI Rwy 04, Rwy 22, Rwy 15 and Rwy 33 and REIL Rwy 04, Rwy 22, Rwy 15 and Rwy 33-CTAF.**WEATHER DATA SOURCES:** ASOS 135.675 (941) 639-0076.**COMMUNICATIONS:** CTAF/UNICOM 122.975**PUNTA GORDA RCO** 122.025 (ST PETERSBURG RADIO)® **FORT MYERS APP/DEP CON** 126.8 (1100-0500Z‡) **CLNC DEL** 127.05® **MIAMI CENTER APP/DEP CON** 134.75 (0500-1100Z‡)**RADIO AIDS TO NAVIGATION:** NOTAM FILE RSW.**LEE CO (L) VORTAC** 111.8 RSW Chan 55 N26°31.79' W81°46.55' 336° 26 NM to fld. 25/02W. **HIWAS.****PUNTA GORDA (T) VORW** 110.2 PGD N26°55.01' W81°59.48' at fld. NOTAM FILE PIE. VOR unusable 166°-183° byd 20 NM.**SHELL CREEK AIRPARK** (F13) 7 E UTC-5(-4DT) N26°58.12' W81°54.98'

MIAMI

20 **FUEL** 100LL NOTAM FILE PIE Not insp.**RWY 18-36:** 2600X110 (TURF)**RWY 18:** Thld dsplcd 600'. Trees. **RWY 36:** Thld dsplcd 100'. Fence.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2200Z‡. Parachute Jumping. Glider activity on and invof arpt. Rwy 18-36 dsplcd thld marked with white square markers each side of rwy perpendicular to centerline. Rwy 36 fence marked with white tires.**COMMUNICATIONS:** CTAF 122.9



**QEEZY** N25°38.50' W80°30.29' NOTAM FILE TMB.

MIAMI

NDB (LOM) 266 TM 087° 3.9 NM to Kendall-Tamiami Executive. NDB unmonitored.

**QUINCY MUNI** (2J9) 2 NE UTC-5(-4DT) N30°35.86' W84°33.43'

JACKSONVILLE

221 B S4 FUEL 100LL NOTAM FILE GNV

L-21D, 221

RWY 14-32: H2684X75 (ASPH) S-20 LIRL 0.7% up NW

IAP

RWY 14: PAPI(P2R). Trees. Rgt tfc.

RWY 32: PAPI(P2L). Thld dsplcd 324'. Trees.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 14: TORA-2964 TODA-2964 ASDA-2964 LDA-2700

RWY 32: TORA-2964 TODA-2964 ASDA-2755 LDA-2431

**AIRPORT REMARKS:** Attended 1300Z†-dusk. Extensive Parachute  
 Jumping ops on arpt. Glider ops blo 10,000' on and invof arpt.  
 Unmarked turf Indg area adj Rwy 14-32 along NE side.

**COMMUNICATIONS:** CTAF/UNICOM 122.7


Ⓡ TALLAHASSEE APP/DEP CON 128.7 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.625 (0400-1100Z‡)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TLH.

SEMINOLE (H) VORTAC 117.5 SZW Chan 122 N30°33.37'

W84°22.44' 283° 9.8 NM to fld. 180/02E. HIWAS.

**RINGY** N27°19.69' W82°28.70' NOTAM FILE SRQ.

MIAMI

NDB (LOM) 245 SR 317° 5.7 NM to Sarasota/Bradenton Intl.

**RIVER RANCH RESORT** (2RR) 0 NW UTC-5(-4DT) N27°46.76' W81°12.24'

MIAMI

55 B FUEL 100LL NOTAM FILE PIE

L-21D, 24F

RWY 16-34: H4950X75 (ASPH)

RWY 16: Thld dsplcd 200'. Brush.

RWY 34: Thld dsplcd 1000'. Tree. Rgt tfc.

**AIRPORT REMARKS:** Attended continuously. Airport CLOSED night ops indef. 30' brush and trees 125' from centerline  
 both sides of rwy.

**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE VRB.

VERO BEACH (H) VORTAC 117.3 VRB Chan 120 N27°40.71' W80°29.38' 283° 38.5 NM to fld. 20/04W.

HIWAS.

**RUBIN** N26°41.27' W80°12.61' NOTAM FILE PBI.

MIAMI

NDB (HW/LOM) 356 PB 096° 6.2 NM to Palm Beach Intl.

H-81, L-23C



**ST AUGUSTINE** (SGJ) 4 N UTC-5(-4DT) N29°57.56' W81°20.39'**JACKSONVILLE**

10 B S4 FUEL 100LL, JET A OX 3, 4 TPA—See Remarks Class I, ARFF Index A

H-8H, L-21D, 24G

NOTAM FILE SGJ

IAP, AD

**RWY 13-31:** H7996X150 (ASPH) S-60, D-120, ST-152, DT-160 HIRL**RWY 13:** VASI (V4L) -GA3.0° TCH 44'. Thld dsplcd 1058'. Trees.**RWY 31:** PAPI (P4L) -GA 3.0° TCH 42'. Thld dsplcd 800'.**RWY 06-24:** H2701X60 (ASPH) S-90 MIRL**RWY 06:** PAPI(P2L) -GA 3.0° TCH 40'. Trees.**RWY 02-20:** H2614X75 (ASPH) MIRL**RWY 02:** Trees.

**AIRPORT REMARKS:** Attended 1100-0500Z†. Jet single point refueling avbl. For fuel call 904-824-1995 1100-0500Z†. Self serve fuel avbl 24 hrs with credit card. Aerobatic activity along E side of Rwy 13-31—ctc twr for tfc and Gainesville Radio for specific times. ARFF avbl weekdays 1200-2100Z†; req svc on CTAF. Rwy 06-24 CLOSED to air carrier ops. Rwy 02-20 CLOSED to air carrier ops. Rwy 13-31 CLOSED to air carrier ops with more than 30 passenger seats except PPR call arpt manager 904-825-6860. Rwy 31 hold short at D1 twy. TPA—1010(1000) conventional, 1510(1500) jet, 510(500) helicopter. ACTIVATE HIRL Rwy 13-31 and MIRL Rwy 06-24 and Rwy 02-20—CTAF. User fee.

**WEATHER DATA SOURCES:** AWOS-3 (904) 824-7084.**COMMUNICATIONS:** CTAF 127.625 ATIS 119.625 UNICOM 122.95


RCO 122.3 (GAINESVILLE RADIO)

® **JACKSONVILLE APP/DEP CON** 120.75**TOWER** 127.625 (1200-0200Z†) **GND CON** 121.175**AIRSPACE:** CLASS D svc 1200-0200Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SGJ.(T) **VORW/DME** 109.4 SGJ Chan 31 N29°57.40' W81°19.82' at fld. 10/06W.**ILS/DME** I-GUH Chan 48 Rwy 31. GS unusable byd 5° either side of LOC centerline.

**COMM/NAV/WEATHER REMARKS:** Acft for delivery or pickup crews ctc Grumman Flight Ops for briefing and UHF frequency assignment 904-825-3314. Grumman Advisory Twr, crash crew and arresting gear opr on call only. Normal hrs are 1200-2030Z† Mon-Fri.

.....

00

**WATERWAY 17-35:** 12000X1000 (WATER)**WATERWAY 18-36:** 12000X500 (WATER)**WATERWAY 12-30:** 5000X1000 (WATER)**SEAPLANE REMARKS:** Waterway 12-30, 17-35, 18-36 CLOSED to air carrier ops.**ST GEORGE ISLAND** (See APALACHICOLA)**ST LUCIE CO INTL** (See FORT PIERCE)



**ST PETERSBURG****ALBERT WHITTED** (SPG) 0 E UTC-5(-4DT) N27°45.91' W82°37.62'

7 B S4 FUEL 100LL, JET A, A1 TPA-807(800) NOTAM FILE SPG

RWY 07-25: H3677X75 (ASPH) S-60, D-105, ST-133, DT-190 MIRL

RWY 07: PAPI (P2L)—GA 4.0° TCH 51'. Thld dsplcd 558'. Building.  
Rgt tfc.

RWY 25: REIL. PAPI(P2L)—GA 4.0°. Thld dsplcd 263'.

RWY 18-36: H2864X150 (ASPH) S-60, D-105, ST-133, DT-190  
MIRL

RWY 18: REIL. PAPI (P2L)—GA 4.0° TCH 44'.


RWY 36: REIL. PAPI (P2R)—GA 4.0° TCH 40'. Rgt tfc.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 07: TORA-3647 TODA-3647 ASDA-3447 LDA-2919

RWY 25: TORA-3677 TODA-3677 ASDA-3437 LDA-3174

**AIRPORT REMARKS:** Attended 1200-0200Z†. Lgtd thld Rwy 18 relocated 40' for ngt ops. 2825 ft of Rwy 18-36 usable at ngt. Numerous birds on and invof rwy. Gull concentration on rwy during inclement weather. Be alert-heavy jet operating invof SPG at and above 1600'. Banner towing east of Rwy 18-36. Rwy 18-36 and Rwy 35, frequent unlighted boat masts +/- 50 ft AGL, occasional +/- 100 ft AGL within 400 ft of rwy thlds. Ship channel in apch to Rwy 36. Ocean going vessels in ship channel south. When twr clsd ACTIVATE MIRL Rwy 07-25, PAPI Rwy 07, Rwy 25, and REIL Rwy 25—CTAF. ACTIVATE MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 and PAPI Rwy 18 and Rwy 36—CTAF.

**WEATHER DATA SOURCES:** ASOS 118.875 (727)821-4334. LAWRS.**COMMUNICATIONS:** CTAF 127.4 UNICOM 122.95® **TAMPA APP/DEP CON** 125.3 (West) 119.65 (East)**TOWER** 127.4 (1200-0200Z†) **GND CON** 121.8**AIRSPACE:** CLASS D svc 1200-0200Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PIE.**ST PETERSBURG (H) VORTAC** 116.4 PIE Chan 111 N27°54.47' W82°41.06' 159° 9.1 NM to fld. 9/01E.**HIWAS.** HIWAS unusable 330°-151° byd 25 NM blo 5000'.**COMM/NAV/WEATHER REMARKS:** Freq. 121.5 not monitored. PIE AFSS monitors frequency 121.8 when twr clsd. Approach control for the Albert Whitted CLASS D airspace provided by TAMPA APP CON.
**MIAMI**  
**L-21D, 24F**  
**IAP, AD**



**ST PETERSBURG—CLEARWATER INTL** (PIE) 8 N UTC-5(-4DT) N27°54.60' W82°41.25'

MIAMI

11 B S4 FUEL 100, JET A, A1+ OX 1, 2 TPA-811(800) LRA  
 Class I, ARFF Index C NOTAM FILE PIE

H-8H, L-21D, 24F  
 IAP, AD

**RWY 17L-35R:** H9730X150 (ASPH-GRVD) S-75, D-195, ST-175, DT-320, DDT-700 HIRL CL

**RWY 17L:** MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 68'.

**RWY 35R:** PAPI(P4L)—GA 3.0° TCH 76'. Thld displcd 930'.

**RWY 04-22:** H5903X150 (ASPH) S-80, D-130, ST-165, DT-235 MIRL

**RWY 04:** REIL. PAPI(P4L)—GA 3.0° TCH 31'.

**RWY 22:** REIL. PAPI(P4L)—GA 3.0° TCH 35'. Road.

**RWY 09-27:** H5165X150 (ASPH) S-60, D-115, ST-146, DT-200 MIRL

**RWY 09:** REIL. PAPI (P4L)—GA 3.5° TCH 59'. Pole.

**RWY 27:** REIL. VASI(V4L)—GA 3.0° TCH 52'.

**RWY 17R-35L:** H4000X75 (ASPH) S-75, D-150, ST-175, DT-220, DDT-500

**RWY 35L:** PAPI(P2L)—GA 4.0° TCH 40'. Thld displcd 558'. Acft.

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 04</b>	09-27	4286
<b>RWY 09</b>	04-22	4733
<b>RWY 17L</b>	04-22	7557
<b>RWY 22</b>	17L-35R	4514
<b>RWY 35R</b>	09-27	3405

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 17L:** TORA-9180 TODA-9730 ASDA-9180 LDA-9180

**RWY 35R:** TORA-9650 TODA-9730 ASDA-9650 LDA-8720

**AIRPORT REMARKS:** Attended continuously. Birds on and invof arpt. Rwy 17L touchdown, midfield and rollout runway visual range avbl. Rwy 17R-35L daltg VFR use only, used as lgtd Twy A at ngt. In minimum visibility conditions bright lgts on highway N of arpt may be mistaken for rwy lgts. Noise sensitive area 5 miles north extending 1 mile east and west of localizer southbound to shoreline. Turbojets landing Rwy 17L and departing Rwy 35R are to use published noise abatement procedures. Banner towing prohibited on arpt. Twy T west of Twy C is restricted to acft with wingspans of less than 49 ft. PPR for use of compass rose, ctc 727-539-0071. When twr clsd, ACTIVATE MIRL Rwy 04-22 and Rwy 09-27, HIRL Rwy 17L-35R and twy lgts—CTAF. Flight Notification Service (ADCUS) avbl.

**WEATHER DATA SOURCES:** ASOS (727) 531-3456. HIWAS 116.4 PIE.

**COMMUNICATIONS:** CTAF 118.3 ATIS 134.5 UNICOM 122.95

ST PETERSBURG FSS (PIE) on arpt.

ST PETERSBURG RCO 123.6 122.45 122.2 122.1R 116.4T (ST PETERSBURG RADIO)

® TAMPA APP/DEP CON 125.3

TOWER 118.3 128.4 (1100-0400Z) GND CON 121.9 CLNC DEL 120.6

**AIRSPACE:** CLASS D svc 1100-0400Z; other times CLASS E.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PIE.

(H) VORTAC 116.4 PIE Chan 111 N27°54.47' W82°41.06' at fld. 9/01E. HIWAS.


VORTAC unusable 076°-079° byd 30 NM blo 3000', VOR portion unusable 031°-054° byd 21 NM blo 5000', 156°-169° byd 32 NM blo 3000', 241°-247° byd 30 NM blo 3000', 276°-289° byd 30 NM blo 3000'.

CAPOK NDB (LOM) 360 PI N27°59.71' W82°42.23' 172° 5.2 NM to fld.

ILS 109.1 I-PIE Rwy 17L. Class IID. LOM CAPOK NDB. LOC BC Rwy 35R unusable byd 26° left of course and 23° rgt of course. LOM unmonitored.

ILS 108.7 I-CWT Rwy 35R. Class IT. LOC unusable byd 27° right of course.

**COMM/NAV/WEATHER REMARKS:** Emerg freq 121.5 not avbl at twr. HIWAS unusable 330°-151° byd 25 NM blo 5000'. Ctc St Petersburg Radio for airport advisory service on 118.3 when twr is clsd.



**SANFORD** N28°47.10' W81°14.60' NOTAM FILE SFB.

JACKSONVILLE

NDB (MHW) 408 SFB at Orlando Sanford. (NDB unmonitored when twr clsd.)

L-21D, 24F

**SANTA ROSA** N30°36.91' W86°56.24' NOTAM FILE GNV.

L-21C, 22H

(L) TACAN Chan 63 NGS (133.6) 323° 6.4 NM to Whiting Fld NAS South. 147/2W.



**SARASOTA/BRADENTON INTL** (SRQ) 3 UTC-5(-4DT) N27°23.73' W82°33.26'

MIAMI

30 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA-1030(1000) Class I, ARFF Index C H-8H, L-21D, 23B  
NOTAM FILE SRQ IAP, AD

RWY 14-32: H9500X150 (ASPH-GRVD) S-110, D-150, ST-175, DT-270 HIRL

RWY 14: MALSR. PAPI(P4L)-GA 3.0° TCH 55'. Thld dsplcd 1350'.

RWY 32: MALSR. PAPI(P4L)-GA 3.0°. Thld dsplcd 1150'.

RWY 04-22: H5009X150 (ASPH) S-62, D-110, ST-140, DT-190 HIRL

RWY 04: PAPI(P4L)-GA 3.0° TCH 37'. Trees. RWY 22: REIL. PAPI(P4L)-GA 3.0° TCH 37'. Road.

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 14	04-22	3800

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 04: TORA-5009 TODA-5009 ASDA-5009 LDA-5009

RWY 14: TORA-8350 TODA-9503 ASDA-8890 LDA-7540

RWY 22: TORA-5009 TODA-5009 ASDA-5009 LDA-5009

RWY 32: TORA-8150 TODA-9500 ASDA-8660 LDA-7510

**AIRPORT REMARKS:** Attended continuously. For fuel svc call 941-355-2902, 941-355-8100 or 941-358-9600. Birds on and in/ovf arpt. Twy F limited to 70,000 lbs gross weight. Terminal ramp is uncontrolled. Do not call for push/power back. Advise Gnd Con when ready to taxi. Arpt has noise abatement procedures ctc Environmental Affairs Office at 941-359-5200, ext 4206. When twr clsd all acft are required to hold at the ILS Hold Position signs abeam the thlds of Rwy 14 and Rwy 32 during all wx conditions. The apchs to Rwy 14 and Rwy 32 are considered clear when acft are beyond Rwy 14 and Rwy 32 thlds base upon landing direction. When twr clsd ACTIVATE HIRL Rwy 14-32, Rwy 04-22; PAPI Rwy 14, Rwy 32, Rwy 04 and Rwy 22, REIL Rwy 22; MALSR Rwy 14-32 and all Twy lgs-CTAF. US Customs user fee arpt. PPR US Customs svc Mon-Fri; 1300-2200Z† call 941-359-5040; after hrs fee charged.

**WEATHER DATA SOURCES:** ASOS 134.15 (941) 359-0117. LAWRS. LLWAS.**COMMUNICATIONS:** CTAF 120.1 ATIS 134.15 UNICOM 122.95

RCO 122.1R 115.2T (ST PETERSBURG RADIO)

① TAMPA APP/DEP CON 119.65 124.95 (4000' and blo)

TOWER 120.1 (1100-0500Z†) GND CON 121.9 CLNC DEL 118.25

**AIRSPACE:** CLASS C svc Per twr NOTAM 1100-0500Z† ctc TAMPA APP CON other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SRQ.

(H) VORTAC 117.0 SRQ Chan 117 N27°24.42' W82°33.82' at fld. 20/02W.

RINGY NDB (LOM) 245 SR N27°19.69' W82°28.71' 317° 5.7 NM to fld.

ILS 109.7 I-SRQ Rwy 32. LOM RINGY NDB. (ILS unmonitored when twr clsd).

ILS 111.3 I-FFV Rwy 14. Class ID. ILS unusable byd 25° right of course.

**SATELLITE** N28°05.97' W80°42.06' NOTAM FILE MLB.

JACKSONVILLE

NDB (HW) 257 SQT 089° 3.0 NM to Melbourne Intl.

H-8I, L-24F

**SAUFLEY** N30°28.33' W87°20.15' NOTAM FILE PNS.

NEW ORLEANS

(L) VOR 108.8 NUN at NOLF Sauflay.

L-21C, 22H

RCO 122.1R 108.8T (GAINESVILLE RADIO)

**SEBASTIAN MUNI** (X26) 1 W UTC-5(-4DT) N27°48.79' W80°29.74'

MIAMI

21 B S4 FUEL 100LL NOTAM FILE PIE

L-24F

RWY 04-22: H4024X150 (ASPH) S-22 LIRL

RWY 04: PAPI(P2L). Trees.

RWY 22: PAPI(P2L). Trees. Rgt tfc.

RWY 08-26: H3200X75 (ASPH)

RWY 08: Road.


RWY 26: Trees. Rgt tfc.

**AIRPORT REMARKS:** Attended Mon-Fri 1300-2200Z†. Self serve 100LL fuel avbl continuously. Parachute Jumping. Extensive parachute ops. Avoid overflying arpt during parachute ops. Trees and brush in all transition surfaces Rwy 22 and Rwy 26. Noise abatement procedures in effect, ctc arpt manager 772-633-0151. Identification required for arpt access.

**WEATHER DATA SOURCES:** AWOS-3 123.05 (617) 262-3825. OTS indef.**COMMUNICATIONS:** CTAF/AUNICOM 123.05**RADIO AIDS TO NAVIGATION:** NOTAM FILE VRB.

VERO BEACH (H) VORTAC 117.3 VRB Chan 120 N27°40.71'

W80°29.38' 002° 8.1 NM to fld. 20/04W. HIWAS.





---

**SEBRING RGNL** (SEF) 6 SE UTC-5(-4DT) N27°27.38' W81°20.54'

MIAMI

62 B S4 **FUEL** 100LL, JET A NOTAM FILE PIE

H-8H, L-21D, 23B

**RWY 18-36:** H5234X150 (ASPH) S-26, D-50, DT-85 MIRL

IAP

**RWY 18:** REIL. PAPI (P4L). Trees. **RWY 36:** REIL. PAPI (P4L). Tree.**RWY 14-32:** H5000X300 (CONC) S-26, D-50, DT-85**RWY 14:** Thld dplcd 650'. Railroad. **RWY 32:** Fence.**AIRPORT REMARKS:** Attended Mon-Fri 1230-2300Z†, Sat-Sun 1200-2200Z†. For fuel after hrs call 863-655-6455.**WEATHER DATA SOURCES:** AWOS-3 119.475 (863) 655-6424.**COMMUNICATIONS:** CTAF/UNICOM 122.7**SEBRING RCO** 122.25 (ST PETERSBURG RADIO)Ⓡ **MIAMI CENTER APP/DEP CON** 127.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.**LA BELLE (L) VORTAC** 110.4 LBV Chan 41 N26°49.69' W81°23.49' 003° 37.7 NM to fld. 30/01E.

---

**SEMINOLE** N30°33.37' W84°22.44' NOTAM FILE TLH.

JACKSONVILLE

(H) **VORTAC** 117.5 SZW Chan 122 at Tallahassee Commercial. 180/02E. **HIWAS**

H-8H, L-21D, 22I

VOR unusable 308°-001° blo 9500'

**RCO** 122.1R 117.5T (GAINESVILLE RADIO)**RCO** 122.2 122.4 (GAINESVILLE RADIO)

---

**SHELL CREEK AIRPARK** (See PUNTA GORDA)

---

**SOUTH LAKE LAND** (See LAKE LAND)

---

**SOUTHWEST FLORIDA INTL** (See FT MYERS)

---

**SOYVA** N30°52.30' W85°13.50' NOTAM FILE GNV.

NEW ORLEANS

**NDB (MHW)** 329 SMY 134° 3.0 NM to Marianna Muni. NDB unmonitored 0300-1100Z†.

L-21C, 22I

---


**SPACE COAST RGNL** (See TITUSVILLE)



**STUART****WITHAM FLD** (SUA) 1 SE UTC-5(-4DT) N27°10.90' W80°13.28'16 B S4 **FUEL** 100LL, JET A NOTAM FILE MIA**RWY 12-30:** H5826X100 (ASPH-GRVD) S-65, D-105, DT-190 MIRL**RWY 12:** REIL. PAPI (P4L)—GA 3.0° TCH 33°. Thld dsplcd 648'.  
Tree.**RWY 30:** REIL. PAPI (P4L)—GA 3.0° TCH 26'. Thld dsplcd 460'.  
Tree.**RWY 16-34:** H5000X100 (ASPH) S-55, D-90, DT-160**RWY 16:** Thld dsplcd 336'. Tree. **RWY 34:** Thld dsplcd 880'.  
Tree.**RWY 07-25:** H4652X100 (ASPH) S-58, D-95, DT-170 MIRL**RWY 07:** PAPI(P2L). Tree. **RWY 25:** PAPI(P2L). Trees.**AIRPORT REMARKS:** Attended 1200-0100Z†. Birds on and invof arpt.

Acft with wingspan exceeding 79 ft are prohibited from operating on Twy A between Twy C and the apch end Rwy 12 when acft with wingspan exceeding 79 ft is on apch to ldg or txf Rwy 12-30. PPR for acft exceeding rwy weight capacity. Touch and Go ops permitted Mon-Sat (except New Years, Christmas and Thanksgiving) 1400Z† until 2 hrs past SS and are limited to 3 ops per pilot per day. Stop and Go ops and intersection tkfs strongly discouraged at all times. Stage 1 and 2 jet ops strongly discouraged 0300-1200Z†. Noise sensitive areas all quadrants.

For noise abatement procedures call arpt management, phone number 772-221-2374. MIRL Rwy 12-30 and Rwy 07-25 preset med ints dusk-0400Z†. ACTIVATE REIL Rws 12 and 30 and after 0400Z†, ACTIVATE MIRL Rwy 12-30 and Rwy 07-25—CTAF. PAPI Rws 12, 30, 07, and 25 operate continuously.

**WEATHER DATA SOURCES:** AWOS-3 (772) 692-7399.**COMMUNICATIONS:** CTAF 126.6 ATIS 134.475® **PALM BEACH APP/DEP CON** 128.3**STUART TOWER** 126.6 (1200-0100Z†) **GND CON** 121.7**AIRSPACE:** CLASS D svc 1200-0100Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE VRB.**VERO BEACH (H) VORTAC** 117.3 VRB Chan 120 N27°40.71' W80°29.38' 158° 33 NM to fld. 20/04W.  
HIWAS.**MIAMI**  
H-81, L-23C  
IAP, AD**SUWANNEE CO** (See LIVE OAK)



**TALLAHASSEE RGNL** (TLH) 4 SW UTC-5(-4DT) N30°23.79' W84°21.02'

**JACKSONVILLE**

81 B S4 **FUEL** 100LL, JET A OX 1,3 Class I, ARFF Index C NOTAM FILE TLH

H-8H, L-21D, 22I

**RWY 09-27:** H8000X150 (ASPH-GRVD) S-115, D-170, ST-175, DT-330 HIRL CL

IAP, AD

**RWY 09:** REIL. PAPI(P4L)—GS 3.0° TCH 57'.

**RWY 27:** ALSF2. TDZL. PAPI(P4)—GA 3.0° TCH 55'. 0.3% up.

**RWY 18-36:** H6076X150 (ASPH-GRVD) S-115, D-170, ST-175, DT-330 HIRL 0.4% up N

**RWY 18:** REIL. PAPI(P4L)—GA 3.0° TCH 46'. Tree.

**RWY 36:** MALSR. PAPI(P4L).

**AIRPORT REMARKS:** Attended continuously. Birds on and in/ov arpt.

Profile of Rwy 09-27 restricts visibility from thld of 09 to thld of 27.

Movement area of Twy Z begins at the intersection of Twy J and proceeds east to the intersection of Twy K; this twy is not

used by air carrier ops. Asphalt between Twys J and M is for helicopter ops, Twy Z from Twy M to the ramp is open to acft with

wingspan of 50' or less. When twr clsd ACTIVATE HIRL Rwy 09-27, Rwy 18-36, PAPI Rwy 09, Rwy 27, Rwy 18, Rwy 36,

MALSR Rwy 36 and REIL Rwy 09 and 18—CTAF. ALSF 2 Rwy 27

present on medium ints.

**WEATHER DATA SOURCES:** ASOS (850) 576-3665.

**COMMUNICATIONS:** CTAF 118.7 ATIS 119.45 UNICOM 122.95

SEMINOLE RCO 122.1R 117.5T (GAINESVILLE RADIO)

SEMINOLE RCO 122.4 122.2 (GAINESVILLE RADIO)

Ⓡ APP/DEP CON 128.7 (181°-360°) 135.8 (001°-180°) 133.85 (1100-0400Z)Ⓡ  
JAX CENTER APP/DEP CON 128.625 (0400-1100Z)Ⓡ  
TOWER 118.7 (1100-0400Z) GND CON 121.9 CLNC DEL 126.65

**AIRSPACE:** CLASS C svc 1100-0400Z ctc APP CON other times CLASS E.

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TLH.

SEMINOLE (H) VORTAC 117.5 SZW Chan 122 N30°33.37' W84°22.44' 171° 9.6 NM to fld. 180/02E.


HIWAS.

WAKUL NDB (HW/LOM) 379 TL N30°19.57' W84°21.50' 007° 4.2 NM to fld.

ILS 110.3 I-TLH Rwy 36. Class IB. LOM WAKUL NDB.

ILS 111.9 I-PLQ Rwy 27. Class IIE. (ILS unmonitored when twr clsd).

ASR (1100-0400Z)



## TALLAHASSEE/HAVANA

**TALLAHASSEE COMMERCIAL** (68J) 8 NW UTC-5(-4DT) N30°32.84' W84°22.43'

**JACKSONVILLE**

155 B NOTAM FILE GNV

L-21D, 22I

**RWY 16-34:** H3249X62 (ASPH-TURF) S-12.5 RWY LGTS (NSTD)

IAP

**RWY 16:** Thld dspcd 253'. P-Line.

**RWY 34:** Dspcd thld 1189'. Trees.

**AIRPORT REMARKS:** Unattended. Arpt CLOSED indef. CLOSED due to pending arpt construction. Rwy 16 first 250' CLOSED indef. Rwy 16-34 surface cracking. Rwy 16-34 has a 50' asphalt center with

a 6' turf edge on each side. Rwy lgts 10 watt at 200' intervals.

Non-FAA approved low intensity lgts.

**WEATHER DATA SOURCES:** HIWAS 117.5 SZW.

**COMMUNICATIONS:** CTAF/UNICOM 122.8


SEMINOLE RCO 122.1R 117.5T (GAINESVILLE RADIO)

Ⓡ TALLAHASSEE APP/DEP CON 128.7 (1100-0400Z)Ⓡ  
JAX CENTER APP/DEP CON 128.625 (0400-1100Z)Ⓡ

**RADIO AIDS TO NAVIGATION:** NOTAM FILE TLH.

SEMINOLE (H) VORTAC 117.5 SZW Chan 122 N30°33.37'

W84°22.44' at fld. 180/02E. HIWAS.





**TAMPA****PETER O KNIGHT** (TPF) 3 S UTC-5(-4DT) N27°54.93' W82°26.96'

8 B S4 FUEL 100LL, JET A OX 1, 2, 4 TPA-908(900) NOTAM FILE TPF

RWY 03-21: H3405X100 (ASPH) S-20 MIRL

RWY 03: VASI(V4L)—GA 3.0° TCH 35'. Road. Rgt tfc.

RWY 21: REIL. Tank.

RWY 17-35: H2688X75 (ASPH) S-20 MIRL

RWY 17: Thld dspcd 200'. Fence.

RWY 35: Thld dspcd 200'. PAPI(P2R)—GA 3.0° TCH 34'. Road. Rgt tfc.

**RUNWAY DECLARED DISTANCE INFORMATION**


RWY 17: TORA-2487 TODA-2487 ASDA-2487 LDA-2487

RWY 35: TORA-2487 TODA-2487 ASDA-2600 LDA-2400

**AIRPORT REMARKS:** Attended 1100-0300Z+. CAUTION—Gulls on and invof arpt. Be alert: MacDill AFB located 4 miles SW. Ship channel in apch to Rwy 17 and 21. Ocean going vessels in ship channel E. 200' unlgtd, unmarked crane 0.5 NM N of AER 17. Twy E clsd to acft with wing spans in excess of 40 ft. ACTIVATE MIRL Rwy 03-21 and 17-35; VASI Rwy 03; REIL Rwy 21; and PAPI Rwy 35—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 118.925 (813) 251-6824.**COMMUNICATIONS:** CTAF/UNICOM 122.725⑧ **TAMPA APP/DEP CON** 119.9 **CLNC DEL** 119.8(IFR)**RADIO AIDS TO NAVIGATION:** NOTAM FILE PIE.

**ST. PETERSBURG (H) VORTAC** 116.4 PIE Chan 111 N27°54.47' W82°41.06' 087° 12.5 NM to fld. 9/01E.  
HIWAS.

**KNIGHT NDB (MHW)** 270 TPF N27°54.50' W82°27.26' at fld. NDB unusable byd 20 NM.**PICNY NDB (HW/LOM)** 388 AM N27°51.68' W82°32.76' 060° 6.1 NM to fld. NOTAM FILE TPA.**COMM/NAV/WEATHER REMARKS:** HIWAS unusable 330°-151° byd 25 NM blo 5000'.**TAMPA EXECUTIVE** (VDF) 6 E UTC-5(-4DT) N28°00.84' W82°20.72'

22 B S4 FUEL 100LL, JET A NOTAM FILE VDF

RWY 05-23: H5000X100 (ASPH) S-30 MIRL

RWY 05: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 23: MALSR. PAPI(P2L)—GA 3.10° TCH 40'. Thld dspcd 800'. Road.

RWY 18-36: H3259X75 (ASPH) S-12.5 MIRL

RWY 18: REIL. PAPI(P4R)—GA 4.0° TCH 45'. Trees.

RWY 36: REIL. PAPI(P2L)—GA 3.40° TCH 43'. Thld dspcd 40'. Pole.

**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 05: TORA-5000 TODA-5000 ASDA-4600 LDA-4600

RWY 18: TORA-3259 TODA-3259 ASDA-3259 LDA-3219

RWY 23: TORA-5000 TODA-5000 ASDA-5000 LDA-4200

**AIRPORT REMARKS:** Attended 1200-0000Z+. After hrs fuel and svcs avbl. Jet single point refueling and lavatory svcs avbl. Ctc FBO on-call attendant at 813-255-0291. PPR for tran acft 38,000 lbs or over. Ctc general aviation department at 813-870-8770. Noise abatement procedures in effect for Rwy 18. No turns until over interstate. No turns blo 400' AGL. When departing Rwy 05 be alert for MALSR lgt fixture located 55 ft beyond rwy end and 9 ft above rwy end elevation. ACTIVATE MIRL Rwy 05-23 and Rwy 18-36, REIL Rwy 05, Rwy 23, Rwy 18 and Rwy 36, PAPI Rwy 05, Rwy 23 and Rwy 36, MALSR Rwy 23—CTAF.


**WEATHER DATA SOURCES:** AWOS-3 121.125 (813) 630-0924.**COMMUNICATIONS:** CTAF/UNICOM 122.7⑧ **TAMPA APP/DEP CON** 119.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.**LAKELAND (H) VORTAC** 116.0 LAL Chan 107 N27°59.17' W82°00.83' 274° 17.7 NM to fld. 135/01E.

ILS/DME 111.35 I-VDF Chan 050(Y) Rwy 23.

**JACKSONVILLE**

H-8H, L-21D, 24F

IAP, AD





**TAMPA INTL** (TPA) 6 W UTC-5(-4DT) N27°58.53' W82°32.00'

MIAMI

26 B S4 FUEL 100LL, JET A OX 1, 2 AOE Class I, ARFF Index E NOTAM FILE TPA H-8H, L-21D, 24F  
RWY 18R-36L: H11002X150 (CONC-GRVD) S-60, D-210, ST-175, DT-358, DDT-850 HIRL CL IAP, AD

RWY 18R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 71'.

RWY 36L: ALSF2. TDZL. PAPI(P4L) TCH 71'.

RWY 18L-36R: H8300X150 (ASPH-CONC-GRVD) S-60, D-210,  
ST-175, DT-358, DDT-850 HIRL CL

RWY 18L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 72'.

RWY 36R: REIL. PAPI(P4L)—GA 3.0°. TCH 71'.

RWY 09-27: H6999X150 (ASPH-CONC-GRVD) S-75, D-200,  
ST-175, DT-280, DDT-380 HIRL

RWY 09: PAPI(P4L)—GA 3.0°. TCH 50'. Trees.

RWY 27: PAPI(P4L)—GA 3.0°. TCH 53'.

#### LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 18L	09-27	5650
RWY 27	18L-36R	4350

#### RUNWAY DECLARED DISTANCE INFORMATION

RWY 09:	TORA-6999	TODA-6999	ASDA-6999	LDA-6999
RWY 18L:	TORA-8300	TODA-8300	ASDA-8300	LDA-8300
RWY 18R:	TORA-11002	TODA-11002	ASDA-11002	LDA-11002
RWY 27:	TORA-6999	TODA-6999	ASDA-6500	LDA-6500
RWY 36L:	TORA-11002	TODA-11002	ASDA-10800	LDA-10800
RWY 36R:	TORA-8300	TODA-8300	ASDA-8300	LDA-8300

**AIRPORT REMARKS:** Attended continuously. Bird activity on and in/ovf arpt. Rwy 09-27 not normally available to ops over 75,000 pounds gross weight. Only acft with prior permission may use terminal apron; all others use General Aviation apron. Rwy 18L is noise sensitive to turbojet departures. Rwy 36R is noise sensitive to turbojet arrivals. Published noise abatement procedures in effect. North 1500' Twy E is not available to Group V acft with a wingspan greater than 171' without PPR from arpt ops. Twy N west of Twy L not avbl to airplane design Group V or larger. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—Continuous Power Facilities and U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS (813) 873-7228. LLWAS.

**COMMUNICATIONS:** D-ATIS ARR 126.45 D-ATIS DEP 128.475 UNICOM 122.95

® APP/DEP CON 118.15 (001°-150°) 119.65 (151°-219°) 118.8 (220°-360°)

TOWER 119.5 119.05 GND CON 121.7 121.35 CLNC DEL 133.6

**AIRSPACE:** CLASS B See VFR Terminal Area Chart. 119.9 (001°-150°) 119.65 (151°-219°) 125.3 (220°-360°)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PIE.

ST PETERSBURG (H) VORTAC 116.4 PIE Chan 111 N27°54.47' W82°41.06' 062° 9 NM to fld. 9/01E.

HIWAS. HIWAS unusable 330°-151° byd 25 NM blo 5000'.

PICNY NDB (HW/LOM) 388 AM N27°51.68' W82°32.76' 008° 6.9 NM to fld. NOTAM FILE TPA.


COSME NDB (LOM) 368 TP N28°05.12' W82°31.52' 186° 6.6 NM to fld.

ILS 108.9 I-AMP Rwy 36L. Class IIIE. LOM PICNY NDB.

ILS 110.3 I-TPA Rwy 18L. Class IIIE. LOM COSME NDB.

ILS/DME 108.5 I-JRT Chan 22 Rwy 18R. Class IA.

ILS/DME 111.95 I-TWJ Chan 56(Y) Rwy 36R. LOC only.





**TAMPA NORTH AERO PARK** (X39) 17 NE UTC-5(-4DT) N28°13.28' W82°22.47'

JACKSONVILLE

68 B S4 FUEL 100LL, JET A NOTAM FILE PIE

L-21D, 24F

RWY 14-32: H3541X50 (ASPH) HIRL

RWY 14: Thld dsplcd 133'. Road. Rgt tfc.

RWY 32: Thld dsplcd 108'. Poles.

**AIRPORT REMARKS:** Attended dusk-0800Z+. Acft, trees and building in transitional surface, both sides of Rwy 14-32.

Acft parked in primary surface Rwy 14-32. HIRL Rwy 14-32 preset low ints dusk-0300Z+; to increase ints or ACTIVATE after 0300Z+—CTAF. After 0300Z+, ACTIVATE rotating bcn—CTAF.

**COMMUNICATIONS:** CTAF/UNICOM 123.05

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.

LAKELAND (H) VORTAC 116.0 LAL Chan 107 N27°59.17' W82°00.83' 305° 23.8 NM to fld. 135/01E.

**TAYLOR** N30°30.28' W82°33.18' NOTAM FILE GNV.

JACKSONVILLE

(H) VORTAC 112.9 TAY Chan 76 187° 19.4 NM to Lake City Muni. 140/03W.

H-8H, L-21D, 24G

VOR portion unusable 174°-224° blo 8000'.

RCO 122.1R 112.9T (GAINESVILLE RADIO)

**THE FLORIDA KEYS MARATHON** (See MARATHON)

**TITUSVILLE** N28°30.78' W80°47.99'

JACKSONVILLE

RCO 123.6 (ST PETERSBURG RADIO) at Space Coast Rgnl.

L-24F

## TITUSVILLE

**ARTHUR DUNN AIR PARK** (X21) 2 NW UTC-5(-4DT) N28°37.35' W80°50.12'

JACKSONVILLE

30 B S4 FUEL 100LL, JET A TPA-See Remarks NOTAM FILE PIE

L-24F

RWY 15-33: H2961X70 (ASPH) S-12 MIRL

IAP

RWY 15: PAPI (P2L)—GA 4.0° TCH 53'. Tree.

RWY 33: PAPI (P2L)—GA 4.0° TCH 53'. Thld dsplcd 429'. Fence.

RWY 04U-22U: 1805X100 (TURF)

RWY 04U: Thld dsplcd 100'. Trees.

RWY 22U: Thld dsplcd 297'. Trees.

**AIRPORT REMARKS:** Attended 1300-0100Z+. Parachute Jumping. Rwy 04U-22U restricted to ultralight and STOL acft only. Extensive ultralight activity invof arpt. For information on rwy use call arpt authority 321-267-8780. Several radio twrs 1.5 NM S of fld; the tallest twr is 399 ft AGL. TPA-830 (800); Ultralight acft 530 (500). Rwy 04U-22U marked with PVC pipe with reflective tape. Arpt rotating bcn OTS indef. ACTIVATE MIRL Rwy 15-33—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 119.725 (321) 385-0383.


**COMMUNICATIONS:** CTAF/UNICOM 123.0

® ORLANDO APP/DEP CON 134.95

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.

ORLANDO (H) VORTAC 112.2 ORL Chan 59 N28°32.56'

W81°20.10' 080° 26.8 NM to fld. 102/00E. HIWAS.





**SPACE COAST RGNL** (TIX) 5S UTC-5(-4DT) N28°30.89' W80°47.95'

**JACKSONVILLE**

34 B S4 **FUEL** 100LL, JET A Class VI, ARFF Index A. NOTAM FILE TIX

H-8H, L-24F

**RWY 18-36:** H7319X150 (ASPH-GRVD) S-80, D-110, ST-140, DT-190 HIRL

IAP, AD

**RWY 18:** REIL. PAPI(P4L)—GA 3.0° TCH 55'. Thld dsplcd 319'.

Trees.

**RWY 36:** REIL. MALSR. PAPI(P4L)—GA 3.0° TCH 60'. Trees.

**RWY 09-27:** H5000X100 (ASPH) S-50, D-80, ST-102 MIRL

**RWY 09:** REIL. PAPI(P4L)—GA 3.0° TCH 50'. Thld dsplcd 190'.

Trees.

**RWY 27:** REIL. PAPI(P4L)—GA 3.0° TCH 53'. Trees

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 09</b>	18-36	4035
<b>RWY 36</b>	09-27	3750

**AIRPORT REMARKS:** Attended 1200-0200Z†. For fuel after hrs call 321-427-7727 or 321-960-1220. CLOSED to air carrier opr with more than 30 passenger seats except PPR call arpt manager 321-267-8780. In minimum visibility conditions bright lgts in parking lot ¼ mile E of Rwy 18 may be mistaken for rwy lgts. Twr unable air traffic svcs on these areas of non-visibility—southwest portions of Twys D and E. Rwy 18-36 HIRL PCL step 5 OTS indef. When twr clsd **ACTIVATE** MIRL Rwy 09-27, HIRL Rwy 18-36, REIL Rwys 09, 18, 27 and 36, PAPI Rwys 09, 27, 18 and 36, and MALSR Rwy 36—CTAF.

**COMMUNICATIONS:** CTAF 118.9 ATIS 120.625 UNICOM 122.95

**TITUSVILLE RCO** 123.6 (ST PETERSBURG RADIO)

® **ORLANDO APP/DEP CON** 134.95

**SPACE COAST TOWER** 118.9 (1200-0200Z†) **GND CON** 121.85

**AIRSPACE:** CLASS D svc 1200-0200Z†, other times CLASS G.


**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORL.

**ORLANDO (H) VORTAC** 112.2 ORL Chan 59 N28°32.56' W81°20.10' 093° 28.4 NM to fld. 102/00E. HIWAS.

**GEIGER LAKE NDB (MHW)** 375 GGL N28°35.59' W80°48.98' 174° 4.8 NM to fld NOTAM FILE TIX.

Unmonitored when twr closed. SHUTDOWN.

**ILS** 108.7 I-TIX Rwy 36. Class IA. Unmonitored when twr clsd





**TOMOK** N29°08.66' W81°08.87' NOTAM FILE DAB.  
**NDB (LOM)** 263 DA 071° 5.2 NM to Daytona Beach Intl.

JACKSONVILLE

**TRI-CO** (See BONIFAY)

**TYNDALL AFB** (PAM)(KPAM) AF 6 SE UTC-6(-5DT) N30°04.20' W85°34.59'

NEW ORLEANS

17 B TPA—See Remarks NOTAM FILE PAM Not insp.

H-8G, L-21C, 221

**RWY 13L-31R:** H10004X200 (CONC-GRVD) PCN 31 R/B/W/T HIRL

DIAP, AD

**RWY 13L:** ALSF1, PAPI(P4L). **RWY 31R:** ALSF1, PAPI(P4L).

**RWY 13R-31L:** H9135X150 (ASPH-CONC) PCN 35 R/B/W/T HIRL

**RWY 13R:** PAPI(P4L). **RWY 31L:** PAPI(P4L).

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 13L:** TORA-10004 TODA-10004

**RWY 31R:** TORA-10004 TODA-10004

**ARRESTING GEAR/SYSTEM**

**RWY 13L** ← MA-1A(MOD) CHAG (100' OVRN) HOOK BAK-12B(B) (2300')

HOOK BAK-12B(B) (2308') MA-1A(MOD) CHAG (59' OVRN) → **RWY 31R**

**RWY 13R** ← MA-1A(MOD) CHAG (25' OVRN) HOOK BAK-12B(B) (1440')

HOOK BAK-12B(B) (2500') MA-1A(MOD) E5 (38') → **RWY 31L**

**MILITARY SERVICE:** LGT All rwy thld lgts gated. Rwy 13L-31R marked 200' wide, pavement 300' wide. Rwy edge lgt, distance remaining markers, and rwy exit signs in place for 300' wide rwy. **A-GEAR** All BAK-12B in raised position.

BAK-12B extended. Rwsy 13L/R and 31L/R MA-1A MOD hook cable in place at all times, webbing 30 minutes prior notice. MP Rwy 13R-31L Tue 1100-1300Z, Rwy 13L-31R Thu 1100-1300Z. **JASU** (C-26) (MD-3)

(MA-1A) (MC-11) (M32A-10) **FUEL J8 FLUID SP PRESAIR LHOX LOX OIL O-148 SOAP TRAN ALERT** Opr weekdays Apr 1-Oct 31 1300-0300Z, Nov 1-Mar 31 weekdays 1300-0200Z, weekends 1500-0000Z, clsd Federal holidays.

**MILITARY REMARKS:** Opr Mon-Fri 1200-0400Z, Sat-Sun 1500-2300Z, CLOSED holidays and weekends associated with holidays. See FLIP AP/1 Supplementary Arprt Remarks. **RSTD** PPR, 48 hr required, ctc Afdl Management OPS DSN 523-4244/45, C850-283-4244/45, fax 2075. C130 and larger acft will have outboard engines at idle when taxiing on Twy B center. Aircrews must provide Airfield Management Operations with 48 hr prior coordination for acft ops requiring barrier removal. PPR 48 hr rqr, ctc Airfield Management Operations DSN 523-4244/45, fax 2075. Issued PPR valid 1 hr +/- ETA, early/late arrival/departure must recoordinate. When necessary 180° turn Rwy 13R-31L execute in the last 1000' of rwy. PAR Rwy 31L: Height group 4 wheel crossing height 15'. PAR Rwy 13R: Height group 4 wheel crossing height 11'. PAR Rwy 13R: Height group 3 wheel crossing height 16'. Twy J ltd to acft with same or lesser tail height of an F-15 (max tail height of 19.2').

**CAUTION** Drone launches and recoveries 2.5 and 3 SM SSE of main arprt. Extensive student jet tfc 40 NM E. Augmented wx observation point obstructed by buildings, hangars and trees, especially southeast thru northwest. At ngt, ramp lgt makes it difficult to estimate cloud cover, cloud height and visibility. A cooperative wx watch with twr supplements some restrictions. Night observation limited due to high intensity stadium type lgt. **TFC PAT** TPA—Overhead 2100(2083) until 3 NM then descend to 1600(1583) for break, rgt entry at 3 NM from rwy. Rwy 13L overhead apch prohibited on weekends and holidays. PAR apch not avbl after wing flying, weekends or holidays. **NS ABTNT** Subject to weather conditions, heavy acft expect radar vectors until reaching 6000'. **CSTMS/AG/IMG** Customs, Agriculture avbl, rqr 72 hr prior notice to determine avbl for mil acft in direct mission support of Tyndall AFB. Ctc Base OPS not later than 72 hr prior to arr for instructions concerning disposal of foreign origin garbage. Any acft or deployed unit rqr Customs must pay applicable fees. **MISC** Wx opr during afdl opr hr Mon-Fri, extd as rqr. Clsd Sat-Sun. Svc not avbl when afdl NOTAM clsd. Wx DSN 523-2609/2856 C850-283-2609/2856. For standby svc during non-opr hr ctc 26th OWS DSN 781-5491/3024. Augmented wx obs when following conditions observed or expected: tornado, funnel clouds, waterspout, hail or volcanic ash. Auto obs otherwise, even when twr clsd. First 1500' Rwy 13R and first 2760' Rwy 31L concrete, middle 4875' Rwy 13R-31L asphalt. Rwy 13R-31L first 1700' Rwy 13L first 1000', and Rwy 31R first 3000' not grooved. Inbound VIP acft ctc PTD 30 min prior to lndg. AMC mission acft ctc 325 FW Command Post. Expect progressive taxiing instructions. Tran fighter acft expect 2 ship launch and recovery, expect tran svc delays during peak mission periods and weekends. Inbound VIP acft ctc PTD 30 minutes prior ldg. AMC mission acft ctc 325 FW Comd Post. No COMSEC storage avbl at AMOPS, ctc Command Post (bldg 219, extension 2155) for COMSEC storage. Dur afdl closure RSC/RCR not reported.

**CONTINUED ON NEXT PAGE**



## CONTINUED FROM PRECEDING PAGE

COMMUNICATIONS: SFA ATIS 254.4 (1230-0130Z) PTD 139.9 372.2

® APP/DEP CON 119.1 119.775 124.15 125.2 338.35 (125.2 392.1 N abv 5000') (124.15 307.8 S abv 5000')  
 (119.1 379.3 N blo 5000') (119.775 338.35 S blo 5000'), other times ctc  
 JACKSONVILLE CENTER APP/DEP CON 119.1 379.3

TOWER 133.95 263.15 (Mon-Fri 1200-0400Z, Sat-Sun 1500-2300Z, clsd holidays and weekends associated with holidays).

GND CON 121.9 259.3 CLNC DEL 118.05 289.4

COMD POST (CHECKER OPS) 381.3 (No telephone patch capability. Have quick timing avbl 361.4.)

PMSV METRO 290.625 (Full svc avbl during afld opr hr, extd as rqr. Tran acft flight weather briefing svc ctc 26th

OWS Barksdale AFB DSN 781-5491/3024.)

AIRSPACE: CLASS D svc Mon-Fri 1200-0400Z, Sat-Sun 1500-2300Z, clsd holidays and weekends associated with holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE PFN.

PANAMA CITY (L) VORTAC 114.3 PFN Chan 90 N30°12.98' W85°40.86' 148° 10.3 NM to fld. 10/OW.

(H) TACAN Chan 124 PAM (117.7) N30°04.44' W85°34.35' at fld. 14/OE. No NOTAM MP Thu 1000-1200Z.

ILS 111.5 I-TYF Rwy 13L. No NOTAM MP Wed 1000-1200Z.

ILS 110.1 I-PAM Rwy 31R. No NOTAM MP Wed 1000-1200Z.

ASR/PAR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. During Radar Approach Control closures when afld remains open ctc Gnd Con.

UMATILLA MUNI (X23) 1 E UTC-5(-4DT) N28°55.38' W81°39.12'

JACKSONVILLE

107 NOTAM FILE PIE

RWY 18-36: H2290X50 (ASPH) S-10 MIRL

RWY 18: Thld dsplcd 144'. RWY 36: Thld dsplcd 285'. Trees.

AIRPORT REMARKS: Unattended. Parachute Jumping. No touch and go ldg permitted.

COMMUNICATIONS: CTAF 122.9

VALKARIA (See MALABAR)



## CONTINUED FROM PRECEDING PAGE

COMMUNICATIONS: SFA ATIS 254.4 (1230-0130Z) PTD 139.9 372.2

® APP/DEP CON 119.1 119.775 124.15 125.2 338.35 (125.2 392.1 N abv 5000') (124.15 307.8 S abv 5000')  
 (119.1 379.3 N blo 5000') (119.775 338.35 S blo 5000'), other times ctc  
 JACKSONVILLE CENTER APP/DEP CON 119.1 379.3

TOWER 133.95 263.15 (Mon-Fri 1200-0400Z, Sat-Sun 1500-2300Z, clsd holidays and weekends associated with holidays).

GND CON 121.9 259.3 CLNC DEL 118.05 289.4

COMD POST (CHECKER OPS) 381.3 (No telephone patch capability. Have quick timing avbl 361.4.)

PMSV METRO 290.625 (Full svc avbl during afld opr hr, extd as rqr. Tran acft flight weather briefing svc ctc 26th

OWS Barksdale AFB DSN 781-5491/3024.)

AIRSPACE: CLASS D svc Mon-Fri 1200-0400Z, Sat-Sun 1500-2300Z, clsd holidays and weekends associated with holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE PFN.

PANAMA CITY (L) VORTAC 114.3 PFN Chan 90 N30°12.98' W85°40.86' 148° 10.3 NM to fld. 10/OW.

(H) TACAN Chan 124 PAM (117.7) N30°04.44' W85°34.35' at fld. 14/OE. No NOTAM MP Thu 1000-1200Z.

ILS 111.5 I-TYF Rwy 13L. No NOTAM MP Wed 1000-1200Z.

ILS 110.1 I-PAM Rwy 31R. No NOTAM MP Wed 1000-1200Z.

ASR/PAR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. During Radar Approach Control closures when afld remains open ctc Gnd Con.

UMATILLA MUNI (X23) 1 E UTC-5(-4DT) N28°55.38' W81°39.12'

JACKSONVILLE

107 NOTAM FILE PIE

RWY 18-36: H2290X50 (ASPH) S-10 MIRL

RWY 18: Thld dsplcd 144'. RWY 36: Thld dsplcd 285'. Trees.

AIRPORT REMARKS: Unattended. Parachute Jumping. No touch and go ldg permitted.

COMMUNICATIONS: CTAF 122.9

VALKARIA (See MALABAR)



**VALPARAISO****EGLIN AFB**

(VPS)(KVPS) CIV/MIL 1 SW UTC-6(-5DT) N30°28.99' W86°31.56' **NEW ORLEANS**  
 87 B **FUEL** 100, J8 TPA—See Remarks Class I, ARFF Index C NOTAM FILE EGI **H-86, L-21C, 22H**  
**RWY 12-30:** H12004X300 (ASPH-CONC) S-150, D-200, DT-500, DDT-800 PCN 39 F/B/W/T **HIRL DIAP, AD**  
**RWY 12:** ALSF1. PAPI(P4L)—GA 3.0°. **RWY 30:** ALSF1. PAPI(P4L)—GA 2.5°. **RWY 01-19:** H10012X300 (ASPH) S-150, D-200, DT-500, DDT-800, SBTT-600, TDT-800, TRT-600  
 PCN 76 F/B/W/T **HIRL**  
**RWY 01:** ALSF1. PAPI(P4L)—GA 3.0°. **RWY 19:** ALSF1(NSTD). PAPI(P4L)—GA 2.5°.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 01:** TORA-10012 TODA-10012  
**RWY 12:** TORA-12004 TODA-12004  
**RWY 19:** TORA-10012 TODA-10012  
**RWY 30:** TORA-12004 TODA-12004

**ARRESTING GEAR/SYSTEM**

**RWY 12** HOOK BAK-9(B) (28' OVRN) HOOK BAK-12B(B) (1525')  
 HOOK BAK-12B(B) (1665') HOOK BAK-9(B) (39' OVRN) **RWY 30**  
**RWY 01** ← HOOK E5 (27') HOOK BAK-12B(B) (1489')

HOOK BAK-12B(B) (1908') HOOK E5 (33') → **RWY 19**

**MILITARY SERVICE: A-Gear** 8 point tie-downs on all BAK-12B; BAK-12B runout 1200'. BAK-9 (B) apch end Rwy 12-30 disconnected on ldg rwy, avbl 20 min prior notice. **JASU** (MD-3) 4(MC-1) (MC-1A) (MA-1A) 2(MA-2)  
**FUEL** J8, J8+100 **FLUID** ADI-Ltd; SP PRESAIR LHOX LOX **OIL** O-128-132-133-148-156 SOAP/JOAP—not avbl weekends and holidays. **TRAN ALERT** Opr 1400-2200Z. Tran acct not allowed when tran alert not avbl. Tran acct must use follow-me to park. Progressive taxi not avbl. No tran acct can arr/dep prior to 1400Z and must arr/dep no later than 2200Z. Arr/dep other times extremely limited and requires strict 24 hr advanced approval. To arrange overtime support, ctc the Contract Management Office DSN 872-2305, after hrs C850-240-3057. Weekend and holiday maintenance capability extremely limited and may be postponed til next duty day. Fleet svc not avbl.

**AIRPORT REMARKS:** Special Air Tfc Rules—Part 93, see Regulatory Notices. Attended continuously. Arprt (VPS) is a joint use facility with the USAF. Ctc Eglin AFB twr at 118.2. No ground handling svcs for general aviation avbl at VPS. Full svc general aviation facilities are avbl at DTS (52 NM SE) or CEW (18 NM N). Large migratory birds present year round on and invof arprt. High concentrations of General Aviation acct invof arprt. Heavy tfc 10 NM N of arprt invof Crestview/Bob Sikes arprt. High volume of training acct invof CEW VORTAC. Obstruction (hangar) 211' located approximately first 1000' E of apch end Rwy 01. During VFR possible conflicting tfc. VFR arr/dep ctc Eglin App for clnc to enter Eglin corridor SE of Crestview. Unlgt'd obstruction on afld. High mid-air potential, exercise extreme vigilance. Destin-Ft Walton Beach (DTS) is an uncontrolled arprt located 6 NM SE of Eglin AFB. Acft flying within 2 NM of DTS at or blo 1000' may not be monitoring Eglin App freq. Special Air Traffic Rules—Part 93, see Regulatory Notice. High volume of Navy T-34 and B-06 training acct near CEW VORTAC. Be aware of uncontrolled vehicles in movement area. Transient acct must use follow-me vehicle for parking. Rwy 19 NSTD ALSF1 length 1500'. Rwy 19 at Twy M lateral ponding during wet rwy conditions—potential hydroplaning. Increased potential for hydroplaning during wet conditions due to polished concrete on first 1000' Rwy 12-30, ponding at Twy M. Twy parallel to Rwy 12-30 may be mistaken for a rwy. The first 1000' Rwy 12-30 is concrete on both ends. The middle portion, 10,000' of Rwy 12-30 is asph-conc. Dept acct assigned a heading to fly, shall initiate their turn within 1 NM of dep end of rwy. Touchdown rwy visual range and rwy visibility value avbl for rwys 12-30 and 01-19. Regional WX briefings clsd weekends and holidays.

**MILITARY REMARKS:** See FLIP/AP 1 Route and Area Restrictions (Florida-Valparaiso) for Bird Aircraft Strike Hazard, Wx Rstd and Supplementary Arprt Information. **RSTD** PPR minimum 24 hr. Ctc Base OPS DSN 872-5313/5406, C850-882-5313/5406. PPR 24 hr. PPR arr/dep times are strictly enforced. Tran acct arr late expect min 2 hr delay. Tran aircrews report late for scheduled dep expect min 2 hr delay. All AMC or acct with Distinguished Visitor code 7 or abv ctc Base OPS 20 min prior to ldg. Tran Alert will not support local, round robins, or out and back flt by tran acct. **CAUTION:** Special Air Traffic Rules, apply; see Part 93.83 Special Air Traffic Rules. High volume of general aviation acct invof arprt. Local hi-density tfc areas and rstd airspace—special opr rules apply—prior to arrival/departure all users review information at [http://www.flyvps.com/air\\_pamphlet.html](http://www.flyvps.com/air_pamphlet.html). Rwy 19 NSTD overrun 750X300, Rwy 01 NSTD overrun 500X300. **CSTMS/AG/IMG** Ltd svc, no resident customs agent. Avbl for base assigned acct and their deployments only. 24 hr advance notice required. All other acct must clear customs prior to arr to Eglin AFB. **TFC PAT**—Overhead tfc Rwy 19 normal prohibited. **MISC** Exp extensive flt plan filing/dep, refuel and maintenance delays during peak mission periods/weekends. COMSAC documents not available for issue. Tran flt crew classified storage available in Base OPS to secret and blo. Standard USAF RSRS applied. Wx opr from Sun 0500Z-Fri 0500Z, clsd weekends and holidays, other times svc not avbl. Afld wx monitored by AN/FMQ-19 ASOS. Remote briefing avbl 26 OWS Barksdale AFB DSN 781-4775, C318-456-4775.

**CONTINUED ON NEXT PAGE**



## CONTINUED FROM PRECEDING PAGE

COMMUNICATIONS: SFA ATIS 134.625 273.5 (1200-0400Z) PTD 142.3 372.2

① APP/DEP CON 132.1 360.6 (090°-270°) 125.1 281.45 (271°-089°) (1200-0600Z)

① JACKSONVILLE CENTER APP/DEP CON 120.2 346.4 (0600-1200Z)

TOWER 118.2 353.65 GND CON 121.8 335.8 CLNC DEL 127.7 377.2

EGLIN COMD POST (RAYMOND 11) 318.05 328.025 PMSV METRO 342.2 (Avbl during Wx opr hrs, Sun 0500Z-Fri 0500Z, clsd weekends and holidays, other times svc not avbl.)

AIRSPACE ATIS 133.0 379.15 (1200-0400Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE CEW.

CRESTVIEW (H) VORTACW 115.9 CEW Chan 106 N30°49.57' W86°40.75'. 156° 22 NM to fld. 255/03E. HIWAS.

WARRINGTON (T) TACAN Chan 2 DWG (134.5) N30°28.69' W86°31.25' at fld. 77/00°E.

ILS/DME 109.1 I-CAH Chan 28 Rwy 19. Class IA. No NOTAM MP glide slope Rwy 19 1st Tue of Feb and Aug. ILS unmonitored 0600-1200Z weekday, and 24 hrs weekend and holidays.

ILS 110.3 I-VPS Rwy 30. Class IB. No NOTAM MP LOC 4th Wed of Feb and Aug 0900-1200Z. ILS unmonitored 0600-1200Z weekday, and 24 hrs weekend and holidays.

COMM/NAV/WEATHER REMARKS: LOC Rwy 30 unusable 250' from thld inbound due to frequency interference from Rwy 19 LOC. When APP DEP clsd ctc twr on 121.8 335.8 337.2 for CLNC DEL. UHF equipped acft must use UHF in Eglin tfc pat.

**VENICE MUNI** (VNC) 2 S UTC-5(-4DT) N27°04.30' W82°26.42'

18 B S4 FUEL 100LL, JET A TPA-1018(1000) NOTAM FILE PIE

MIAMI

H-8H, L-21D, 23B

IAP

RWY 04-22: H5000X150 (ASPH) S-15, D-24 MIRL

RWY 04: REIL. PAPI(P2L)—GA 2.35' TCH 35'. Tree.

RWY 22: REIL. PAPI(P2L)—GA 2.52' TCH 22'. Thld dsplcd 294'. Bridge.

RWY 13-31: H4999X150 (ASPH-GRVD) S-30, D-63, DT-100 MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.05' TCH 42'. Tree. Rgt tfc.

RWY 31: ODALS. PAPI(P4L). —GA 2.35' TCH 35'. Tree.

AIRPORT REMARKS: Attended 1200-0000Z. Cracks throughout Rwy 04-22 and Rwy 13-31 with grass encroachment. Bird and wildlife on and invof the arpt. PAEW adjacent to all rwys and twys during dalgt hrs. Parasailing activity west of the arpt along beach. Arpt has extensive flight training. PPR for acft exceeding rwy weight bearing capacity—call arpt manager 941-486-2711. Noise sensitive arpt—voluntary restrictions in effect—Jet acft use noise abatement procedures. Commercial landing fees in effect, fees for all charter and revenue producing acft. Rwy 22 calm wind rwy and noise abatement rwy. MIRL Rwy 04-22 and 13-31, REIL Rwy 04, 22, 13 and 31, PAPI Rwy 04, 22, 13, and 31, and ODALS Rwy 31 opr dusk - 0500Z. After 0500Z activate—CTAF.

WEATHER DATA SOURCES: AWOS-1 119.275 (941) 486-2718.


COMMUNICATIONS: CTAF/UNICOM 122.725

① TAMPA APP/DEP CON 119.65 124.95 CLNC DEL 118.075

RADIO AIDS TO NAVIGATION: NOTAM FILE SRQ.

SARASOTA (H) VORTAC 117.0 SRQ Chan 117 N27°24.42' W82°33.82' 163° 20.2 NM to fld. 20/02W.

NDB (MHW) 206 VNC N27°03.69' W82°25.84' at fld. NOTAM FILE PIE.

**VERO BEACH**

**NEW HIBISCUS AIRPARK** (X52) 7 W UTC-5(-4DT) N27°37.94' W80°31.65'

MIAMI

25 S2 FUEL 100LL NOTAM FILE PIE

RWY 18-36: 3120X150 (TURF) LIRL (NSTD)

RWY 18: P-line. RWY 36: Thld dsplcd 200'. Trees.

AIRPORT REMARKS: Attended dalgt hours. Extensive crop dusting opr. Rwy 36 dsplcd thld marked with one green lgt and two orange cones either side of rwy. Rwy 18 and Rwy 36 ends marked with one green lgt and two orange cones either side. Rwy 18 wheel mounted chemical tanks anchored at thld 80 ft left of centerline. PPR for transient training acft call 772-562-2715. Rwy 18-36 NSTD LIRL, thld lgts do not have split lenses.

COMMUNICATIONS: CTAF/UNICOM 122.8



## CONTINUED FROM PRECEDING PAGE

COMMUNICATIONS: SFA ATIS 134.625 273.5 (1200-0400Z) PTD 142.3 372.2

⑧ APP/DEP CON 132.1 360.6 (090°-270°) 125.1 281.45 (271°-089°) (1200-0600Z)

⑧ JACKSONVILLE CENTER APP/DEP CON 120.2 346.4 (0600-1200Z)

TOWER 118.2 353.65 GND CON 121.8 335.8 CLNC DEL 127.7 377.2

EGLIN COMD POST (RAYMOND 11) 318.05 328.025 PMSV METRO 342.2 (Avbl during Wx opr hrs, Sun 0500Z-Fri 0500Z, clsd weekends and holidays, other times svc not avbl.)

AIRSPACE ATIS 133.0 379.15 (1200-0400Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE CEW.

CRESTVIEW (H) VORTACW 115.9 CEW Chan 106 N30°49.57' W86°40.75'. 156° 22 NM to fld. 255/03E. HIWAS.

WARRINGTON (T) TACAN Chan 2 DWG (134.5) N30°28.69' W86°31.25' at fld. 77/00°E.

ILS/DME 109.1 I-CAH Chan 28 Rwy 19. Class IA. No NOTAM MP glide slope Rwy 19 1st Tue of Feb and Aug. ILS unmonitored 0600-1200Z weekday, and 24 hrs weekend and holidays.

ILS 110.3 I-VPS Rwy 30. Class IB. No NOTAM MP LOC 4th Wed of Feb and Aug 0900-1200Z. ILS unmonitored 0600-1200Z weekday, and 24 hrs weekend and holidays.

COMM/NAV/WEATHER REMARKS: LOC Rwy 30 unusable 250' from thld inbound due to frequency interference from Rwy 19 LOC. When APP DEP clsd ctc twr on 121.8 335.8 337.2 for CLNC DEL. UHF equipped acft must use UHF in Eglin tfc pat.

**VENICE MUNI** (VNC) 2 S UTC-5(-4DT) N27°04.30' W82°26.42'

18 B S4 FUEL 100LL, JET A TPA-1018(1000) NOTAM FILE PIE

MIAMI

H-8H, L-21D, 23B

IAP

RWY 04-22: H5000X150 (ASPH) S-15, D-24 MIRL

RWY 04: REIL. PAPI(P2L)—GA 2.35' TCH 35'. Tree.

RWY 22: REIL. PAPI(P2L)—GA 2.52' TCH 22'. Thld dsplcd 294'. Bridge.

RWY 13-31: H4999X150 (ASPH-GRVD) S-30, D-63, DT-100 MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.05' TCH 42'. Tree. Rgt tfc.

RWY 31: ODALS. PAPI(P4L). —GA 2.35' TCH 35'. Tree.

AIRPORT REMARKS: Attended 1200-0000Z. Cracks throughout Rwy 04-22 and Rwy 13-31 with grass encroachment. Bird and wildlife on and invof the arpt. PAEW adjacent to all rwys and twys during dalgt hrs. Parasailing activity west of the arpt along beach. Arpt has extensive flight training. PPR for acft exceeding rwy weight bearing capacity—call arpt manager 941-486-2711. Noise sensitive arpt—voluntary restrictions in effect—Jet acft use noise abatement procedures. Commercial landing fees in effect, fees for all charter and revenue producing acft. Rwy 22 calm wind rwy and noise abatement rwy. MIRL Rwy 04-22 and 13-31, REIL Rwy 04, 22, 13 and 31, PAPI Rwy 04, 22, 13, and 31, and ODALS Rwy 31 opr dusk - 0500Z. After 0500Z activate—CTAF.

WEATHER DATA SOURCES: AWOS-1 119.275 (941) 486-2718.


COMMUNICATIONS: CTAF/UNICOM 122.725

⑧ TAMPA APP/DEP CON 119.65 124.95 CLNC DEL 118.075

RADIO AIDS TO NAVIGATION: NOTAM FILE SRQ.

SARASOTA (H) VORTAC 117.0 SRQ Chan 117 N27°24.42' W82°33.82' 163° 20.2 NM to fld. 20/02W.

NDB (MHW) 206 VNC N27°03.69' W82°25.84' at fld. NOTAM FILE PIE.

**VERO BEACH**

**NEW HIBISCUS AIRPARK** (X52) 7 W UTC-5(-4DT) N27°37.94' W80°31.65'

MIAMI

25 S2 FUEL 100LL NOTAM FILE PIE

RWY 18-36: 3120X150 (TURF) LIRL (NSTD)

RWY 18: P-line. RWY 36: Thld dsplcd 200'. Trees.

AIRPORT REMARKS: Attended dalgt hours. Extensive crop dusting opr. Rwy 36 dsplcd thld marked with one green lgt and two orange cones either side of rwy. Rwy 18 and Rwy 36 ends marked with one green lgt and two orange cones either side. Rwy 18 wheel mounted chemical tanks anchored at thld 80 ft left of centerline. PPR for transient training acft call 772-562-2715. Rwy 18-36 NSTD LIRL, thld lgts do not have split lenses.

COMMUNICATIONS: CTAF/UNICOM 122.8



---

**VERO BEACH MUNI** (VRB) 1 NW UTC-5(-4DT) N27°39.33' W80°25.08'
**MIAMI**
 24 B S4 FUEL 100, JET A OX 1, 2 TPA—See Remarks Class IV, ARFF Index A  
 NOTAM FILE VRB
**H-8I, L-24F  
IAP, AD****RWY 11R-29L:** H7314X100 (ASPH-GRVD) S-85, D-115, ST-146, DT-220 MIRL**RWY 11R:** REIL. PAPI (P4L)—GA 3.0° TCH 41'. Trees. **RWY 29L:** REIL. PAPI(P4L) TCH 58'.**RWY 04-22:** H4975X100 (ASPH-GRVD) S-30, D-115, ST-146, DT-220 MIRL**RWY 04:** REIL. VASI(V4L)—GA 3.0° TCH 45'. Trees. **RWY 22:** REIL. PAPI(P4L)—GA 3.0° TCH 42'. Trees.**RWY 11L-29R:** H3504X75 (ASPH) S-12.5 MIRL**RWY 11L:** PAPI(P2L)—GA 3.0° TCH 37'. Tree. **RWY 29R:** PAPI(P2L)—GA 3.5° TCH 35'. Poles.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 29L</b>	04/22	4700

**AIRPORT REMARKS:** Attended 1200-0200Z†. Rwy 04-22 CLOSED when twr clsd. TPA 1024(1000) large acft 1524(1500). Rwy 11L-29R CLOSED when twr clsd. CLOSED to air carrier ops with more than 30 passenger seats except 24 hrs PPR, call arpt manager 772-978-4930. No intersection departures except by ATC req. Noise sensitive arpt. Jet acft use NBAA noise abatement procedures. Voluntary local noise abatement procedures in effect call 772-978-4930. No touch and go ops 0300-1200Z† except PPR. Extensive flight training. ACTIVATE MIRL Rwy 11R-29L and REIL Rwy 11R and Rwy 29L—CTAF.

**WEATHER DATA SOURCES:** ASOS (772) 978-9535. HIWAS 117.3 VRB.**COMMUNICATIONS:** CTAF 126.3 ATIS 132.5 UNICOM 122.95

RCO 122.1R 117.3T (ST PETERSBURG RADIO)

RCO 122.5 122.2 (ST PETERSBURG RADIO)

**(R) MIAMI CENTER APP/DEP CON** 132.25**TOWER** 126.3 133.15 (1200-0200Z†) **GND CON** 127.45 **CLNC DEL** 134.975**AIRSPACE:** CLASS D svc 1200-0200Z† other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE VRB.**(H) VORTAC** 117.3 VRB Chan 120 N27°40.71' W80°29.38' 114° 4.1 NM to fld. 20/04W. **HIWAS.****NDB (MHW)** 392 VEP N27°39.85' W80°25.17' at fld. Unmonitored.**VIRGINIA KEY** N25°45.11' W80°09.27' NOTAM FILE MIA.**MIAMI****(H) VOR/DME** 117.1 VKZ Chan 118 293° 7.8 NM to Miami Intl. 5/04W.**H-8I, L-23C, A**

VOR portion unusable 041°-064° byd 20 NM blo 4500', 091°-104° byd 30 NM blo 3000', 279°-284° byd 25 NM blo 7500', 285°-319° byd 15 NM blo 7500', 320°-335° byd 25 NM blo 3000'.

RCO 122.1R 117.1T (MIAMI RADIO)

**WAKUL** N30°19.57' W84°21.50' NOTAM FILE TLH.**JACKSONVILLE****NDB (HW/LDM)** 379 TL 007° 4.2 NM to Tallahassee Rgnl.**H-8G, L-21D, 22I****WAKULLA CO** (See PANACEA)**WARRINGTON** N30°28.69' W86°31.25' NOTAM FILE CEW.**NEW ORLEANS****(T) TACAN** Chan 2 DWG (134.5) at Eglin AFB 77/00°E.**L-21C, 22H****WAUCHULA MUNI** (CHN) 5 SW UTC-5(-4DT) N27°30.90' W81°52.83'**MIAMI**

106 B S2 FUEL 100LL, MOGAS NOTAM FILE PIE

**L-21D, 23B****RWY 18-36:** H4005X75 (ASPH) MIRL**IAP****RWY 18:** PAPI(P4L)—GA 3.0° TCH 21'. Thld dspcd 500'. Trees. **RWY 36:** PAPI(P4L)—GA 3.0° TCH 32'. Tree.**AIRPORT REMARKS:** Attended continuously.**COMMUNICATIONS:** CTAF 122.9**(R) MIAMI CENTER APP/DEP CON** 134.55**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.**LAKELAND (H) VORTAC** 116.0 LAL Chan 107 N27°59.17' W82°00.83' 165° 29.1 NM to fld. 135/01E.



**WEST PALM BEACH****NORTH PALM BEACH CO GENERAL AVIATION**

(F45) 12 NW UTC-5(-4DT) N26°50.76' W80°13.34' MIAMI  
 22 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE MIA L-23C  
 RWY 13-31: H4303X75 (ASPH) HIRL IAP

RWY 13: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees. Rgt tfc.

RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 08R-26L: H4300X100 (ASPH) HIRL

RWY 08R: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Rgt tfc.

RWY 26L: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 08L-26R: 3700X75 (TURF)

RWY 08L: Trees.

RWY 26R: P-line. Rgt tfc.

**AIRPORT REMARKS:** Attended continuously. Bird activity invof arpt.

Extensive helicopter training. Rwy 13-31 acft over 30,000 lbs prohibited. Rwy 8R-26L acft over 12,500 lbs GWT prohibited.

Noise abatement procedures—Rwy 13-31 preferred nighttime rwy; 24 hour noise abatement monitoring call 561-626-7631.

Rwy 08L-26R marked with PVC pipe every 200 ft. TPA—1022 (1000); TPA for jet acft—1522 (1500). Arpt lgts opr dusk-0200Z†, after 0200Z† ACTIVATE HIRL Rwy 08R-26L and Rwy 13-31, and REIL Rwy 08R, Rwy 26L, Rwy 13 and Rwy 31—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 119.975 (561)630-6932.


**COMMUNICATIONS:** CTAF/UNICOM 123.075

® PALM BEACH APP/DEP CON 124.6 CLNC DEL 120.825

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PBI.

PALM BEACH (H) VORTAC 115.7 PBI Chan 104 N26°40.80' W80°05.19' 327° 12.3 NM to fld. 19/03W.

ILS/DME 110.75 I-GHO Chan 44(Y) Rwy 08R. ILS unmonitored.

**PALM BEACH CO PARK**

(LNA) 6 S UTC-5(-4DT) N26°35.58' W80°05.10' MIAMI  
 14 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE MIA L-23C  
 RWY 09-27: H3489X75 (ASPH) S-30 MIRL IAP

RWY 09: PAPI(P2L)—GA 4.0° TCH 32'. Trees.

RWY 27: PAPI(P2L)—GA 4.0° TCH 49'. Trees.

RWY 15-33: H3421X100 (ASPH) S-30 MIRL

RWY 15: PAPI(P2L)—GA 3.5° TCH 43'. Trees.

RWY 33: PAPI(P2L)—GA 3.5° TCH 37'. Trees.

RWY 03-21: H3256X75 (ASPH) S-30 MIRL

RWY 03: PAPI(P2L). Trees.

RWY 21: PAPI(P2L). Brush.

**AIRPORT REMARKS:** Attended 1300-0100Z†. Sea gulls on and invof

arpt. Arpt CLOSED to jet acft and all acft over 12,500 lbs Maximum GWT. Noise abatement procedures all rwys; call 561-683-0472. Preferential Rwy 03-21 conditions permitting. No touch and go lgts on Rwy 09-27. TPA for conventional acft—1014(1000); high performance acft—1514(1500). Arpt lgts opr dusk-0100Z†; after 0100Z†. ACTIVATE MIRL Rwy 03-21, Rwy 09-27, Rwy 15-33 and PAPI Rwy 03, Rwy 21, Rwy 09, Rwy 27, Rwy 15, and Rwy 33—CTAF.

**WEATHER DATA SOURCES:** AWOS-3 119.925 (561)964-0308.


**COMMUNICATIONS:** CTAF/UNICOM 122.7

RCO 122.4 122.1R 115.7T (MIAMI RADIO)

® APP/DEP CON 127.35

**RADIO AIDS TO NAVIGATION:** NOTAM FILE PBI.

(H) VORTAC 115.7 PBI Chan 104 N26°40.80' W80°05.19' 182° 5.2 NM to fld. 19/03W.





**PALM BEACH INTL** (PBI) 3 W UTC-5(-4DT) N26°40.99' W80°05.74'

MIAMI

19 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 AOE Class I, ARFF Index D  
NOTAM FILE PBI

H-81, L-23C  
IAP, AD

**RWY 10L-28R:** H10008X150 (ASPH-GRVD) S-85, D-200, ST-175, DT-400 HIRL

**RWY 10L:** MALSR. PAPI(P4R)—GA 3.0° TCH 52'. Thld dsplcd 1200'.

**RWY 28R:** REIL.PAPI(P4L)—GA 3.0° TCH 72'. Thld dsplcd 811'.

**RWY 14-32:** H6932X150 (ASPH-GRVD) S-100, D-180, ST-175, DT-325, DDT-400 MIRL

**RWY 14:** REIL. PAPI(P4R)—GA 3.0° TCH 67'. Trees.

**RWY 32:** REIL. PAPI(P4L)—GA 3.0° TCH 67'. Thld dsplcd 428'.

Road.

**RWY 10R-28L:** H3213X75 (ASPH) S-25 MIRL

**RWY 10R:** ODALS. REIL. PAPI(P4L). Rgt tfc.

**RWY 28L:** ODALS. REIL. PAPI(P4R).

**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
<b>RWY 10L</b>	14-32	3200
<b>RWY 14</b>	10L-28R	4370
<b>RWY 28R</b>	14-32	3725

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 10L:** TORA-10000 TODA-10000 ASDA-10000 LDA-8800

**RWY 10R:** TORA-3213 TODA-3213 ASDA-3213 LDA-3213

**RWY 14:** TORA-6932 TODA-6932 ASDA-6000 LDA-6000

**RWY 28L:** TORA-3213 TODA-3213 ASDA-3213 LDA-3213

**RWY 28R:** TORA-10000 TODA-10000 ASDA-10000 LDA-9189

**RWY 32:** TORA-6932 TODA-6932 ASDA-6932 LDA-6514

**AIRPORT REMARKS:** Attended continuously. Migratory birds on and in/ov arpt. Ultralight activity in/ov arpt. Noise abatement procedures in effect call 561-471-7467. Multiengine flight training prohibited SS to SR Sun and Holiday; strict environmental operating Stage 2 acft 0300-1200Z call noise abatement officer 561-471-7467. Be alert: Twy L is located between Rws 10L-28R and 10R-28L. Twy L is wider and longer than Rwy 10R-28L-Do not confuse Twy L for runway. Be alert, Rwy 28L and Rwy 28R thlds staggered by 5400'. Portions of Twy F south of Twy G to AER 32 not visible from twr due to buildings and parked acft. SE portion of Twy F adjacent to AER 32 is not visible from twr. Rwy 10R-28L non-air carrier acft only. Rwy 10L touchdown and rollout runway visual range avbl. Rwy 28R touchdown and rollout runway visual range avbl. ODALS Rwy 10R and Rwy 28L opr SR-SS only. User fee. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—U.S. Special Customs Requirement.

**WEATHER DATA SOURCES:** ASOS-123.75 (561) 683-2548. LLWAS.

**COMMUNICATIONS:** D-ATIS 123.75 UNICOM 122.95

RCO 122.1R 115.7T (MIAMI RADIO)

RCO 122.4 (MIAMI RADIO)

① APP CON 124.6 (North) 125.2 (South) ② DEP CON 128.3 (North) 127.35 (South)

TOWER 119.1 118.75 GND CON 121.9 CLNC DEL 121.6

**AIRSPACE:** CLASS C svc continuous ctc APP CON


**RADIO AIDS TO NAVIGATION:** NOTAM FILE PBI.

(H) VORTAC 115.7 PBI Chan 104 N26°40.80' W80°05.19' at fld. 19/03W.

RUBIN NDB (HW/LOM) 356 PB N26°41.27' W80°12.61' 099° 6.2 NM to fld.

ILS 111.9 I-PBI Rwy 10L. LOM RUBIN NDB.

ILS 111.9 I-PWB Rwy 28R.

**WESTERN CAROLINA RGNL** (See ANDREWS)**WHITEHOUSE NOLF** (NEN) N30°21.01' W81°52.99'

JACKSONVILLE

**AIRSPACE:** CLASS D svc as scheduled—ctc JACKSONVILLE NAS (Towers Fld) twr other times CLASS G. H-8H, L-21D, 24G, A



**WHITING FLD NAS NORTH** (NSE) N 4 N UTC-6(-5DT) N30°43.35' W87°01.43' **NEW ORLEANS**  
 199 B NOTAM FILE PNS Not insp. **H-6K, 8G, L-21C, 22H**  
**RWY 05-23:** H6002X200 (ASPH) PCN 31 F/A/W/T HIRL **DIAP, AD**  
**RWY 05:** PAPI(P4L)—GA 3.0° TCH 60'. **RWY 23:** PAPI(P4L)—GA 3.0° TCH 52'.  
**RWY 14-32:** H6002X200 (ASPH) PCN 23 F/A/W/T HIRL 0.7% up NW  
**RWY 14:** ALSF1. PAPI(P4L)—GA 3.0° TCH 51'. **RWY 32:** PAPI(P4L)—GA 3.0° TCH 53'.  
**MILITARY SERVICE:** JASU 1(NC-8) **FUEL J8** **TRAN ALERT** Limited tran line svc avbl Mon-Fri 1400-2200Z± only.  
**MILITARY REMARKS:** Opr Mon-Thu 1300-0500Z±, Fri 1300-2300Z±, clsd Sat, Sun and holidays. **RSTD** PPR for practice instrument apch by tran acft. All tran acft ldg Whiting Fld NAS South unless otherwise arranged with OPS Officer. (See Whiting Fld NAS South) 24 hr notice for PPR. **CAUTION** Extremely heavy primary training opr all times. Pondering occurs after moderate to heavy rain—braking action poor.  
**COMMUNICATIONS:** ATIS 290.325 (Mon-Thu 1300-0500Z±, Fri 1300-2300Z±, clsd Sat, Sun and holidays)  
 (R) **PENSACOLA APP/DEP CON** 126.85 127.35 278.8 298.9  
**TOWER** 121.4 306.925 (Mon-Thu 1200-0300Z±, Fri 1130-0130Z±), clsd Sat, Sun and holidays)  
**GND CON** 251.15 **CLNC DEL** 257.775 **PMSV METRO** 316.95 (Mon-Thu 1100-0500Z±, Fri 1100-0400Z±, Sun 2300-0300Z± clsd Sat and holidays.) **BASE OPS** 233.7  
**AIRSPACE:** CLASS C svc Mon-Thu 1200-0600Z±, Fri 1130-0600Z±, Sun 0000-0400Z±, clsd Sat and holidays, other times Class G.  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.  
 (L) **TACAN** Chan 70 NSE (112.3) N30°43.44' W87°01.09' at fld. 178/02W.  
**TACAN** unusable:  
 150°-180° byd 25 NM blo 3,000'  
**ILS/DME** 111.75 I-NSE Chan 54(Y) Rwy 14.  
**ASR**  
**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.


**WHITING FLD NAS SOUTH** (NDZ) N 3 N UTC-6(-5DT) N30°41.91' W87°00.86' **NEW ORLEANS**  
 177 B NOTAM FILE PNS Not insp. **H-6K, 8G, L-21C, 22H**  
**RWY 05-23:** H5997X200 (ASPH) PCN 33 F/B/W/T HIRL **DIAP, AD**  
**RWY 05:** PAPI(P4L). **RWY 23:** PAPI(P4L).  
**RWY 14-32:** H6001X200 (ASPH) PCN 36 F/A/W/T HIRL  
**RWY 14:** PAPI(P4L). **RWY 32:** PAPI(P4L).  
**MILITARY SERVICE:** JASU 1(NC-8) **FUEL J8**  
**MILITARY REMARKS:** Opr Mon-Thu 1400-0600Z±, Fri 1400-0400Z±, Sun 0000-0400Z± clsd Sat and holidays. **RSTD** PPR for tran acft. DSN 868-7598. PPR for practice apch by tran acft. 24 hr notice for PPR. **CAUTION** Extensive helicopter training opr all times. Pondering occurs after moderate to heavy rain—braking action poor. Steep terrace at roll-out end of Rwy 23. No overrun. **MISC** Limited tran parking avbl. Ctc OMD DSN 868-7717, 5 days in advance for gnd support equipment. Tran acft expect RADAR vectors to PAR Rwy 32. Boundary lighted heliport located N of arpt; Search and Rescue and VIP use only. Tran acft ctc Base OPS 10 minutes prior arrival.  
**COMMUNICATIONS:** ATIS 273.575 (Mon-Thu 1300-0500Z±, Fri 1300-0400Z±, Sun 2300-0300Z±, clsd Sat and holidays)  
 (R) **PENSACOLA APP/DEP CON** 124.85 385.4  
**TOWER** 121.4 348.675 (Mon-Thu 1400-0600Z±, Fri 1400-0400Z±, Sun 0000-0400Z±), clsd Sat and holidays) **GND CON** 346.8 **CLNC DEL** 355.6  
**PMSV METRO** 316.95 (Mon-Thu 1100-0500Z±, Fri 1100-0400Z±, Sun 2300-0300Z±, clsd Sat and holidays) **BASE OPS** 233.7  
**AIRSPACE:** CLASS C svc Mon-Thu 1400-0600Z±, Fri 1400-0400Z±, Sun 0000-0400Z±, clsd Sat and holidays, other times Class G.  
**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.  
 (L) **TACAN** Chan 70 NSE (112.3) N30°43.44' W87°01.09' 175° 1.2 NM to fld. 178/02W.  
**TACAN** unusable:  
 150°-180° byd 25 NM blo 3,000'  
**SANTA ROSA (L) TACAN** Chan 63 NGS (133.6) N30°36.91' W86°56.24' 323° 6.4 NM to fld. 147/2W.  
**ILS/DME** 110.55 I-NDZ Chan 42(Y) Rwy 32.  
**ASR/PAR**  
**COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.



**WILLIAM P GWINN** (06FA) PVT 24 S UTC-5(-4DT) N26°54.50' W80°19.74'**MIAMI**

28 NOTAM FILE MIA

Not insp.

**H-81, L-23C****RWY 09-27:** H7003X150 (ASPH) PCN 49 F/A/X/T HIRL**DIAP****RWY 09:** REIL. PAPI(P4L)—GA 3.0° TCH 58'. Trees.**RWY 27:** REIL. PAPI(P4L)—GA 3.0°.**MILITARY SERVICE:** LGT Rotating bcn opr 1200-2300Z, except holidays. **JASU** (4 Hobart starting units 28.5V/750 amps.) **FUEL** Not for public sale. A, J5, J8. **FLUID SP****MILITARY REMARKS:** Attended Mon-Fri 1300-2100Z, except holidays. **RSTD** Open only to civilian and military acft having business with United Technologies Corporation or its divisions. PPR ctc twr C561-775-5450. **MISC** Helicopter ops. Vertical takeoff up to 3000'. Possible vertical jet turbulence within 2 nm of apch end Rwy 09.**COMMUNICATIONS:****(R) PALM BEACH APP CON** 124.6 317.4**GWINN TWR** 120.4 279.25 (Mon-Fri 1300-2100Z) **GND CON** 121.65 279.25**PALM BEACH DEP CON** As assigned.**AIRSPACE:** CLASS D Mon-Fri 1300-2100Z, other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIA.**PAHOKEE (H) VORTAC** 115.4 PHK Chan 101 N26°46.96' W80°41.49' 069° 20.9 NM to fld. 16/0E. **HIWAS.****WILLISTON MUNI** (X6Ø) 2 SW UTC-5(-4DT) N29°21.34' W82°28.30'**JACKSONVILLE**76 B S4 **FUEL** 100LL, JET A NOTAM FILE GNV**H-8H, L-21D, 24G****RWY 05-23:** H6668X100 (CONC) S-46 MIRL**IAP****RWY 05:** REIL. PAPI(P2L) Tree.**RWY 23:** REIL. PAPI (P2L)—GA 3.0° TCH 50'. Tree.**RWY 14-32:** H4399X100 (ASPH) S-38**RWY 14:** Thld dspcd 300'. Trees.**RWY 32:** Trees.**AIRPORT REMARKS:** Attended 1300Z-dusk. Parachute Jumping. Sky diving activity invof arpt. Infield berm blocking vision between rwy ends. Rwy 14-32 25' shoulders both sides of rwy entire length. ACTIVATE MIRL Rwy 05-23—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.425 (352) 528-9949.**COMMUNICATIONS:** CTAF/UNICOM 122.8**(R) JACKSONVILLE APP/DEP CON** 118.6**RADIO AIDS TO NAVIGATION:** NOTAM FILE GNV.**GATORS (L) VORTAC** 116.2 GNV Chan 109 N29°41.53'W82°16.38' 211° 22.6 NM to fld. 128/04W. **HIWAS.****WINTER HAVEN****JACK BROWNS SPB** (F57) 3 NW UTC-5(-4DT) N28°03.45' W81°45.77'**JACKSONVILLE**140 S8 **FUEL** 100LL NOTAM FILE PIE**WATERWAY 01-19:** 3600X2200 (WATER)**WATERWAY 01:** Thld dspcd 1200'.**WATERWAY 19:** Thld dspcd 1000'.**SEAPLANE REMARKS:** Attended dalgt hours. Recommended N-S pattern to remain clear of and blo 900' tfc at Winter Haven's Gilbert Arpt. Ctc Winter Haven's Gilbert arpt UNICOM 123.05 for boat activity and local tfc. Major power plant repairs avbl.**COMMUNICATIONS:** CTAF 123.05



**WINTER HAVEN'S GILBERT** (GIF) 3 NM UTC-5(-4DT) N28°03.78' W81°45.20'

**JACKSONVILLE**

145 B S4 FUEL 100LL, JET A, MOGAS TPA—1000(855) NOTAM FILE GIF

H-8H, L-21D, 24F

RWY 04-22: H5006X100 (ASPH) S-30 MIRL

IAP

RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 11-29: H4001X100 (ASPH) S-12.5

RWY 11: Trees. RWY 29: Tree.

**AIRPORT REMARKS:** Attended 1200Z±—dusk. Glider acft opr on and in/ovf arpt. Jack Brown's Seaplane Base located on adjacent lake. Ramp adjacent to south side of new terminal clsd to helicopters.

ACTIVATE MIRL Rwy 04-22 and PAPI Rwy 04 and 22—CTAF.

**WEATHER DATA SOURCES:** ASOS 133.675 (863) 956-2097.

**COMMUNICATIONS:** CTAF/UNICOM 123.05

® TAMPA APP/DEP CON 120.65 119.9


GCO 121.725 (TAMPA CLNC)

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.

LAKELAND (H) VORTAC 116.0 LAL Chan 107 N27°59.17'

W82°00.83' 071° 14.6 NM to fld. 135/01E.

**COMM/NAV/WEATHER REMARKS:** GCO OTS indef.



**WIREFY** N27°56.12' W82°04.55' NOTAM FILE LAL.

**MIAMI**

NDB (LOM) 227 LA 048° 4.4 NM to Lakeland Linder Rgnl.

L-24F

**WITHAM FLD** (See STUART)

**WYNDY** N29°40.20' W82°10.33' NOTAM FILE GNV.

**JACKSONVILLE**

NDB (MHW/LOM) 269 GN 287° 5.3 NM to Gainesville Rgnl.

L-21D, 24G

## ZELLWOOD

**BOB WHITE FIELD** (X61) 1 W UTC-5(-4DT) N28°44.12' W81°37.75'

**JACKSONVILLE**

78 S2 NOTAM FILE PIE

RWY 09-27: 3300X150 (TURF)

RWY 09: Thld dsplcd 600'. Brush.

RWY 27: Thld dsplcd 590'. Brush.

**AIRPORT REMARKS:** Attended 1200Z±—dusk. Rwy 09-27 marked with pails. Rwy 09-27 dsplcd thld marked with 3 tires painted white perpendicular to centerline. Twy north side, no backtaxi on rwy. Ldg fee.

**COMMUNICATIONS:** CTAF/UNICOM 122.8

**ZEPHYRHILLS MUNI** (ZPH) 1 SE UTC-5(-4DT) N28°13.69' W82°09.36'

**JACKSONVILLE**

90 B S6 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE PIE

L-21D, 24F

RWY 04-22: H4999X100 (ASPH) S-30, D-60 MIRL

IAP

RWY 04: PAPI(P4L)—GA 3.0° TCH 32'. Tree.

RWY 22: PAPI(P4L)—GA 3.0° TCH 32'. Trees. Rgt tfc.

RWY 18-36: H4954X100 (ASPH) S-12.5 HIRL

RWY 18: REIL, PAPI(P4L) Thld dsplcd 260'. Trees. Rgt tfc.

RWY 36: REIL, PAPI(P4L) Thld dsplcd 307'. Trees.

**AIRPORT REMARKS:** Attended 1300-2300Z±. For fuel after hrs call 813-782-7789. 24 hr credit card fuel avbl.

Parachute Jumping. Be alert for sky-diving acft descending from 13,500' and entering opposite tfc pattern for Rwy 18-36 E of arpt. Glider ops SR-SS. Rwy 18-36 limited by arpt manager to maximum gross weight of 24,000 pounds or less. Twy B has many depressions in surface. Rwy 18-36 37.5' paved shoulders. TPA—1090 (1000) single-engine acft 1590 (1500) multi-engine acft. HIRL Rwy 18-36 and MIRL Rwy 04-22 preset on low ints dusk-0300Z±; to increase ints and ACTIVATE after 0300Z±—CTAF. ACTIVATE PAPI Rwy 04, Rwy 22, Rwy 18 and Rwy 36 and REIL Rwy 18 and Rwy 36—CTAF.

**WEATHER DATA SOURCES:** ASOS 118.975 (813) 780-0031.

**COMMUNICATIONS:** CTAF/UNICOM 123.075

TAMPA APP/DEP CON 119.9

**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAL.

LAKELAND (H) VORTAC 116.0 LAL Chan 107 N27°59.17' W82°00.83' 332° 16.3 NM to fld. 135/01E.

NDB (MHW) 253 RHZ N28°13.63' W82°09.42' at fld. NOTAM FILE PIE



**INTENTIONALLY  
LEFT  
BLANK**





---

**NOISE ABATEMENT PROCEDURES  
COVINGTON, KY, CINCINNATI/NORTHERN KENTUCKY INTL AIRPORT (CVG)**

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no further than 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

---

**AEROBATIC PRACTICE AREA  
Jack Edwards Airport (JKA)  
Gulf Shores, AL**

Aerobatic flight activity will be conducted within a 2 NM radius of airport. Contact UNICOM for traffic and Anniston AFSS for specific times.

**Fayette County (FYE), Somerville, Tennessee**

Aerobatic training and practice is conducted in a 3500' symmetrical box located 500 feet west of Rwy 01-19 from the sfc to 4500 MSL. If surface winds favor Rwy 01, right traffic for that rwy is in effect when area is active.

Pilots should use caution within this area. For further information contact Jackson AFSS on 1-901-423-1289.

---

**CONTROLLED FIRING AREA  
Milan, Tennessee**

Controlled Firing Area 5 NM radius 2500' & blo of MKL 030/018, eff. Mon-Fri 1200-2300Z, Sat 1530-2230Z, Sun 1230-1700Z.

---

**Helicopter Activity  
Mosby Army Heliport, Dahlongega, GA Area**

Occasional military helicopter activity within 15NM radius of Mosby AHP, (34°37'N/84°06'W) SFC to 3700 MSL. Activity includes: flight formations, personnel transport operations, cargo para-drop operations (below 500 AGL), medical evacuation and night vision device training. CTAF 227.2, 139.3, "Mountain Ranger 08" FM 34.10. Staff Duty Officer, Camp Frank D. Merrill, (706) 864-3367.

---

**NIGHT VISION LIGHTS OUT OPERATIONS  
North Carolina, South Carolina**

Military helicopter activity will be conducted for Night Vision Lights Out Training in North Carolina and South Carolina. Position lights will be extinguished or greatly reduced in intensity. The training is conducted in areas of low air traffic and not within four (4) miles of a public use airport. Training is IAW exemption to Far Part 91.

Boundaries: Beginning at Lat 35°41'N, Lon 78°30'W; to Lat 34°00'N, Lon 78°30'W; to Lat 34°00'N, Lon 80°00'W; to Lat 36°00'N, Lon 80°30'W; to point of beginning.

Times of use: Sunset to sunrise, daily.

---

**Helicopter Activity  
Camp Blanding, Starke, Florida Area**

Heavy military helicopter activity within 9 NM radius Blanding AAF, (29°57'7.84"N; 81°58'47.32"W). Surface to 1,500 feet. Activity includes: flight formations, personnel transport operations, sling loads, MED VAC, and night vision goggle training. Mon-Sat 1300-0500Z, 1300-2000Z, Sun. Blanding Twr 123.0 by NOTAM, other times Range Control 123.0. (904) 533-3113/3352.

---

**Cuban Flight Advisory  
(UNTIL FURTHER NOTICE)**

The Federal Aviation Administration has been informed that an official Cuban government publication has issued a warning that Cuban Armed Forces will shoot down any aircraft that penetrates Cuban Airspace illegally and refuses to obey an order to land for inspection.

All pilots should take note: use extreme caution in the area of Cuban Airspace; adhere strictly to Cuban requirements for overflight of their territory.

---



**LASER LIGHT DEMONSTRATIONS****Lake Buena Vista, Florida**

A laser light demonstration will be conducted at Disney MGM Studios Theme Park, Lake Buena Vista, Florida (ORL 226 radial, 16.2 NM, LAT 28°21'42"N, LON 81°33'29"W), from 6:00 PM until 4:00 AM, until further advised. The beam may be injurious to eyes if viewed within 3,000 feet vertically and/or 12,000 feet laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

**Lake Buena Vista, Florida**

A laser light demonstration will be conducted at Epcot Center, Lake Buena Vista, Florida (ORL 226 radial, 16 NM, lat 28°22'N, long 81°32'W), from 6:00 pm until 4:00 am, until further advised. The beam may be injurious to eyes if viewed within 5000 feet vertically and/or 1 nautical mile laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

**Miami, Florida**

A permanent laser light demonstration will be conducted at Bayfront Park, Miami, Florida (VKZ 312 radial, 2.24 NM, Lat 25°46'41"N, Lon 80°11'12"W), from 8:00 p.m. until 12:00 a.m. until further advised. The laser light beam is not expected to elevate above the horizon from a 90 foot high platform. Laser light beam may be injurious to eyes if viewed within 4,400 feet laterally of the light source. Cockpit illumination–flash blindness may occur beyond these distances.

**Miami Beach, Florida**

A permanent Laser Light Demonstration will be conducted at the Amnesia Club, located in Miami Beach, Florida, Lat 25°46'N/Long 80°08'W, nightly from dusk until 2 AM.

Laser Light beam may be injurious to eyes if viewed within 3,500 feet vertically and/or 2,000 feet laterally of the light source. Cockpit illumination–flash blindness may occur beyond these distances.

**Orlando, Florida**

A laser light demonstration will be conducted at Sea World of Florida, Orlando, Florida (ORL 220 radial, 11 NM, Lat 27°24'N, Long 81°27'W), from 6:30 pm until 12:00 am, until further advised. The beam may be injurious to eyes if viewed within 5000 feet vertically and/or 6500 feet laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

A permanent laser light demonstration will be conducted at the Walt Disney World, Alien Encounter, Orlando, Florida, ORL VORTAC 239 radial, 15 nautical miles, from Dusk to 12:00 AM daily.

Laser light beam may be injurious to eyes if viewed within 2500 feet laterally and/or 2500 feet vertically of the light source. Cockpit illumination–flash blindness may occur beyond these distances.

**Decatur, Georgia**

Laser light activity will be conducted at Agnes Scott College, Decatur, GA located at Lat 33° 45' 55"N/Long 84° 17' 39"W (ATL 041° radial, 11 NM), intermittent daily, at an angle of 90 degrees from the surface, projecting up to 14,036 feet, until further notice. Flash blindness or cockpit illumination may occur beyond these distances.

**Clemson, South Carolina**

A permanent laser light demonstration will be conducted at Clemson University, Clemson, South Carolina, ELW VORTAC 353R/18NM, from dusk until dawn, daily.

Laser light beam may be injurious to eyes if viewed within 3,500 feet laterally and/or 3,500 feet vertically of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

---



---

**LASER LIGHT EXPERIMENT****Arecibo Observatory, Puerto Rico**

Location: 18°-20'-37"N 66°-45'-11"W

A Laser Light Beam Experiment will be conducted at the Arecibo Observatory, Puerto Rico (PSE 340/30), from one hour before sunset until one hour after sunrise twice weekly (by NOTAM).

Laser light beam may be injurious to eyes if viewed within 5,000 feet vertical and/or one nautical mile lateral of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

---

**MEMPHIS, TN****MEMPHIS INTL AIRPORT (MEM) NOISE ABATEMENT PROCEDURES**

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no later than 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

---

**NASHVILLE, TN****NASHVILLE INTL AIRPORT (BNA) NOISE ABATEMENT PROCEDURES**

Successive or simultaneous departures from Runways 20L and 20R are authorized, with course divergence beginning within 1 mile of the departure end of parallel runways, due to noise abatement restrictions.

---

**CHARLOTTE, NC****CHARLOTTE/DOUGLAS INTL AIRPORT (CLT) NOISE ABATEMENT PROCEDURES**

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no later than 3 miles from the departure end of parallel runways, due to noise abatement restrictions.

---

**AIRSPACE DELEGATED TO MACDILL AFB, FL**

From 1100-2300 UTC (0700-1900 Local) daily, the following airspace that lies within the Tampa CLASS B Airspace will be delegated to MacDill AFB ATCT for airport traffic control services, and CLASS B Airspace services will not be provided within this portion of the CLASS B Airspace:

That airspace which extends from 1,200 feet MSL up to and including 1,600 feet MSL, south of a line located 1½ miles west of and parallel to MacDill AFB Runway 4/22 extended runway centerline, within a 4.5 NM radius from the geographical center of the MacDill AFB Airport.

---

**Indianapolis ARTCC  
NABB INDIANA AREA****New Hope, London, Lexington Kentucky Area**

Indianapolis Center has installed frequencies in the southern portion of their airspace that require 720-channel radio capability.

Pilots should be aware that if they fly in the Nabb, IN, or the New Hope, London, and Lexington, KY, area without a 720-channel radio, ATC services will be greatly reduced. Traffic advisories, weather information, airport information, along with any other direct communication services will not be available.

While in this area of Indianapolis Center, pilots without 720-channel capability will, in most cases, monitor Flight Service Stations. There will be a noticeable delay in all clearance activity. Please ensure that ATC has adequate lead time in the event of problems or clearance requirements.

---

**HELICOPTER ACTIVITY ORLANDO, FL AREA.**

Heavy helicopter activity over the Disney attractions, Sea World, Universal Studios, Bay Hill and surrounding area. Surface to 1000' MSL. Operations 24 hours daily. Helicopters, transmitting and receiving on 123.02.

---

**CAUTION-TETHERED AEROSTAT RADAR SYSTEM (TARS)**

A TARS (a large helium-filled balloon) operates continuously up to 14,000 feet, except during inclement weather or when the system is down for maintenance, in R-2916 at Cudjoe Key, Florida. The tether is unmarked and is virtually impossible to see from only a few hundred feet. See the Miami Sectional Chart for location.

---



---

**SPECIAL NORTH ATLANTIC, CARIBBEAN AND PACIFIC AREA COMMUNICATIONS**

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area:	123.45 MHz
Caribbean area:	123.45 MHz
Pacific area:	123.45 MHz

---

---

**ST. PETERSBURG, FLORIDA**

Pilots planning to overfly the St. Petersburg VORTAC (PIE) below 13,000 feet MSL should file via the Lakeland VORTAC (LAL) between 1100 and 2300 UTC.

---

---

**GEORGIA**

Atlanta Tower: Low altitude airway structure in proximity of the Hartsfield-Jackson Atlanta Intl Airport is aligned to provide bypass routes for traffic overflying Atlanta. To avoid heavy concentration of high performance and wide-bodied aircraft, pilots should file for airways beyond 35 nautical miles from Atlanta VOR. Aircraft operating IFR below 15,000 MSL, via airways within 35 nautical miles of Atlanta VOR may expect altitude changes and/or rerouting between the hours 0830 and 2100 local.

---

---

**U.S. SPECIAL CUSTOMS REQUIREMENT**

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or coastline crossing:

Brownsville/South Padre Island International, Corpus Christi International, Del Rio International, El Paso International, Laredo International, Maverick County Memorial International, McAllen Miller International, Presidio-Lely International, Southwest Texas Regional, or William P. Hobby Airport in Texas; Calexico International, or Brown Field Municipal in California; Bisbee Douglas International, Nogales International, Tuscon International, or Yuma MCAS/Yuma International in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisiana; Fort Lauderdale Executive, Fort Lauderdale-Hollywood International, Key West International, Miami International, Opa-Locka Executive Airport, Palm Beach International, St. Lucie County International, or Tampa International in Florida.

---



---

## MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

---

## CIVIL USE OF MILITARY FIELDS:

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

---

## AIRCRAFT RESTRICTIONS BOCA RATON AIRPORT (BCT), FLORIDA

On initial contact, pilot should advise local Air Traffic Control Tower or announce on local Unicom frequency if aircraft has greater than 79 feet wingspan and/or greater than 140 knot approach speed. Aircraft with wingspan greater than 79 feet and/or an approach speed greater than 140 knots are prohibited from using Runway 5/23 while any aircraft occupies Taxiway P. Aircraft with a wingspan greater than 79 feet must remain clear of Taxiway P while any aircraft are approaching or departing Runway 5/23.

---

## AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

---

## FEDERAL AVIATION REGULATION 91.713

The provisions of FAR 91.713 will apply as follows:

Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

---

## CAUTION—HIGH DENSITY AIR TRAFFIC AREA

Heavy helicopter and seaplane traffic exists over the Gulf of Mexico and adjacent onshore areas. Thousands of operations per month occur in this area in support of oil drilling and exploration.

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

---



### CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.

In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.


1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
2. Wind Measuring Capability
3. Approach Light System (ALS) or Short ALS (SALS)
4. Ceiling Measuring Capability
5. Touchdown Zone Lighting (TDZL)
6. Centerline Lighting (CL)
7. Runway Visual Range (RVR)
8. High Intensity Runway Lighting (HIRL)
9. Taxiway Lighting
10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
Albuquerque, NM (ABQ) .....	08	Milwaukee, WI (MKE) .....	01L
Anchorage, AK (ANC) .....	07R	Minneapolis, MN (MSP) .....	30L
Andrews AFB, MD (ADW) .....	01L	Nashville, TN (BNA) .....	02L
Atlanta, GA (ATL) .....	09R	New Orleans, LA (MSY) .....	10
Baltimore, MD (BWI) .....	10	New York, NY (JFK) .....	04R
Bismarck, ND (BIS) .....	31	New York, NY (LGA) .....	22
Boise, ID (BOI) .....	10R	Newark, NJ (EWR) .....	04R
Boston, MA (BOS) .....	04R	Oklahoma City, OK (OKC) .....	35R
Charlotte, NC (CLT) .....	36L	Omaha, NE (OMA) .....	14R
Chicago, IL (ORD) .....	14R	Ontario, CA (ONT) .....	26L
Cincinnati, OH (CVG) .....	36C	Philadelphia, PA (PHL) .....	09R
Cleveland, OH (CLE) .....	06R	Phoenix, AZ (PHX) .....	08
Dallas/Fort Worth, TX (DFW) .....	17C	Pittsburgh, PA (PIT) .....	10L
Denver, CO (DEN) .....	35R	Reno, NV (RNO) .....	16R
Des Moines, IA (DSM) .....	31	Salt Lake City, UT (SLC) .....	34L
Detroit, MI (DTW) .....	03R	San Antonio, TX (SAT) .....	12R
El Paso, TX (ELP) .....	22	San Diego, CA (SAN) .....	09
Fairbanks, AK (FAI) .....	01L	San Francisco, CA (SFO) .....	28R
Great Falls, MT (GTF) .....	03	San Juan, PR (SJU) .....	08
Honolulu, HI (HNL) .....	08L	Seattle, WA (SEA) .....	16C
Houston, TX (IAH) .....	26L	St. Louis, MO (STL) .....	30R
Indianapolis, IN (IND) .....	05L	Tampa, FL (TPA) .....	36L
Jacksonville, FL (JAX) .....	07	Tulsa, OK (TUL) .....	36R
Kansas City, MO (MCI) .....	19R	Washington, DC (DCA) .....	01
Los Angeles, CA (LAX) .....	24R	Washington, DC (IAD) .....	01R
Memphis, TN (MEM) .....	36L	Wichita, KS (ICT) .....	01L
Miami, FL (MIA) .....	08R		

**NOTE**—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.








**DISNEY WORLD THEME PARK****NOTICE**


Pursuant to Public Law 108–199, Section 521, aircraft flight operations are prohibited at and below 3,000 feet AGL within a 3 nautical mile radius of the Disney World Theme Park (282445N/081342W or the Orlando (ORL) VORTAC 238 degree radial at 14.8 nautical miles). This restriction does not apply to: (A) those aircraft authorized by ATC for operational or safety purposes, including aircraft arriving or departing from an airport using standard air traffic procedures; (B) Department of Defense, law enforcement, or aeromedical flight operations that are in contact with ATC; Those who meet any of the following criteria may apply for a waiver to these restrictions: (A) for operational purposes of the venue, including the transportation of equipment or officials of the governing body; (b) for safety and security purposes of the venue.

---











## BOWMAN FIELD

LOUISVILLE, KY

## TERMINAL AREA GRAPHIC NOTICE


(Not to be used for navigation)

Bowman Airport Runway 24 and Runway 33 VFR Departure Procedure.

"SENECA DEPARTURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.

ATIS 112.2  
 LOUISVILLE APP CON  
 132.075  
 BOWMAN TOWER★  
 119.5  
 GND CON  
 121.8  
 CLNC DEL  
 118.9



Remaining within  $1\frac{1}{2}$  miles from Bowman VOR (BQM), turn right heading 045, maintaining VFR at or below 2500 feet. Expect IFR activation and climb upon crossing the IIU 360 radial

**WEATHER MINIMUMS:** Ceiling 3000 and visibility 3 miles.

**NOTE:** Receipt of a clearance to climb above 2500 feet constitutes activation of IFR clearance upon leaving 2500 feet.



**HOLLYWOOD/NORTH PERRY (HWO)****HOLLYWOOD, FL**


TERMINAL AREA GRAPHIC NOTICE

(Not to be used for navigation)

Hollywood/North Perry Airport Runway 9L, 9R, 36L and 36R VFR Departure Procedure.

**"SHERIDAN DEPARTURE"**

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.



ATIS 135.475

MIAMI APPROACH CONTROL 128.6

NORTH PERRY TOWER 132.1

GROUND CONTROL 120.45


Remain within 1 mile from HWO airport, if departing north or east turn left to heading 260. Remain south of Sheridan Street VFR at or below 1500. Expect IFR activation and climb crossing I75 (5 miles west of HWO) or the DHP 360 radial.

WEATHER MINIMUMS: Ceiling 2000 and visibility 3 miles.

NOTE: Receipt of a clearance to climb above 1500 constitutes activation of IFR clearance.



---

**FIREFIGHTING TRAFFIC AREAS**

Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.



The following narratives summarize the FAR Part 93 Special Air Traffic Rules, Patterns, and/or Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

---

### **DESTIN-FT WALTON BEACH, FLORIDA VALPARAISO TERMINAL AREA**

Part 93, Subpart F, prescribes that Valparaiso, Florida, Terminal Area, and the special air traffic rules for operating aircraft within specific corridor.

– North-South Corridor.

Before operating within the corridor, obtain a clearance from the Eglin Radar Control Facility or an appropriate FAA ATC facility, and maintain two-way radio communication with the Eglin Radar Control Facility while within the corridor.

– East-West Corridor.

Before operating within the corridor, establish two-way radio communications with Eglin Radar Control Facility or an appropriate FAA ATC facility for an ATC advisory concerning operations being conducted therein; and maintain two-way radio communications with the Eglin Radar Control Facility while within the corridor. For Destin/Eglin AFB FL Part 93 Operations details, see FAA Safety.gov Knowledge Course at: [http://faasafety.gov/gslac/ALC/course\\_catalog.aspx](http://faasafety.gov/gslac/ALC/course_catalog.aspx).

---

### **OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL**

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93-1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at <http://www.faa.gov>. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e-CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll-free telephone number for accessing e-CVRS is 1-800-875-9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll-free areas may access e-CVRS by calling the toll number of 703-707-0568. The Internet web address for accessing the e-CVRS is <http://www.fly.faa.gov/ecvrs>. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904-4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904-4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

**NOTE:** Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e-CVRS.

---



## FSS TELEPHONE NUMBERS

**Flight Service Station (FSS)** facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

**Selected remote FSS** facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

### SOUTHEAST U.S.

**FLORIDA:** St. Petersburg, St. Petersburg–Clearwater International (PIE) — **PIE FSS**

**NORTH CAROLINA:** Raleigh, Raleigh–Durham International (RDU) — **RDU FSS**

**TENNESSEE:** Nashville, Nashville International (BNA) — **BNA FSS**

**Telephone Information Briefing Service (TIBS)** is a FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

### NATIONAL FSS TELEPHONE NUMBER

Pilot Weather Briefings ..... 1-800-WX-BRIEF (1-800-992-7433)

### OTHER FSS TELEPHONE NUMBERS (except in Alaska)

TIBS (see description above) ..... 1-877-4TIBS-WX (1-877-484-2799)

Clearance Delivery Only ..... 1-888-766-8267

Lifeguard Flights Only ..... 1-877-LIF-GRD3 (1-877-543-4733)

Flights within DC SFRA & FRZ\* ..... 1-866-225-7410

\* District of Columbia Special Flight Rules Area & Flight Restricted Zone



# **KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)**

**TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT**  
**FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA**  
**OVC008CB**  
**FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR**  
**FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC**

**METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB**  
**18/16 A2992 RMK SLP045 T01820159**

Forecast	Explanation	Report
<b>TAF</b>	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	<b>METAR</b>
<b>KPIT</b>	ICAO location indicator	<b>KPIT</b>
<b>091730Z</b>	Issuance time: ALL times in UTC " <u>Z</u> ", 2-digit date, 4-digit time	<b>091955Z</b>
<b>091818</b>	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times	
	In U.S. <b>METAR</b> : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	<b>COR</b>
<b>15005KT</b>	Wind: 3 digit true-north direction, nearest 10 degrees (or <u>Var</u> ia <u>ble</u> ); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>Gust</u> and maximum speed; 00000KT for calm; for <b>METAR</b> , if direction varies 60 degrees or more, <u>Variability</u> appended, e.g. 180 <u>V</u> 260	<b>22015G25KT</b>
<b>5SM</b>	Prevailing visibility: in U.S., <u>Statute</u> <u>M</u> iles & fractions; above 6 miles in <b>TAF</b> <u>Plus</u> 6SM. (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	<b>3/4SM</b>
	Runway Visual Range: <u>R</u> ; 2-digit runway designator <u>Left</u> , <u>Center</u> , or <u>Right</u> as needed; <u>'/'</u> ; <u>Minus</u> or <u>Plus</u> in U.S., 4-digit value, <u>Fee</u> <u>T</u> in U.S., (usually meters elsewhere); 4-digit value <u>Variability</u> 4-digit value (and tendency <u>Down</u> , <u>Up</u> or <u>No</u> change)	<b>R28L/2600FT</b>
<b>HZ</b>	Significant present, forecast and recent weather: see table (on back)	<b>TSRA</b>
<b>FEW020</b>	Cloud amount, height and type: <u>SKY</u> <u>C</u> lear 0/8, <u>FEW</u> >0/8-2/8, <u>SCaT</u> tered 3/8-4/8, <u>BroKeN</u> 5/8-7/8, <u>OVerC</u> ast 8/8; 3-digit height in hundreds of ft; <u>Towering</u> <u>C</u> umulus or <u>Cumulonim</u> bus in <b>METAR</b> ; in <b>TAF</b> , only <u>CB</u> . <u>Vertical</u> Visibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated <b>METAR</b> reports only, <u>CleaR</u> for "clear below 12,000 feet"	<b>OVC010CB</b>
	Temperature: degrees Celsius; first 2 digits, temperature <u>'/'</u> last 2 digits, dew-point temperature; <u>Minus</u> for below zero, e.g., M06	<b>18/16</b>
	Altimeter setting: indicator and 4 digits; in U.S., <u>A</u> -inches and hundredths; ( <u>Q</u> -hectoPascals, e.g., Q1013)	<b>A2992</b>



# KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

Forecast	Explanation	Report
<b>WS010/31022KT</b>	In U.S. <b>TAF</b> , non-convective low-level ( $\leq 2,000$ ft) <u>Wind Shear</u> ; 3-digit height (hundreds of ft); <u>"Z"</u> ; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u>  In <b>METAR</b> , <u>ReMark</u> indicator & remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals & tenths, as shown: 1004.5 hPa; <u>Temp/dew-point</u> in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C	<b>RMK</b> <b>SLP045</b> <b>T01820159</b>
<b>FM1930</b>	<u>FroM</u> and 2-digit hour and 2-digit minute <b>beginning</b> time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
<b>TEMPO 2022</b>	<u>TEMPO</u> rary: changes expected for < 1 hour and in total, < half of 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	
<b>PROB40 0407</b>	<u>PROB</u> ability and 2-digit percent (30 or 40): probable condition during 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	
<b>BECMG 1315</b>	<u>BEC</u> oming: change expected during 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

## QUALIFIER

### Intensity or Proximity

- Light "no sign" Moderate + Heavy

VC Vicinity: but not at aerodrome; in U.S. **METAR**, between 5 and 10SM of the point(s) of observation; in U.S. **TAF**, 5 to 10SM from center of runway complex (elsewhere within 8000m)

### Descriptor

MI Shallow	BC Patches	PR Partial	TS Thunderstorm
BL Blowing	SH Showers	DR Drifting	FZ Freezing

## WEATHER PHENOMENA

### Precipitation

DZ Drizzle	RA Rain	SN Snow	SG Snow grains
IC Ice crystals	PL Ice pellets	GR Hail	GS Small hail/snow pellets
UP Unknown precipitation in automated observations			

### Obscuration

BR Mist ( $\geq 5/8$ SM)	FG Fog ( $< 5/8$ SM)	FU Smoke	VA Volcanic ash
SA Sand	HZ Haze	PY Spray	DU Widespread dust

### Other

SQ Squall	SS Sandstorm	DS Duststorm	PO Well developed dust/sand whirles
FC Funnel cloud	+FC tornado/waterspout		

- Explanations in parentheses "( )" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.
- NWS **TAFs** exclude turbulence, icing & temperature forecasts; NWS **METARs** exclude trend fcsts
- Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility  $\geq 10$  km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

UNITED STATES DEPARTMENT OF COMMERCE

NOAA/PA 96052

National Oceanic and Atmospheric Administration—National Weather Service



# FAA AND NWS

## KEY AIR TRAFFIC FACILITIES

### Air Traffic Control System Command Center

Main Number.....703-904-4400

#### RGNL AIR TRAFFIC DIVISIONS

REGION	TELEPHONE
Alaskan	907-271-5464
Central	816-329-2500
Eastern	718-553-4502
Great Lakes	847-294-7202
New England	781-238-7500
Northwest Mountain	425-227-2500
Southern	404-305-5500
Southwest	817-222-5500
Western Pacific	310-725-6500

#### AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m.-4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m.-4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m.-5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m.-4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m.-4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	817-858-7300
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m.-4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m.-4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m.-4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m.-4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m.-4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m.-3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m.-4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m.-4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m.-3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m.-4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m.-4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m.-4:30 p.m.	703-771-3401

#### MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m.-4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m.-3:30 p.m.	916-366-4001
Southern CA	310-725-3300	7:30 a.m.-4:00 p.m.	858-537-5800

\*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.



# **KEY AIR TRAFFIC FACILITIES** **DAILY NAS REPORTABLE AIRPORTS**

<b>AIRPORT NAME</b>	<b>*24 HR RGNL DUTY OFFICE TELEPHONE #</b>	<b>BUSINESS HOURS</b>	<b>BUSINESS TELEPHONE #</b>
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m.-5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m.-4:30 p.m.	301-735-2380
Baltimore/Washington Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m.-4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781-238-7001	7:30 a.m.-4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m.-4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310-725-3300	7:00 a.m.-5:30 p.m.	818-567-4806
Charlotte Douglas Intl, NC	404-305-5180	8:00 a.m.-4:30 p.m.	704-344-6487
Chicago Midway, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-884-3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m.-4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m.-4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817-222-5006	8:30 a.m.-5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847-294-8400	7:30 a.m.-4:00 p.m.	937-454-7300
Denver Intl, CO	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m.-4:00 p.m.	734-955-5000
Fairbanks Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL	404-305-5180	7:00 a.m.-3:30 p.m.	305-356-7932
George Bush Intercontinental/Houston, TX	817-222-5006	7:30 a.m.-4:00 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Honolulu Intl, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-840-6100
Houston Hobby, TX	817-222-5006	8:00 a.m.-5:00 p.m.	713-847-1400
Indianapolis Intl, IN	847-294-8400	8:00 a.m.-4:00 p.m.	317-484-6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.-4:00 p.m.	816-329-2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.-4:00 p.m.	702-262-5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m.-3:30 p.m.	310-342-4900
Louis Armstrong New Orleans Intl, LA	817-222-5006	7:00 a.m.-4:30 p.m.	504-471-4300
Memphis Intl, TN	404-305-5180	7:30 a.m.-4:00 p.m.	901-322-3350
Miami Intl, FL	404-305-5180	7:00 a.m.-4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m.-4:00p.m.	612-713-4000
Nashville Intl, TN	404-305-5180	7:00 a.m.-3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-656-0335
New York La Guardia, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-335-5461
Newark Liberty Intl, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	973-645-3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m.-5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m.-4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m.-4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m.-4:30 p.m.	919-840-5544
Ronald Reagan Washington National, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-413-1535
Salt Lake City, UT	425-227-1389	7:30 a.m.-4:00 p.m.	801-325-9600
San Antonio Intl, TX	817-222-5006	8:00 a.m.-4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA	310-725-3300	8:00 a.m.-4:30 p.m.	619-299-0677
San Francisco Intl, CA	310-643-3200	7:00 a.m.-3:30 p.m.	650-876-2883
San Juan Intl, PR	404-305-5180	7:30 a.m.-5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m.-4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m.-4:00 p.m.	314-890-1000
Tampa Intl, FL	404-305-5180	7:30 a.m.-4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m.-4:30 p.m.	407-683-1867
Westchester Co, NY	718-995-5426	8:00 a.m.-4:30 p.m.	914-948-6520

\*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.



Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel spacing) is required.

---

**® ATLANTA CENTER**
**H-6-9-10-12, L-18-22-24-25-26-36, A-1**  
**(KZTL)**

Albemarle - 133.15  
 Anniston - 134.95  
 Athens - **127.5** 127.5 124.45 **120.425**  
 Atlanta A - 135.0  
 Augusta - 128.1  
 Birmingham - 134.05 **128.725**  
 Black Jack Mountain - 127.05  
 Chattanooga - **133.175** 132.05 **126.675** **124.875**  
 Columbus - **125.575** 120.45  
 Crossville - 133.6 **132.675** **125.925**  
 Foothills - **124.375**  
 Gadsden - 133.8  
 Glade Springs - 127.85  
 Greensboro - 128.8 **124.425**  
 Hampton - 128.0 **127.125** **126.475** **124.325**  
 Hickory - 134.55 **132.975** 125.15  
 Huntsville - **126.825**  
 Jonesville - **125.025** 119.575  
 Macon - 134.5 **126.425** 123.95 **119.575**  
 Millen - 135.55  
 Monroeville - 118.55  
 Montgomery - **134.6** **128.025** **125.875** 120.55  
 Mount Oglethorpe - 134.8 133.1 121.35  
 Newport - **134.075** 127.55  
 Owing - 135.35 **125.625** **123.725**  
 Statham - **132.475** 132.475  
 Sugarloaf Mountain - 132.625  
 Tri City - **126.775** **120.725**  
 Uniontown - 133.25 132.25

---

**® HOUSTON CENTER - 134.35**
**H-6-7-8-9, L-17-18-19-20-21-22**  
**(KZHU)**

Arr-Dep US - 135.77 134.95 **133.75** 133.4 **132.65** 132.4 128.3 **127.8** 125.75 120.35  
 Mobile - 127.65 **125.775**

---

**® INDIANAPOLIS CENTER - 133.425 132.775 128.375 125.55**
**H-5-9-10-12, L-16-25-26-27-29**  
**(KZID)**

124.525 119.55  
 Evansville - **132.525** 128.3  
 Livingston - **134.675** **126.925**  
 London 2 - 126.57 124.625 121.325  
 Lynch - 126.575  
 New Hope - 124.625 121.175  
 Portsmouth - 124.225 **120.275**  
 Tri City - **124.575**  
 Winchester - **128.22** 126.375 **123.775**

---

**® JACKSONVILLE CENTER**
**H-6-7-8-9-12, L-18-21-22-24-25-35-36, A-1**  
**(KZJX)**

Arr-Dep US-South Atlantic Control N of 31°30' — 135.05 S of 31°30'N 134.85  
 Albany - 134.45 125.75  
 Alma - **135.975** **133.3** 132.3  
 Charleston - **135.05** **133.625** **132.475** 127.95 **124.075**  
 Columbia - **127.875** 124.7  
 Crestview - 134.15 **124.475** 120.2  
 Daytona Beach - 134.0  
 Dothan - 134.3  
 Eglin - 132.1  
 Florence - 134.35 133.45  
 Gainesville - **135.65** 134.4 124.75  
 Glynnco - 126.75  
 Jacksonville - **134.85** 126.35  
 Lake City - 125.375  
 Lowell - 135.75 133.325 **125.175**  
 Millen - 132.5  
 Myrtle Beach - **135.05** 128.7

CONTINUED ON NEXT PAGE



## CONTINUED FROM PRECEDING PAGE

Panama City – 119.1  
 Perry Foley – 127.8  
 St. Augustine – 134.575 132.825 127.475 126.35  
 Savannah – 132.425 126.125 120.85  
 Tallahassee – 135.325 128.625 128.075 125.05  
 Valdosta – 133.7 125.95

---

® MEMPHIS CENTER — 127.975 124.025

H-5-6-9, L-15-16-17-18-22-25-26  
 (KZME)

Columbus – 134.775 133.125 127.1  
 Graham – 125.85 124.275  
 Huntsville – 120.8  
 McKellar – 134.65 127.975 126.45 124.35  
 Memphis – 135.225 118.625  
 Nashville – 133.85 124.125 118.875  
 Nashville/Joelton 132.1  
 Paducah – 133.65  
 Shelbyville – 126.75  
 South Fulton – 128.05  
 Tupelo – 135.9 135.9 134.4

---

® MIAMI CENTER

H-8, L-21-22-23-24, A-1  
 (KZMA)

Avon Park – 134.55 127.2 126.525  
 Fort Myers – 134.75 133.275  
 Grand Bahama Island – 134.2  
 Grand Turk – 135.2 132.3  
 Key West – 133.5 132.2 132.2 124.7 124.7  
 Melbourne – 135.075 128.65 124.1 119.825  
 Miami – 132.95 133.85 133.2 133.95 132.4 127.7 126.325 124.7 124.7  
 Nassau – 134.8 125.7  
 Pahokee – 133.55 132.45  
 Sarasota – 133.9 132.35 128.225  
 Vero Beach – 135.7 132.25 125.075  
 West Palm Beach – 135.175 133.4 132.15

CENTER REMARKS: All northbound IFR flights entering Miami in vicinity of Grand Turk and Great Inagua must contact Miami Center on 132.3/307.2 at least 10 minutes prior to the Miami Center boundary for an air traffic clearance. Alternate communications are avbl thru ARINC or Miami Radio. This is due to heavy air traffic congestion in this area.

---

® SAN JUAN CENTER

H-2-3, L-5-6  
 (ZSU) (MJJS)

Borinquen – 135.7 135.7 124.35  
 El Yunque – 134.3 134.3 128.65 128.6 125.0 125.0 118.75 118.75 118.15 118.15  
 Pico Del Este – 134.3 134.3 128.65 128.65 125.0 125.0 118.15 118.15

CENTER REMARKS: All acft on an IFR flight plan in the San Juan CTA and within 200 NM of San Juan are requested to ctc San Juan Center on the following frequencies: Amber 300 clockwise thru Amber 523—134.3; East of Amber 523 clockwise to North of Blue 520—125.0; Blue 520 clockwise thru Amber 636—118.15; Red 763 clockwise thru Green 431—135.7. San Juan Cerap provides IFR clearances for St Croix Christiansted on freq 121.7 when St Croix twr closed. San Juan Cerap provides IFR clearances for St Thomas Charlotte Amalie-Harry S Truman on freq 121.9 when twr closed. San Juan Cerap provides IFR clearances for Ponce-Mercedita on freq 121.9. San Juan Cerap provides IFR clearances for Mayaguez-Eugenio Maria De Hostos on freq 121.7.

---

® WASHINGTON CENTER

H-9-10-12, L-24-25-26-29-34-35-36  
 (KZDC)

Arr-Dep US – 135.5 133.82 133.12 132.55 128.52 127.7 127.42 124.02 123.85 118.82  
 Green Bay – 133.725 127.75  
 Johnsonville – 135.2 118.925  
 Manteo – 124.725  
 New Bern – 135.5 118.825  
 Rocky Mount – 118.475 132.225  
 Sampson – 135.3  
 Whaleyville – 133.825 128.525 127.425 123.85  
 Wilmington – 124.025

---



VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAIDS are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

---

### ANDERSON AFSS

AIKEN RCO 122.45  
 ALLENDALE VOR 116.7T 122.1R  
 ANDERSON RCO 122.2 123.6  
 CHARLESTON VORTAC 113.5T 122.1R 122.2 122.5  
 CHESTERFIELD VOR/DME 108.2T 122.05R  
 COLLIER'S VORTAC 113.9T 122.1R  
 COLUMBIA VORTAC 114.7T 122.1R 122.65  
 FLORENCE VORTAC 115.2T 122.1R 122.6  
 FOOTHILLS VORTAC 113.4T 122.1R  
 FORT MILL VORTAC 112.4T 122.1R  
 GRAND STRAND VORTAC 117.6T 122.1R 123.6  
 GREENWOOD VORTAC 115.5T 122.1R 122.625  
 GREER RCO 122.2 122.65  
 HILTON HEAD ISLAND RCO 122.55  
 SPARTANBURG VORTAC 115.7T 122.1R  
 VANCE VORTAC 110.4T 122.1R

---

### ANNISTON AFSS

ANNISTON RCO 122.2 123.6  
 BIRMINGHAM RCO 122.2 123.65  
 BROOKLEY VORTAC 112.8T 122.1R  
 CRIMSON VORTAC 117.8T 122.1R  
 DECATUR RCO 122.6  
 DOTHAN RCO 122.2 122.5  
 EUFAULA VORTAC 109.2T 122.1R  
 GADSDEN VOR/DME 112.3T 122.1R  
 HAMILTON RCO 122.3  
 HUNTSVILLE RCO 122.2  
 MOBILE RCO 122.2 123.65  
 MONROEVILLE VORTAC 116.8T 122.1R  
 MONTGOMERY VORTAC 112.1T 122.1R 122.2 122.55  
 MUSCLE SHOALS RCO 122.2 122.4  
 SELMA RCO 122.4  
 TALLADEGA VOR/DME 108.8T 122.05R  
 TUSCALOOSA RCO 122.2  
 TUSKEGEE VOR/DME 117.3T 122.1R  
 VULCAN VORTAC 114.4T 122.1R  
 WIREGRASS VORTAC 111.6T 122.1R

---

### GAINESVILLE AFSS 122.1R 122.2 122.5 123.65

CRAIG VORTAC 114.5T 122.1R 122.2 122.45  
 CRESTVIEW RCO 122.0 122.2 122.45  
 CROSS CITY VORTAC 112.0T 122.1R  
 GATORS VORTAC 116.2T 122.1R  
 GREENVILLE VORTAC 109.0T 122.1R  
 LAKE CITY RCO 122.6  
 MARIANNA VORTAC 114.0T 122.1R  
 OCALA VORTAC 113.7T 122.1R  
 PALATKA RCO 122.25  
 PANAMA CITY VORTAC 114.3T 122.1R  
 PENSACOLA RCO 122.2 122.6  
 PERRY RCO 122.45  
 ST AUGUSTINE RCO 122.3  
 SAUFLEY VOR 108.8T 122.1R  
 SEMINOLE VORTAC 117.5T 122.1R 122.2 122.4  
 TAYLOR VORTAC 112.9T 122.1R

---



---

**JACKSON AFSS**

CLARKSVILLE VOR/DME 110.6T 122.1R  
DYERSBURG RCO 122.2 122.45  
GRAHAM VORTAC 111.6T 122.1R 122.25  
JACKS CREEK VOR/DME 109.4T 122.1R  
JACKSON RCO 122.2 **122.65** 127.15  
MEMPHIS VORTAC 117.5T 122.1R 122.2 123.65

---

**LOUISVILLE AFSS**

BOWLING GREEN RCO 122.2 122.4  
CENTRAL CITY VORTAC 109.8T 122.1R  
CINCINNATI VORTAC 117.3T 122.1R  
FALMOUTH VOR/DME 117.0T 122.1R  
FRANKFORT VOR 109.4T 122.1R  
HAZARD VOR/DME 111.2T 122.1R  
LEXINGTON VORTAC 112.6T 122.1R  
LONDON VORTAC 116.1T 122.1R 122.2 122.65  
LOUISVILLE RCO 122.1R 122.2 **122.45**  
MADISON RCO 122.3  
NEW HOPE VOR/DME 110.8T 122.1R  
NEWCOMBE VORTAC 110.4T 122.1R  
OWENSBORO VOR/DME 108.6T 122.1R  
PADUCAH RCO 122.2 122.5  
PIKEVILLE RCO 122.05  
SOMERSET RCO 122.55  
YORK VORTAC 112.8T 122.1R

---



**MACON AFSS**

ALBANY RCO 122.6  
 ALMA VORTAC 115.1T 122.1R 123.6  
 ATHENS VORTAC 109.6T 122.1R  
 ATLANTA VORTAC 116.9T 122.1R 122.2 122.6  
 BRUNSWICK VORTAC 109.8T 122.1R 122.2  
 CHOO CHOO VORTAC 115.8T 122.1R  
 COLUMBUS VORTAC 117.1T 122.1R 122.65  
 DANIEL RCO 122.3  
 DUBLIN VORTAC 113.1T 122.1R 122.6  
 GAINESVILLE RCO 122.55  
 HARRIS RCO 122.35  
 LAGRANGE VORTAC 115.6T 122.1R  
 MACON RCO 122.0 122.1R 122.2 122.4  
 MOULTRIE VOR/DME 108.8T 122.1R  
 PEACHTREE VOR/DME 116.6T 122.1R  
 ROME RCO 122.3  
 SAVANNAH VORTAC 115.95T 122.1R 123.65  
 STATESBORO RCO 122.6  
 THOMASVILLE RCO 122.55  
 TIFT MYERS RCO 122.35  
 VALDOSTA VOR/DME 114.8T 122.1R 122.2  
 VIENNA VORTAC 116.5T 122.1R  
 WAYCROSS VORTAC 110.2T 122.1R

**MIAMI AFSS** 122.2 122.3 **122.55** 123.65

**MIAMI IFSS** 127.9 126.9 126.7

DADE COLLIER RCO 122.3  
 DAVIE RCO 126.7  
 DOLPHIN VORTAC 113.9T 122.1R  
 FORT MYERS RCO 122.1R 122.2 **122.65**  
 FORT PIERCE RCO 122.55  
 KEY WEST VORTAC 113.5T 122.1R 122.2 **123.65**  
 LA BELLE VORTAC 110.4T 122.1R  
 MARATHON RCO 122.6  
 NAPLES RCO 123.6  
 PAHOKEE VORTAC 115.4T 122.1R 122.35  
 PALM BEACH VORTAC 115.7T 122.1R 122.4  
 VIRGINIA KEY VOR/DME 117.1T 122.1R



---

**NASHVILLE AFSS**

BRISTOL RCO 122.2  
CHATTANOOGA RCO 122.2 123.65  
CROSSVILLE RCO 122.2 122.5  
HINCH MOUNTAIN VORTAC 117.6T 122.1R  
HOLSTON MOUNTAIN VORTAC 114.6T 122.1R  
LIVINGSTON VORTAC 108.4T 122.1R  
MCGHEE TYSON RCO 122.2 122.3  
NASHVILLE RCO 122.1R 122.2 122.55  
SHELBYVILLE VOR/DME 109.0T 122.1R  
VOLUNTEER VORTAC 116.4T 122.1R

---

**RALEIGH AFSS**

BARRETTS MOUNTAIN VOR/DME 110.8T 122.1R  
CHARLOTTE RCO 122.4  
COFIELD VORTAC 114.6T 122.1R  
ELIZABETH CITY VOR/DME 112.5T 122.05R 122.2  
FAYETTEVILLE VOR/DME 108.8T 122.1R  
GREENSBORO VORTAC 116.2T 122.1R 122.2 123.65  
HATTERAS RCO 122.3  
HICKORY RCO 122.2 122.6  
KINSTON VORTAC 109.6T 122.15R  
LIBERTY VORTAC 113.0T 122.1R  
NEW BERN VOR/DME 113.6T 122.1R 122.2 122.4  
PITT-GREENVILLE RCO 122.35  
RALEIGH RCO 122.2 122.45 122.65  
ROCKY MOUNT RCO 122.2 122.3  
SANDHILLS VORTAC 111.8T 122.1R  
SNOWBIRD VORTAC 108.8T 122.1R  
SUGARLOAF MOUNTAIN VORTAC 112.2T 122.1R 122.2 122.3  
TAR RIVER VORTAC 117.8T 122.1R  
WILKESBORO RCO 122.4  
WILMINGTON VORTAC 117.0T 122.1R 122.55

---

**SAINT PETERSBURG AFSS**

BROOKSVILLE RCO 122.3  
FORT DRUM RCO 122.2  
LAKELAND VORTAC 116.0T 122.1R  
MELBOURNE VOR/DME 110.0T 122.1R 122.6  
ORLANDO VORTAC 112.2T 122.1R 122.2 **122.65** 123.65  
ORMOND BEACH VORTAC 112.6T 122.1R 122.4  
PUNTA GORDA RCO 122.025  
ST PETERSBURG VORTAC 116.4T 122.1R 122.2 122.45 123.6  
SARASOTA VORTAC 115.2T 122.1R  
SEBRING RCO 122.25  
TITUSVILLE RCO 123.6  
VERO BEACH VORTAC 117.3T 122.1R 122.2 122.5

---

**SAN JUAN AIFSS**

BORINQUEN VORTAC 113.5T 122.1R  
MAYAGUEZ VOR/DME 110.6T 122.1R  
PONCE VOR/DME 109.0T 122.1R  
ST CROIX VOR/DME 108.2T 122.1R  
ST THOMAS VOR/DME 108.6T 123.6R  
SAN JUAN RCO 126.7 123.65 122.2

---



**FLIGHT STANDARDS DISTRICT OFFICES (FSDO)**

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office—Federal Aviation Administration.

**ALABAMA**

Liberty Park Building 1500, Suite 250  
1500 Urban Center Drive  
Vestavia Hills, AL 35242  
Telephone: 205-731-1557

**FLORIDA**

Ft. Lauderdale Jet Center  
1050 Lee Wagener Blvd.  
Ft. Lauderdale, FL 33315  
Telephone: 954-635-1300

5950 Hazeltine  
National Drive Suite 500  
Orlando, FL 32822-5023  
Telephone: 407-812-7700  
Fax: 407-812-7710

8600 NW 36th Street  
Miami, FL 33166  
Telephone: 305-716-3400

5601 Mariner St, Suite 310  
Tampa, FL 33609  
Telephone: 813-287-4900  
Fax: 813-639-1551

**GEORGIA**

Campus Building  
1701 Columbia Ave. Suite 2-110  
College Park, GA 30337-2748  
Telephone: 404-305-7200  
Fax: 404-305-7215

**KENTUCKY**

1930 Bishop Lane  
Waterson Towers, 11th Floor  
Louisville, KY 40218  
Telephone: 502-753-4200

**NORTH CAROLINA**

6433 Bryan Blvd.  
Greensboro, NC 27409  
Telephone: 336-662-1000

3800 Arco Corporate Drive, Suite 233  
Charlotte, NC 28273  
Telephone: 704-319-7020

**PUERTO RICO**

525 F.D. Roosevelt Ave.  
La Torre de Plaza, Suite 901  
San Juan, PR 00918  
Telephone: 787-764-2538

**SOUTH CAROLINA**

125-B Summer Lake Drive  
West Columbia, SC 29170  
Telephone: 803-765-5931

**TENNESSEE**

2 International Plaza Drive, Suite 700  
Nashville, TN 37217  
Telephone: 615-324-1300

2842 Business Park Drive, Bldg G  
Memphis, TN 38118  
Telephone: 901-322-8600



# PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
5. Where more than one route is listed the routes have equal priority for use.
6. Official location identifiers are used in the route description for VOR/VORTAC nav aids.
7. Intersection names are spelled out.
8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
9. Where two nav aids, an intersection and a nav aid, a nav aid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
11. (90–170 incl) altitude flight level assignment in hundred of feet.
12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.  
Sun..... 1300–2259 local time.  
Mon thru Fri ..... 0701–2259 local time.  
Sat ..... 0701–1459 local time.
14. Use current SIDs and STARs for flight planning.
15. For high altitude routes, the portion of the routes contained in brackets is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

## LOW ALTITUDE

Terminals	Route	Effective Times (UTC)
<b>ATLANTA METRO AREA</b>		
Chicago Midway (MDW) .....	(60–170 incl) V97 NELLO V311 HCH V51 CGT .....	1200–0300
Chicago O'Hare (ORD).....	(60–170 incl) V97 NELLO V311 HCH V51 CGT V7 BEBEE .....	1200–0300
Cincinnati (CVG).....	(80–170 incl) V97 VVX V115 AZQ V339 FLM .....	1200–0300
<b>CINCINNATI METRO AREA (CVG, LUK)</b>		
Detroit/Wayne (DTW).....	DQN MIZAR–STAR .....	1100–0300
Detroit Satellites:		
Ann Arbor (ARB) .....	DQN CRUXX–STAR .....	1100–0300
Pontiac (PTK), Willow Run (YIP) .....	DQN CRUXX–STAR .....	
Windsor (CYQG), Young (DET).....	V275 KLINE VVW VVW064 LYNTN.....	



Terminals	Route	Effective Times (UTC)
From COVINGTON (CVG) only		
Atlanta (ATL) .....	V97 VVW V267 HRS V463 WOMAC .....	1100-0300
Chicago Midway (MDW) .....	V128 VHP BVT V97 CGT .....	1100-0300
Chicago O'Hare (ORD) .....	V128 VHP BVT V97 CGT V7 BEBEE .....	1100-0300
Indianapolis (IND) .....	V128 VHP .....	1100-0300
Knoxville (TYS) .....	HYK V97 .....	
Louisville (SDF) .....	CVG206 IIU055 IIU .....	1100-0300
Pittsburgh (PIT) .....	(60-170 incl) V128 YRK V44 JPU V117 WISKE WISKE-STAR .....	1100-0300
<b>DAYTONA BEACH</b>		
Miami (MIA) .....	(110 and below) V3 MLB V437 PHK V267 BRIKL ..	1300-0300
<b>FT LAUDERDALE METRO AREA (FLL, FXE, PMP)</b>		
Cross City (CTY) .....	(at or below 50) DHP V97 LBV V157 LAL V7 ..... or (60-170) V511 LAL V7 .....	1030-0300 1030-0300
Daytona Beach (DAB) .....	(at or below 100) PBI V3 SMYRA .....	1030-0300
	or (110-170) V159 TBIRD MLB V3 .....	1030-0300
Ft. Myers (FMY)(RSW) .....	(at or below 50) DHP V521 .....	1030-0300
Ft. Pierce (FPR) .....	(at or below 100) V3 .....	1030-0300
	or (110-170) V159 TBIRD .....	1030-0300
Gainesville (GNV) .....	(at or below 50) DHP V97 LBV V157 .....	1030-0300
	or (60-170) V511 LAL V157 .....	1030-0300
Jacksonville (JAX) .....	(at or below 90) PBI V3 OMN V51 CRG .....	1030-0300
	or (130-170) ORL V267 CRG .....	1030-0300
	or V159 VRB V3 OMN V51 CRG .....	
Lakeland (LAL) .....	(at or below 50) DHP V97 LBV110 V157 .....	1030-0300
	or (60-170) V511 .....	1030-0300
Melbourne (MLB) .....	(at or below 100) V3 .....	1030-0300
	or (110-170) FLL V159 TBIRD .....	1030-0300
Ocala (OCF) .....	(at or below 50) DHP V97 LBV V157 .....	1030-0300
	or (60-170) V511 LAL V157 .....	1030-0300
Orlando (MCO) .....	(at or below 100) PBI V531 ORL .....	1030-0300
	or (110-170) V159 TBIRD V531 ORL .....	1030-0300
Sarasota/Bradenton (SRQ) .....	(60-170) LBV V97 ROGAN .....	1030-0300
	or (60-170) SRQ .....	1030-3000
	or (at or below 50) DHP V97 ROGAN .....	1030-0300
	or (60-170) ROGAN .....	1030-0300
Tallahassee (TLH) .....	(at or below 50) DHP V97 LBV V157 LAL V7 SZW ..	1030-0300
	or (60-170) V511 LAL V7 SZW .....	1030-0300
Tampa (TPA) .....	(60-170) LBV BRDGE-STAR .....	1030-0300
	or (60-170) BRDGE BRDGE-STAR .....	1030-0300
	or (at or below 50) DHP V97 PIE .....	1030-0300
	or (60-170, GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR .....	1030-0300
	or (60-170, GPS or DME/DME-IRU equipped) LBV DEAKK (RNAV)-STAR .....	1030-0300
Vero Beach (VRB) .....	(at or below 100) V3 .....	1030-0300



Terminals	Route	Effective Times (UTC)
	or (110–170) V159 TBIRD .....	1030–0300
<b>FORT MYERS METRO AREA (RSW, FMY, APF, MKY, PGD)</b>		
Daytona Beach (DAB) .....	ORL .....	1030–0300
Ft. Lauderdale (FLL) .....	(RSW/FMY/PGD–prop/turbo) RSW V599 .....	1030–0300
	or (RSW/FMY/PGD–turbo/jets) FORTL JINGL (RNAV)–STAR .....	1030–0300
	or (APF/MKY prop/turbo) DRCT .....	1030–0300
	or FORTL JINGL (RNAV)– STAR .....	1030–0300
Ft. Pierce (FPR) .....	V225 .....	1030–0300
Gainesville (GNV) .....	V7 LAL V157 .....	1030–0300
Jacksonville (JAX) .....	ORL V267 CRG .....	1030–0300
Lakeland (LAL) .....	V7 LAL .....	1030–0300
Melbourne (MLB) .....	V225 VRB .....	1030–0300
Miami (MIA) .....	V35 CURVE .....	1030–0300
	or (all others) CYY CYY–STAR .....	1030–0300
	or (Turbojets–GPS or DME/DME–IRU equipped) CYY SSCOT (RNAV)–STAR .....	
Orlando (MCO) .....	(Jets) LAL ORL .....	1030–0300
	or (Turbo/Props) ORL .....	1030–0300
	or (Jets) LAL MINEE–STAR .....	1030–0300
	or (Jets) DOWNN MINEE–STAR .....	1030–0300
	or (Turbo/Props) DOWNN MINEE–STAR .....	1030–0300
Ocala (OCF) .....	V7 LAL V157 .....	1030–0300
Tallahassee (TLH) .....	V7 SZW .....	1030–0300
Tampa (TPA) .....	(at or below 100) V35 PIE .....	1030–0300
	or (110–170) RSW BRDGE–STAR .....	1030–0300
	or (GPS or DME/DME–IRU equipped) DEAKK (RNAV)–STAR .....	1030–0300
Vero Beach (VRB) .....	V225 .....	1030–0300
<b>GAINESVILLE (GNV)</b>		
Ft. Lauderdale (FLL) .....	(100 and below) V157 NEWER .....	0000–2359
Ft. Myers (FMY) .....	(100 and below) V157 LAL V521 .....	0000–2359
Miami (MIA) .....	(100 and below) V157 LBV V529 V35 CURVE .....	0000–2359
Orlando (ORL) .....	(100 and below) V157 OCF V159 .....	1100–0400
Sarasota/Bradenton (SRQ) .....	(100 and below) V157 LAL .....	0000–2359
Tampa (TPA) .....	(100 and below) V157 OCF V581 DADES .....	0000–2359
<b>JACKSONVILLE METRO AREA (JAX)</b>		
Miami (MIA) .....	(100 and below) V3 MLB V437 PHK V267 BRIKL .....	1300–0300
Tampa (TPA) .....	(100 and below) OCF V581 DADES .....	0000–2359
	or (100 and below, GPS or DME/DME–IRU equipped) OCF V581 DADES (RNAV)–STAR .....	0000–2359
<b>KEY WEST METRO AREA (NQX)</b>		
Daytona Beach (DAB) .....	RSW ORL .....	1030–0300
Ft Myers (RSW) .....	EYW V539 GOODY .....	1030–0300
Fort Lauderdale (FLL) .....	(props) EYW V157 DHP .....	
	or (jets–all others) EYW DVALL–STAR .....	1030–0300
	or (jets–/E./G./R./J./L./Q) EYW CORSO (RNAV)–STAR .....	1030–0300



Terminals	Route	Effective Times (UTC)
Melbourne (MLB) .....	EYW PHK.....	1030-0300
Miami (MIA) .....	(props) EYW V157 .....	
	or	
	(Jets-all others) EYW DVALL-STAR.....	1030-0300
	or	
	(Jets-/E,/G,/R,/J,/L,/Q) EYW CURSO	
	(RNAV)-STAR.....	1030-0300
Orlando (MCO) .....	(props) EYW V225 RSW MINEE-STAR .....	
	or	
	(Jets) EYW V225 RSW LAL MINEE-STAR.....	1030-0300
Palm Beach (PBI) .....	EYW PHK.....	1030-0300
Sarasota/Bradenton (SRQ).....	(at or below 100) EYW V225 RSW V35 MURDO ....	1030-0300
	or	
	(110-170) EYW V225 RSW V7 ROGAN.....	
Tallahassee (TLH) .....	EYW V225 RSW V7 SZW .....	1030-0300
Tampa (TPA) .....	(at or below 100) EYW V225 RSW V35 PIE .....	
	or	
	(110-170) EYW V225 RSW V7 ROGAN	
	BRDGE-STAR.....	1030-0300
	or	
	(110-170, GPS or DME/DME-IRU equipped) EYW V225	
	RSW V7 ROGAN DEAKK (RNAV)-STAR .....	1030-0300
Vero Beach (VRB) .....	EYW PHK V51 .....	1030-0300
<b>LAKELAND METRO AREA (LAL, GIF, BOW, BKV, X16)</b>		
Ft. Lauderdale (FLL) .....	(Jets only-all others) V7 RSW FORTL-STAR .....	1030-0300
Ft. Myers (FMY).....	V521 .....	1030-0300
Ft. Pierce (FPR) .....	(at or below 140) V441 DEARY V159 .....	1030-0300
	or	
	(150-170) VRB.....	1030-0300
Key West (EYW) .....	V7 RSW V225.....	1030-0300
Miami (MIA).....	(100 and below) V157 LBV V529 V35 CURVE .....	
	or	
	(all others) CYY CYY-STAR .....	1030-0300
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) CYY SSCOT (RNAV)-STAR .....	
Opa Locka (OPF) .....	(props/turbo) V511 NEWER .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR .....	
Vero Beach (VRB).....	(at or below 140) V441 DEARY V159 .....	1030-0300
	or	
	(150-170) VRB.....	1030-0300
West Palm Beach (PBI) .....	PHK.....	1030-0300
<b>LEXINGTON (LEX)</b>		
Atlanta (ATL) .....	HYK V53 AZQ SOT WHINZ-STAR.....	
<b>LOUISVILLE</b>		
Kansas City (MCK) .....	V4 PXV V190 SGF TYGER-STAR .....	0000-2359
Wichita (ICT) .....	V4 PXV V190 SGF V132 CNU V350 .....	0000-2359
<b>MEMPHIS</b>		
Chicago Midway (MDW) .....	SPI MOTIF-STAR .....	0000-2359
Chicago O'Hare (ORD).....	MAW V313 PNT V227 PLANO.....	1100-0300
	or	
	PNT V227 PLANO .....	0000-2359
<b>MIAMI METRO AREA (MIA, HWO, OPF, TMB, HST, X51)</b>		
Cross City (CTY).....	V97 LBV V157 LAL V7 .....	1030-0300
	or	
	LAL .....	1030-0300



Terminals	Route	Effective Times (UTC)
Daytona Beach (DAB) .....	(at or below 100) PBI V3 SMYRA .....	1030-0300
	or	
	(110-170) V437 MLB V3 .....	1030-0300
Ft Pierce (FPR) .....	(at or below 100) PBI V3 .....	1030-0300
	or	
	(110-170) V267 PHK V51 VRB .....	1030-0300
	or	
	FPR .....	
Gainesville (GNV) .....	V97 LBV V157 .....	1030-0300
	or	
	LAL .....	1030-0300
Jacksonville (JAX) .....	(at or below 90) PBI V3 OMN V51 CRG .....	1030-0300
	or	
	(at 110) PHK V437 MLB V3 OMN V51 CRG .....	1030-0300
	or	
	(130-170) V267 CRG .....	1030-0300
Lakeland (LAL) .....	V97 LBV V157 LAL .....	1030-0300
	or	
	LAL .....	1030-0300
Melbourne (MLB) .....	(at or below 100) V3 .....	1030-0300
	or	
	(120-170) PBI V531 TBIRD .....	1030-0300
New Orleans (MSY) .....	(below FL180) LBV SRQ AM .....	1100-0300
Ocala (OCF) .....	DHP V97 LBV V157 .....	1030-0300
	or	
	LAL .....	1030-0300
Orlando (MCO) .....	(at or below 100) PBI V531 ORL .....	
	or	
	(110-170) V267 PHK GOOFY-STAR .....	1030-0300
Overwater Routes to the Northeast .....	PERMT ILM or PERMT DIW .....	
Sarasota/Bradenton (SRQ) .....	V97 ROGAN .....	1030-0300
Tallahassee (TLH) .....	DHP V97 LBV V157 LAL V7 SZW .....	1030-0300
Tampa (TPA) .....	V97 LBV BRDGE-STAR .....	1030-0300
	or	
	(GPS or DME/DME-IRU equipped) V97 LBV	
	DEAKK .....	1030-0300
Vero Beach (VRB) .....	(at or below 100) PBI V3 .....	1030-0300
	or	
	(110-170) V267 PHK V51 .....	1030-0300
	or	
	(110-170) VRB .....	1030-0300
<b>NASHVILLE</b>		
Tallahassee (TLH) .....	RQZ TDG TGE RRS .....	1100-2300
<b>ORLANDO METRO AREA (MCO, ORL, ISM, LEE, SFB)</b>		
Ft Lauderdale (FLL) .....	(at or below 100) PHK V267 BRIKL .....	1030-0300
	or	
	(110-170) PHK V267 BRIKL .....	1030-0300
Ft Pierce (FPR) .....	V159 VRB .....	1030-0300
Key West (EYW) .....	RSW V225 .....	1030-0300
Miami (MIA) .....	(at or below 100) PHK V267 BRIKL .....	1030-0300
West Palm Beach (PBI) .....	(props/turbo props) V159 VRB V295 ST00P	
	V492 .....	1030-0300
	or	
	(Jets only) PHK .....	1030-0300
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	DEARY VRB FRWAY (RNAV)-STAR .....	
<b>PALM BEACH METRO AREA (PBI, BCT, LNA, UTX, SUA)</b>		
Cross City (CTY) .....	(at or below 140) V531 BAIRN OCF V159 .....	
	or	
	(150-170) LAL V7 .....	1030-0300



Terminals	Route	Effective Times (UTC)
Daytona Beach (DAB) .....	V3 SMYRA .....	1030-0300
	or	
	V531 TBIRD MLB V3 SMYRA .....	1030-0300
Ft. Myers (RSW) .....	RSW .....	1030-0300
Jacksonville (JAX) .....	(at or below 110) V3 VRB V51 CRG .....	
	or	
	(130-170) ORL V267 CRG .....	1030-0300
Lakeland (LAL) .....	LBV V157 .....	1030-0300
	or	
	(SUA Dep) LAL .....	
Melbourne (MLB) .....	(at or below 100) V3 .....	
	or	
	(120-170) PBI V531 TBIRD .....	1030-0300
Ocala (OCF) .....	(at or below 140) V531 BAIRN OCF .....	
	or	
	(150-170) LAL OCF .....	
Orlando (ORL/MCO) .....	V531 BAIRN GOOFY-STAR .....	1030-0300
Overwater Routes to the Northeast .....	A699 STIFF AR7 .....	
Sarasota/Bradenton (SRQ) .....	LBV V97 ROGAN .....	
	or	
	(SUA Dep) SRQ .....	
Tallahassee (TLH) .....	(at or below 140) V531 BAIRN OCF V159 CTY V7 SZW .....	
	or	
	(150-170) LAL V7 SZW .....	1030-0300
Tampa (TPA) .....	LBV BRDGE-STAR .....	
	or	
	BRDGE BRDGE-STAR .....	1030-0300
	or	
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) LBV DEAKK (RNAV)-STAR .....	1000-0300
Vero Beach (VRB) .....	(at or below 100) PBI V3 .....	
	or	
	(110-170) V531 TBIRD .....	1030-0300
From STUART (SUA) only:		
Cross City (CTY) .....	(at or below 120) BAIRN OCF V159 .....	
	or	
	(130-170) LAL V7 .....	1030-0300
Lakeland (LAL) .....	TBIRD V531 ODDEL V441 LAL .....	1030-0300
Ocala (OCF) .....	TBIRD V531 BAIRN .....	1030-0300
Tallahassee (TLH) .....	(at or below 120) BAIRN OCF V159 CTY V7 SZW ..	
	or	
	(130-170) LAL V7 SZW .....	1030-0300
<b>SARASOTA/BRADENTON AREA (SRQ)</b>		
Ft Lauderdale (FLL) .....	(at or below 100, below 210 kts) RSW V599 NEWER .....	
	or	
	(110-170), below 210 kts) LBV V157 NEWER .....	
	or	
	(at or above 210 kts) V579 RSW V7 KUBIC .....	
	or	
	(all others) RSW FORTL-STAR .....	1030-0300
	or	
	(/E, /G, /R, /J, /L, /Q) RSW SWAGS (RNAV)-STAR .....	
Ft Myers (RSW) .....	V579 RSW .....	1030-0300
Orlando (MCO) .....	LAL MINEE-STAR .....	1030-0300
West Palm Beach (PBI) .....	SABEE JOOOE WLACE (RNAV)-STAR .....	
<b>TALLAHASSEE AND CROSS CITY AREA</b>		
Ft Myers (FMY) .....	(120 and below) CTY V7 LAL V521 .....	1100-0300
Miami (MIA) .....	(170 and below) LAL V157 LBV V529 V35 CURVE .....	1300-0300



# PREFERRED IFR ROUTES

407

Terminals	Route	Effective Times (UTC)
<b>TAMPA/ST PETERSBURG METRO AREA</b> <b>(TPA, SPG, PIE, TPF)</b>		
Ft Lauderdale (FLL) .....	(Jets only) RSW V7 KUBIC FLL.....	
	or	
	(all others) RSW FORTL-STAR .....	
	or	
	(Turboprop-all others) RSW FORTL-STAR .....	1030-0300
	or	
	(props only) V509 HALLR V511 NEWER.....	1030-0300
	or	
	(GPS or DME/DME-IRU equipped) SABEE RXXAN	
	JINGL (RNAV)-STAR .....	
Ft Myers (RSW) .....	PIE V579 RSW .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SRQ	
	TYNEE (RNAV)-STAR .....	
Ft Pierce (FPR) .....	(at or below 140) V441 DEARY V159 .....	
	or	
	(150-170) VRB.....	1030-0300
Key West (EYW) .....	PIE V35 RSW V225.....	
	or	
	V579 RSW V225 .....	1030-0300
Miami (MIA).....	RSW V35 CURVE .....	1030-0300
	or	
	(all others) CYY CYY-STAR .....	1030-0300
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
	SSCOT (RNAV)-STAR .....	
Opa Locka (OPF) .....	(props) V509 HALLR V511 NEWER .....	
	or	
	(turbo) RSW V7 KUBIC .....	
	or	
	(turbo) V509 HALLR V511 NEWER .....	1030-0300
	or	
	(jets) RSW CYY CYY-STAR.....	1030-0300
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) RSW	
	CYY SSCOT (RNAV)-STAR.....	
Orlando (MCO).....	LAL MINEE-STAR (Max alt. 12,000 ft).....	1030-0300
Vero Beach (VRB).....	(at or below 140) V441 DEARY V159 .....	
	or	
	(150-170) VRB.....	1030-0300
West Palm Beach (PBI) .....	RSW PHK .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	SABEE JOOOE WLACE (RNAV)-STAR .....	



## PREFERRED IFR ROUTES

### SPECIAL LOW ALTITUDE ARRIVAL ROUTES FOR ATLANTA TERMINAL AREA (JETS AND TURBOPROPS)

**NORTHEAST**

Traffic entering ZTL airspace V97 and East to V66 file:

.....	VXV AWSON-STAR.....
.....	SOT ODF AWSON-STAR.....
.....	SUG ODF AWSON-STAR.....
.....	SPA ODF AWSON-STAR.....
.....	ELW ODF AWSON-STAR.....

**SOUTHEAST**

Traffic entering ZTL airspace South of V66 to East of a line from ATL to MGR file:

.....	IRQ TRBOW-STAR.....
.....	DBN TRBOW-STAR.....
.....	MCN TRBOW-STAR.....

**SOUTHWEST**

Traffic entering ZTL airspace South of V278 to West of a line from ATL to MGR file:

.....	LDK V66 LGC MIKEE-STAR.....
.....	MEI V56 MGM LGC MIKEE-STAR.....
.....	MVC MGM LGC MIKEE-STAR.....
.....	CEW MGM LGC MIKEE-STAR.....
.....	SZW PZD CSG LGC MIKEE-STAR.....

**NORTHWEST**

Traffic entering ZTL airspace on V278 and North to West of V97 file:

.....	IGB V278 VUZ V417 MAYES V325 DALAS.....
.....	HAB V159 VUZ V417 MAYES V325 DALAS.....
.....	MSL V325 DALAS.....
.....	DCU V541 GAD V325 DALAS.....
.....	RQZ BUNNI-STAR.....
.....	BNA V5 GQO BUNNI-STAR.....
.....	SYI V67 GQO BUNNI-STAR.....
.....	BWG V243 GQO BUNNI-STAR.....
.....	LVT V51 HCH V333 GQO BUNNI-STAR.....
.....	HYK V333 GQO BUNNI-STAR.....

### SPECIAL LOW ALTITUDE DIRECTIONAL ROUTES

	Route	Effective Times (UTC)
Low Altitude IFR routes for traffic overflying the Charlotte Metro Area:		
.....	PSK V37 CAE (90 and 100 only).....	1100-0300
.....	SPA V54 LOCAS (90 and 100 only).....	1100-0300
.....	GRD V66 SDZ (30-100 only).....	1100-0300
Low Altitude IFR single-direction routes for traffic overflying Atlanta Metro Area:		
Southbound.....	RMG V154 MCN (70 MSL).....	1100-0300
Northbound.....	MCN LOGEN NELLO (70 MSL, RNAV).....	1100-0300

### HIGH ALTITUDE

Terminals	Route	Effective Times (UTC)
<b>ATLANTA (ATL)</b>		
Austin (AUS).....	WEONE J239 MEI AEX LFK.....	1100-0300
Baltimore (BWI).....	EAONE SPA J14 RIC OTT-STAR.....	1100-0300
Boca Raton (BCT).....	(GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK PRRIE (RNAV)-STAR.....	1100-0300
Boston (BOS).....	EATWO GRD J209 RDU J207 FKN J79 JFK ORW-STAR.....	1100-0300
Chicago Midway (MDW).....	(/E/G/R/S/L/Q only) NOONE J89 IIU OKK FISSK (RNAV)-STAR..... or (Non-Advanced RNAV only) NOONE J89 IIU OKK V285 CLEFT OXI CGT.....	1100-0300



Terminals	Route	Effective Times (UTC)
Chicago O'Hare (ORD).....	(non-Advanced RNAV only) CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	1100-0300
	or	
	(/E/G/R/J/L/Q only) CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR .....	1100-0300
	or	
Cincinnati (CVG).....	J89 IIU MZZ OXI .....	
Charlotte (CLT) .....	NOTWO J43 VXV HARDU-STAR.....	1100-0300
Cleveland (CLE) .....	GRD ADENA (RNAV-STAR) .....	1100-0300
	SUMMT (RNAV)-DP VXV J91 BULEY J91 HNN TVT KEATN-STAR .....	
Columbus (CMH).....	NOTWO J43 VXV J91 HNN BREMN-STAR .....	1100-0300
Denver (DEN).....	WETWO VUZ J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR .....	1100-0300
Detroit/Wayne (DTW) .....	SUMMT (RNAV)-DP VXV J91 HNN WEEDA-STAR ...	
Fort Lauderdale (FLL).....	SOONE J89 HITTR PIE FORTL-STAR .....	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK JINGL (RNAV)-STAR .....	1100-0300
Fort Myers (FMY and RSW) .....	(Turbojets-GPS or DME/DME-IRU equipped) THRSR (RNAV)-DP LUCKK SZW TYNEE (RNAV)-STAR .....	1100-0300
Gainesville (GNV) .....	SOONE J89 OTK.....	1100-0300
Houston (HOU).....	(DME/DME-IRU or GPS-equipped) JAMMR AEX ROKIT (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) JAMMR MEI AEX DAS-STAR.....	
Houston (IAH) .....	(Turbojets-DME/DME-IRU or GPS-equipped) JAMMR AEX TXMEX (RNAV)-STAR .....	
Kennedy (JFK).....	EATWO GRD J209 ORF J121 SIE CAMRN-STAR ....	1100-0300
La Guardia (LGA) .....	EAONE AHN J208 HPW J191 PXT KORRY-STAR ....	1100-0300
Louisville (SDF).....	NOONE HCH DARBY-STAR.....	1100-0300
Marco Island (MKY) .....	SOTWO J43 SZW PIKKR (RNAV)-STAR.....	
	or	
	SOONE J89 J75 TEPEE ZEILR-STAR.....	
Miami (MIA) .....	(all others) SOTWO SZW J43 PIE CYY-STAR.....	1100-0300
	or	
	(Turbojets-GPS or DME/DME equipped) THRSR (RNAV)-DP LUCKK SZW SSCOT (RNAV)-STAR .....	1100-0300
Minneapolis (MSP) .....	NOONE J89 IIU J89 BAE EAU-STAR .....	1100-0300
Naples (APF).....	SOTWO J43 SZW PIKKR (RNAV)-STAR.....	
Newark (EWR) .....	GSO J14 J51 FAK DYLIN-STAR.....	1100-0200
	or	
	(GPS or DME/DME-IRU equipped) GSO J14 J51 FAK PHLBO (RNAV)-STAR .....	1100-0200
Orlando (MCO) .....	SOONE J89 OTK LEESE-STAR .....	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) SOONE J89 OTK PIGLT (RNAV)-STAR .....	1100-0400
Orlando (ORL).....	(GPS or DME/DME-IRU equipped) SOONE J89 OTK PIGLT (RNAV)-STAR .....	1100-0400
Philadelphia (PHL) .....	EAONE SPA J14 J51 FAK DPNT-STAR .....	1100-0300
Raleigh-Durham (RDU).....	EATWO IRQ CAE BUZZY-STAR .....	1100-0300
Sarasota/Bradenton (SRQ).....	J43 SZW CLAMP-STAR .....	1100-0300
Tampa (TPA) .....	SOTWO J43 SZW DARBS-STAR .....	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) SOTWO J43 SZW FOXXX (RNAV)-STAR .....	1100-0300
Teterboro (TEB).....	(Advanced Nav Only) EAONE SPA J14 J51 FAK JAIKE-STAR.....	1100-0300
	or	
	(Non-Advanced Nav Only) EAONE SPA J14 J51 FAK BRV AML J227 J49 J70 LVZ LVZ-STAR .....	1100-0300



Terminals	Route	Effective Times (UTC)
Washington Natl (DCA).....	(GPS or DME/DME-IRU equipped) EAONE SPA J14 RIC OJAAY (RNAV)-STAR .....	1100-0300
	or	
West Palm Beach (PBI) .....	EAONE SPA J14 RIC IRONS-STAR.....	
	(Turbojets-GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK WLACE (RNAV)-STAR.....	1100-0300
Windsor Locks (BDL) .....	EATWO GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR.....	1100-0300
<b>AUGUSTA (AGS)</b>		
Kennedy (JFK).....	GRD J209 ORF J121 SIE CAMRN-STAR .....	
<b>BIRMINGHAM (BHM)</b>		
Baltimore (BWI).....	ATL J14 RIC OTT-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) ATL J14 RIC RAVNN (RNAV)-STAR .....	
Chicago Midway (MDW).....	(/E/G/R/J/L/Q only) VUZ IIU OKK FISSK (RNAV)-STAR .....	1100-0300
	or	
	(non-advanced RNAV only) VUZ IIU OKK V285 CLEFT OXI CGT.....	1100-0300
Chicago O'Hare (ORD) .....	MEM FTZ BDF BDF-STAR.....	0000-2359
Detroit/Wayne (DTW).....	(RNAV only) BNA IMPEL VHP FWA MIZAR-STAR ....	
	or	
	BNA CCT VHP FWA MIZAR-STAR.....	
Houston (HOU).....	(DME/DME-IRU or GPS-equipped) MEI AEX ROKIT (RNAV)-STAR .....	
	(Non-advanced NAV only) MEI AEX DAS-STAR	
Houston (IAH) .....	(Turbojets-DME/DME-IRU or GPS-equipped) MEI AEX TXMEX (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) MEI AEX DAS-STAR	
Washington Dulles (IAD).....	ATL J14 J51 FAK COATT-STAR .....	
Washington Natl (DCA).....	ATL J14 RIC IRONS-STAR.....	
	or	
	(GPS or DME/DME-IRU equipped) ATL J014 RIC OJAAY (RNAV)-STAR .....	
<b>CHARLESTON (CHS)</b>		
Baltimore (BWI).....	J79 TYI J40 RIC OTT-STAR .....	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) J79 TYI J40 RIC RAVNN (RNAV)-STAR .....	1100-0400
Detroit/Wayne (DTW).....	BKW GEMNI-STAR.....	
Houston (HOU).....	(GPS or DME/DME-IRU equipped) MGM J37 SJI COLUMBIA (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) MGM J37 SJI AEX DAS-STAR.....	
Houston (IAH) .....	(DME/DME-IRU or GPS-equipped) MGM J37 SJI WOLDE (RNAV)-STAR.....	
	or	
	(Non-advanced NAV only) MGM J37 SJI AEX DAS-STAR	
Philadelphia (PHL).....	J121 SWL SWL034 RADDs VCN-STAR.....	1100-0400
Washington Dulles (IAD).....	J55 FLO J207 RDU FAK COATT-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) J55 FLO J207 RDU FAK BARIN-STAR .....	
<b>CHARLOTTE (CLT)</b>		
Baltimore (BWI).....	MERIL RDU J52 RIC OTT-STAR.....	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) MERIL RDU J52 RIC RAVNN (RNAV)-STAR .....	1100-0300
Boston (BOS).....	MERIL RDU J207 FKN J79 JFK ORW-STAR.....	
Chicago Midway (MDW) .....	SADIE HNN FWA GOSHEN-STAR.....	1100-0300



Terminals	Route	Effective Times (UTC)
	or	
Chicago O'Hare (ORD).....	SADIE HVQ APE J178 FWA GOSHEN-STAR.....	1100-0300
	(/E/G/R/J/L/Q only) SADIE FLM HEVAN MZZ	
	ROYKO (RNAV)-STAR.....	1100-0300
	or	
	(non-advanced RNAV only) SADIE FLM HEVAN	
Cincinnati (CVG).....	MZZ MZZ344/33 OXI KNOX-STAR.....	1100-0300
	(RNAV only) HMV JAKIE (RNAV)-STAR.....	
	or	
Denver (DEN).....	(all others) HMV HARDU-STAR.....	
	HARAY SPA SPA270 VXV125 VXV BNA FAM J112	
	BUM J110 GCK J154 RYLIE DANDD-STAR.....	1100-0300
Detroit/Wayne (DTW).....	HUGO-DP ROBAY BKW GEMNI-STAR.....	
Houston (HOU).....	(DME/DME-IRU or GPS-equipped) AHN MGM J37	
	SJI WOLDE (RNAV)-STAR.....	
	or	
	(DME/DME-IRU or GPS-equipped) AHN ATL J14	
	VUZ AEX ROKIT (RNAV)-STAR.....	
	or	
	(Non-advanced NAV only) AHN ATL J14 VUZ AEX	
	DAS-STAR	
	or	
	(DME/DME-IRU or GPS equipped) AHN MGM J37	
	SJI Columbia (RNAV)-STAR	
Houston (IAH).....	(Turbojets-DME/DME-IRU or GPS-equipped) AHN	
	ATL J14 VUZ AEX TXMEX (RNAV)-STAR.....	
	or	
	(Non-advanced NAV only) AHN ATL J14 VUZ AEX	
	DAS-STAR	
Kennedy (JFK).....	MERIL RDU J209 ORF J121 SIE CAMRN-STAR.....	
La Guardia (LGA).....	MERIL RDU J55 HPW J191 PXT KORRY-STAR.....	1100-0300
Louisville (LOU).....	SADIE LOZ V310 IIU.....	1100-0300
Newark (EWR).....	RDU FAK DYLIN-STAR.....	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) RDU FAK	
	PHLBO (RNAV)-STAR	1100-0300
Norfolk (ORF).....	MERIL RDU TYI CVI V1 DRONE.....	1100-0300
Philadelphia (PHL).....	MERIL RDU248 J51 FAK DPNT-STAR.....	1100-0400
Richmond (RIC).....	MERIL RDU LVL.....	
Teterboro (TEB).....	(Advanced Nav Only) MERIL RDU FAK JAIKE-STAR	1100-0300
	or	
	(Non-Advanced Nav Only) MERIL RDU FAK BRV	
	AML J227 J49 J70 LVZ LVZ-STAR.....	1100-0300
Washington Dulles (IAD).....	MERIL RDU248 J51 FAK COATT-STAR.....	1100-0300
Washington Natl (DCA).....	MERIL RDU J52 RIC IRONS-STAR.....	
	or	
	(GPS or DME/DME-IRU equipped) MERIL RDU	
	J52 OJAAY (RNAV)-STAR.....	
Windsor Locks (BDL).....	MERIL RDU J207 FKN J79 JFK DPK DPK-STAR.....	
<b>CHATTANOOGA (CHA)</b>		
Chicago O'Hare (ORD).....	(/E/G/R/J/L/Q only) GLAZR HOPAP VOSTK	
	HEVAN MZZ ROYKO (RNAV)-STAR.....	0000-2359
	or	
	(non-advanced RNAV only) GLAZR HOPAP VOSTK	
	HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	0000-2359
<b>CINCINNATI (CVG)</b>		
Albany (ALB).....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY PSB.....	
Allentown (ABE).....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY JST HAR.....	
Atlanta (ATL).....	(RNAV only) BLUEGRASS-DP BWG ERLIN	
	(RNAV)-STAR.....	
	or	
	(all others) BLUEGRASS-DP BWG ROME-STAR.....	
Baltimore (BWI).....	V128 YRK HVQ J8 CSN OTT-STAR.....	
	or	



Terminals	Route	Effective Times (UTC)
Birmingham (BHM) .....	(GPS or DME/DME-IRU equipped) V128 YRK HVQ J8 CSN RAVNN (RNAV)-STAR .....	
Boca Raton (BCT).....	BLUEGRASS-DP TRFWA LVT SYI VUZ .....	
	(GPS or DME/DME-IRU equipped) BLUEGRASS-DP TRFWA NOTWO WALET HITTR LATHY PRRIE (RNAV)-STAR.....	
	or (GPS or DME/DME-IRU equipped) BLUEGRASS-DP HYK VXV J43 ATL J89 OTK PRRIE (RNAV)-STAR.	
Boston (BOS) .....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB HNK ALB GDM GARDNER-STAR.....	
Chicago O'Hare (ORD).....	(Advanced NAV only) MIE MZZR ROYKO (RNAV)-STAR .....	
	or (Non-Advance Nav only) DQN FWA KNOX-STAR....	
	or DQN FWA WATSN (RNAV)-STAR .....	
Dallas/Ft. Worth (DFW) .....	IIU PXV J131 LIT BYP .....	
Fort Lauderdale (FLL) .....	(GPS or DME/DME-IRU equipped) BLUEGRASS-DP TRFWA NOTWO OTK JINGL (RNAV)-STAR .....	
	or (all others) BLUEGRASS-DP HYK VXV J43 ATL J89 HITTR J75 FORTL-STAR .....	
Fort Myers (FMY) .....	(Turbojets-GPS or DME/DME-IRU equipped) HYK VXV J43 SZW TYNEE (RNAV)-STAR .....	
Fort Myers (RSW) .....	(GPS or DME/DME-IRU equipped) HYK VXV J43 SZW TYNEE (RNAV)-STAR .....	1100-0300
Harrisburg (MDT).....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST HAR.....	
Houston (HOU).....	(GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR .....	
	or (Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
Houston (IAH) .....	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR .....	
	or (Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
Jackson (JAN).....	BLUEGRASS-DP TRFWA LVT SYI VUZ JAN .....	
La Guardia (LGA) .....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB MILTON-STAR .....	1000-1800
Manchester (MHT).....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB ALB EEN.....	
Marco Island (MKY) .....	HYK VXV J43 SZW PIKKR (RNAV)-STAR .....	
Miami (MIA) .....	(Turbojets-GPS or DME/DME-IRU equipped) BLUEGRASS-DP TRFWA NOTWO SZW SSCOT (RNAV)-STAR .....	
	or (all others) BLUEGRASS-DP HYK VXV J43 ATL SZW J43 PIE CYY-STAR .....	
Mobile (MOB) .....	BLUEGRASS-DP TRFWA LVT SYI VUZ SJJ .....	
Naples (APF).....	HYK VXV J43 SZW PIKKR (RNAV)-STAR .....	
Newark (EWR).....	ROD J29 J584 SLT FQM-STAR .....	
Newburgh (SWF).....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK DNY V483 FILPS .....	
New Orleans (MSY) .....	BLUEGRASS-DP TRFWA LVT SYI VUZ J22 MEI RYTHM-STAR .....	
Orlando Executive (ORL) .....	HYK VXV J99 IRQ J85 AMG LEESE-STAR .....	1100-0300
	or (GPS or DME/DME-IRU equipped) HYK VXV J99 IRQ J85 AMG SHEMP MTATA PIGLT (RNAV)-STAR .....	1100-0400
Orlando Intl (MCO) .....	HYK VXV J99 IRQ J85 AMG LEESE-STAR .....	1100-0300
	or	



Terminals	Route	Effective Times (UTC)
	(GPS or DME/DME-IRU equipped) HYK VXV J99 IRQ J85 AMG BUGGZ (RNAV)-STAR.....	1100-0400
Philadelphia (PHL) .....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST BUNTS-STAR .....	
Phoenix (PHX) .....	FAM J78 ABQ J18..... or FAM J78 IRW J74 SJN J18.....	
Portland (PWM) .....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 ALB ENE.....	
Providence (PVD) .....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK TEDDY-STAR .....	
Sarasota/Bradenton (SRQ) .....	HYK VXV J43 SZW CLAMP-STAR .....	
Tampa (TPA) .....	HYK VXV J43 SZW DARBS-STAR .....	
	or (GPS or DME/DME-IRU equipped) HYK VXV J43 SZW FOXXX (RNAV)-STAR .....	
Washington Dulles (IAD) .....	V128 YRK HVQ ROYIL-STAR .....	
	or V128 YRK HVQ SHANON (RNAV)-STAR .....	
Washington Natl (DCA) .....	V128 YRK HVQ WZRRD-STAR .....	
	or V128 YRK HVQ ELDEE (RNAV)-STAR .....	
West Palm Beach (PBI) .....	(GPS or DME/DME-IRU equipped) BLUEGRASS-DP TRFWA NOTWO OTK WLACE .... or (GPS or DME/DME-IRU equipped) BLUEGRASS-DP HYK VXV J43 ATL J89 OTK WLACE.....	
Wilkes Barre/Scranton (AVP) .....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE ANTIY PSB LVZ.....	
Windsor Locks (BDL) .....	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB RKA SWEDE SWEDE-STAR.....	
<b>DAYTONA BEACH (DAB)</b>		
Charlotte (CLT) .....	CRG J51 SAV J207 FLO CTF-STAR .....	
	or (Turbojets-GPS or DME/DME-IRU equipped) CRG J51 SAV HUSTN (RNAV)-STAR .....	
<b>FORT LAUDERDALE METRO AREA (FLL, FXE, PMP)</b>		
Albany (ALB) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE V487 CANAN V130.....	
Atlanta (ATL) .....	J20 ORL J81 CHESN SINCA-STAR .....	1000-0300
	or (RNAV only) J20 ORL J81 CHESN CANUK (RNAV) -STAR .....	1000-0300
Baltimore (BWI) .....	(at or below 310) J20 ORL J53 CRG J51 SAV J55 CHS J165 RIC OTT-STAR .....	1000-0300
	or (Water-Turbojets) ZAPPA PERMT AR16 ILM J40 RIC OTT-STAR .....	1000-0300
	or (at or above 330) J113 CRG J51 SAV J55 CHS J165 RIC OTT-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) (at or below 310) J20 ORL J53 CRG J51 SAV J55 CHS J165 RIC RAVNN (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) (at or above 330) J113 CRG J151 SAV J55 CHS J165 RIC RAVNN (RNAV)-STAR .....	1000-0300
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR .....	1000-0300



Terminals	Route	Effective Times (UTC)
Bedford (BED).....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or	
	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Beverly (BVY).....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or	
	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Boston (BOS) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK ORW-STAR .....	1000-0300
	or	
	(at or below 290) J20 ORL J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR .....	1000-0300
	or	
	(at or above 330) J113 CRG J51 SAV J55 CHS J79 JFK ORW-STAR .....	1000-0300
Bridgeport (BDR).....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
Charlotte (CLT) .....	(at or below 290) J20 ORL J53 CRG J51 SAV J207 FLO CTF-STAR .....	1000-0300
	or	
	(at or above 330) J113 CRG J51 SAV J207 FLO CTF-STAR .....	1000-0300
	or	
	(at or above 330-Turbojets-GPS or DME/DME-IRU equipped) J113 CRG J51 SAV HUSTN (RNAV)-STAR .....	1000-0300
	or	
	(at or below 290-Turbojets-GPS or DME/DME-IRU equipped) J20 ORL J53 CRG J51 SAV HUSTN (RNAV)-STAR .....	1000-0300
Chicago Midway (MDW).....	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR.....	1000-0300
	or	
	(non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT .....	1000-0300
Chicago O'Hare (ORD) .....	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR .....	1000-0300
	or	
	(non-advanced RNAV only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	1000-0300
	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR .....	
Cincinnati (CVG).....	(all others) CTY J91 VXV HARDU-STAR.....	1000-0300
	or	
	(RNAV) only) CTY J91 VXV JAKIE (RNAV)-STAR ....	
Cleveland (CLE) .....	J20 ORL J53 IRQ J85 HVQ J85 TVT040 KEATN KEATN-STAR .....	1000-0300
Columbus (CMH).....	J20 ORL J81 IRQ J53 SPA J85 HVQ HNN BREMN-STAR .....	1000-0300
Cross City (CTY).....	J85 LLAKE CTY .....	1030-0300
	or	
	CTY .....	
Dallas/Fort Worth (DFW) .....	LAL J73 SZW J2 CEW J50 AEX CQY .....	1000-0300
	or	
	SRQ Q100 REDFN Q105 HRV J58 AEX CQY .....	1000-0300



Terminals	Route	Effective Times (UTC)
Danbury (DXR) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR .....	
Daytona Beach (DAB) .....	J20 LLNCH MLB V3 .....	1030-0300
Denver (DEN) .....	LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR .....	1030-0300
	or SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR .....	1030-0300
Detroit/Wayne (DTW) .....	J20 ORL J53 SPA HNN WEEDA-STAR .....	
Detroit Satellites:		
Ann Arbor (ARB) .....	J20 ORL J81 IRQ J99 VXV J43 FLM DQN CRUX-STAR .....	
Pontiac (PTK), Windsor (CYQG) .....	J20 ORL J81 IRQ J85 DJB LLEE0-STAR .....	
Willow Run (YIP) .....	J20 ORL J81 IRQ J99 VXV J43 FLM DQN CRUX-STAR .....	1000-0300
Young (DET) .....	J20 ORL J81 IRQ J85 DJB LLEE0-STAR .....	1000-0300
East Hampton (HTO) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 .....	
Farmingdale (FRG) .....	(Water) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	1030-0300
Gainesville (GNV) .....	J85 LLAKE LAL GNV or LAL GNV .....	
Groton/New London (GON) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO .....	
Hartford (HFD) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1 .....	
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR .....	1000-0300
	or (Non-advanced NAV only) LAL J73 SZW J2 CEW-030 J50 AEX DAS-STAR .....	1000-0300
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV COLUMBIA (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR .....	1000-0300
	or (Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Indianapolis (IND) .....	CTY J91 ATL J89 IIU DECEE-STAR .....	1000-0300
Islip (ISP) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SARDI CCC .....	
Jacksonville (CRG) .....	J20 ORL J53 .....	1030-0300
Kennedy (JFK) .....	(Water-Turbojets) ZAPPA WOLFO AR18 WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	1000-0300
	or (at or below 290) J20 ORL J53 CRG J51 SAV J55 CHS J121 SIE CAMRN-STAR .....	1000-0300
	or (at or above 330) J113 CRG J51 SAV J55 CHS J121 SIE CAMRN-STAR .....	1000-0300
La Guardia (LGA) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR .....	1000-0300
	or (at or below 290) J20 ORL J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR .....	1000-0300
	or (at or above 330) J113 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR .....	1000-0300
Lawrence (LWM) .....	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
	or	



Terminals	Route	Effective Times (UTC)
	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
Louisville (SDF).....	CTY J91 ATL HCH DARBY-STAR .....	1000-0300
Manchester (MHT).....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN.....	
Melbourne (MLB) .....	J20 LLNCH MLB .....	1030-0300
Minneapolis (MSP) .....	CTY J91 ATL J89 BAE EAU-STAR .....	1000-0300
Montreal (CYUL).....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR .....	
Nantucket (ACK) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO V46 .....	
Nashville (BNA).....	CTY J91 ATL GQO VOLLS-STAR .....	1000-0300
Newark (EWR).....	(Water-Turbojets) ZAPPA PERMT AR16 ILM J109 FAK DYLIN-STAR .....	1000-0300
	or (at or below 310) J20 ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR .....	1000-0300
	or (at or above 330) J113 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped-at or above 330) J113 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped-at or below 310) J20 ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR .....	1000-0300
Newburgh (SWF).....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
New Haven (HVN) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
New Orleans (MSY) .....	SRQ Q100 REDFN Q105 HRV .....	1000-0300
	or LAL J73 SZW J2 .....	1000-0300
Ocala (OCF).....	J85 LLAKE LAL .....	1030-0300
	or LAL .....	1030-0300
Orlando (MCO) .....	J20 LLNCH GOOFY-STAR .....	1030-0300
Overwater Routes to the Northeast.....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW .....	1030-0300
Overwater Routes to the Northwest .....	LBV J616 .....	1030-0300
	or LBV J616 SRQ Q100 REDFN Q105 HRV J58 .....	1030-0300
Philadelphia (PHL).....	J20 ORL J53 CRG J51 SAV J55 CHS J121 SWL SWL034 RADDs CEDAR LAKE-STAR .....	1000-0300
	or (Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL RADDs CEDAR LAKE-STAR .....	1000-0300
Pittsburgh (PIT) .....	(at or below 290) J20 ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR .....	1000-0300
	or (at or above 330) J113 CRG J51 CAE PSK EKN IHD NESTO-STAR .....	1000-0300
Poughkeepsie (POU).....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
Providence (PVD) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR .....	
Raleigh-Durham (RDU) .....	(at or below 290) J20 ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR .....	1000-0300



Terminals	Route	Effective Times (UTC)
	or	
	(at or above 330) J113 CRG J51 SAV J55 CHS	
	J174 ILM BRADE-STAR .....	1000-0300
	or	
	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
	BRADE-STAR .....	1000-0300
St Louis (STL) .....	THNDR CTY J151 VISQA QBALL-STAR .....	
	or	
	(/E, /G, /R, /J, /L, /Q) THNDR KPASA Q110	
	FEONA VUZ J151 VISQA QBALL-STAR .....	
Sarasota/Bradenton (SRQ) .....	LBV J43 ROGAN .....	1030-0300
	or	
	ROGAN .....	1030-0300
Springfield/Chicopee (CEF) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
	KEMPR SBY J79 VILLS DPK DEER PARK-STAR ..	
Tallahassee (TLH) .....	J85 LLAKE LAL SZW .....	1030-0300
	or	
	LAL .....	1030-0300
Tampa (TPA) .....	J85 THNDR LBV BRDGE-STAR .....	1030-0300
	or	
	BRDGE BRDGE-STAR .....	1030-0300
	or	
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK	
	(RNAV)-STAR .....	1030-0300
	or	
	(GPS or DME/DME-IRU equipped) J85 THNDR	
	LBV DEAKK (RNAV)-STAR .....	1030-0300
Toronto (CYYZ) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM J109	
	BUF YOUTH-STAR .....	
Vero Beach (VRB) .....	J20 ARKES VRB .....	1030-0300
Washington Dulles (IAD) .....	(at or below 310) J20 ORL J53 CRG J51 SAV	
	J207 RDU FAK COATT-STAR .....	1000-0300
	or	
	(at or below 310-GPS or DME/DME-IRU	
	equipped) J20 ORL J53 CRG J51 SAV J207	
	RDU FAK BARIN-STAR .....	1000-0300
	(at or above 330-GPS or DME/DME-IRU	
	equipped) J113 CRG J51 SAV J207 RDU FAK	
	BARIN-STAR .....	1000-0300
	or	
	(at or above 330) J113 CRG J51 SAV J207 RDU	
	FAK COATT-STAR .....	1000-0300
	or	
	(Water) ZAPPA PERMT AR16 ILM J109 FAK	
	COATT-STAR .....	1000-0300
	or	
	(Water-GPS or DME/DME-IRU equipped) ZAPPA	
	PERMT AR16 ILM J109 FAK BARIN-STAR .....	1000-0300
	(at or below 310) J20 ORL J53 CRG J51 SAV J55	
Washington Natl (DCA) .....	CHS J165 RIC IRONS-STAR .....	1000-0300
	or	
	(at or above 330) J113 CRG J51 SAV J55 CHS	
	J165 RIC IRONS-STAR .....	1000-0300
	or	
	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40	
	RIC IRONS-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped-at or below	
	310) J20 ORL J53 CRG J51 SAV J55 CHS J165	
	RIC OJAAY (RNAV)-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped-at or above	
	330) J113 CRG J51 SAV J55 CHS J165 RIC	
	OJAAY (RNAV)-STAR .....	1000-0300
	or	



Terminals	Route	Effective Times (UTC)
	(Water-Turbojets-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J40 RIC OJAAY (RNAV)-STAR .....	1000-0300
Westfield (BAF) .....	(Water-Turbojets) ZAPPA PERMIT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR ..	
Westhampton Beach (FOK) .....	(Water-Turbojets) ZAPPA WOLFO AR18 WETRO CEBEE SWL J121 HTO .....	
White Plains (HPN) .....	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR .....	
	or	
	(Water-Turboprops) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR .....	
Wilmington (ILM) .....	(Water-Turbojets-Overwater Routes to the NE) ZAPPA PERMT AR16 .....	
Windsor Locks (BDL) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR ..	
Worcester (ORH) .....	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD .....	
<b>FORT MYERS METRO AREA</b>		
<b>(RSW, FMY, APF, MKY, PGD)</b>		
Daytona Beach (DAB) .....	ORL .....	1030-0300
Gainesville (GNV) .....	LAL .....	1030-0300
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV COLUMBIA (RNAV)-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR .....	
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR .....	1000-0300
	or	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Jacksonville (CRG) .....	ORL J53 .....	1030-0300
Miami (MIA) .....	(all others) CYY CYY-STAR .....	1030-0300
	or	
	(/E, /G, /R, /J, /L, /Q) CYY DEEDS (RNAV)-STAR .....	1030-0300
Ocala (OCF) .....	LAL .....	1030-0300
Orlando (MCO) .....	LAL MINEE-STAR .....	1030-0300
	or	
	DOWNN MINEE-STAR .....	1030-0300
	or	
	LAL .....	1030-0300
	or	
	(Turbojets) ORL .....	1030-0300
	or	
	(Turbojets) DOWNN MINEE-STAR .....	1030-0300
Tallahassee (TLH) .....	LAL .....	1030-0300
Tampa (TPA) .....	RSW BRDGE-STAR .....	1030-0300
	or	
	V7 ROGAN J43 PIE .....	1030-0300
	or	
	(GPS or DME/DME-IRU equipped) DEAKK (RNAV)-STAR .....	1030-0300
Westbound destinations .....	SRQ Q100 LEV J86 .....	
	or	
	BAGGS Q102 LEV J86 .....	
	or	



Terminals	Route	Effective Times (UTC)
<b>From PAGE FLD (FMY) only:</b>	SRQ 100 REDFN Q105 HRV J58.....	
Cincinnati (CVG) .....	(RNAV only) LAL CTY J91 VXV JAKIE (RNAV)-STAR or (all others) LAL CTY J91 ATL VXV HARDU-STAR....	
Cleveland Metro (CLE) .....	LAL CTY J91 HNN TVT KEATN-STAR.....	
Columbus (CMH) .....	LAL CTY J91 HNN BREMN-STAR.....	
Detroit/Wayne (DTW) .....	LAL CTY J91 VXV J43 FLM DQN MIZAR-STAR .....	
Detroit Satellites:		
Ann Arbor (ARB), Willow Run (YIP) .....	LAL CTY J91 VXV J43 FLM DQN CRUXX-STAR .....	
Pontiac (PTK), Windsor (CYQG), Young (DET) .....	LAL J73 J119 TAY J85 DJB LLEE0-STAR .....	
La Guardia (LGA) .....	ORL J53 CRG J51 SAV J207 J55 HPW J191 PXT KORRY-STAR.....	1100-0300
Miami (MIA).....	(Turbojets-GPS or DME/DME-IRU equipped) CYY SSCOT (RNAV)-STAR .....	
Newark (EWR) .....	ORL J53 CRG J51 FAK DYLIN-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped) ORL J53 CRG J51 FAK PHLBO(RNAV)-STAR .....	1100-0400
Washington Natl (DCA).....	ORL J53 CRG J51 SAV J55 CHS J165 RIC IRONS-STAR .....	1000-0300
<b>From SW FLORIDA INTL (RSW) only:</b>		
Atlanta (ATL).....	RSW LAL J73 SZW LGC-STAR .....	1000-0300
	or (RNAV only) RSW LAL J73 SZW HONIE (RNAV)-STAR .....	1000-0300
Chicago Midway (MDW) .....	(/E/G/R/J/L/Q only) RSW LAL CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR.....	1000-0300
	or (non-advanced RNAV only) RSW LAL CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT .....	1000-0300
Chicago O'Hare (ORD).....	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR.....	1000-0300
	or (non-advanced RNAV only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 KNOX-STAR .....	1000-0300
Cleveland (CLE).....	RSW LAL J73 J119 TAY J85 IRQ J85 HVQ J85 TVT040 KEATN KEATN-STAR .....	
Columbus (CMH) .....	RSW LAL J73 J119 TAY J85 HVQ HNN BREMN-STAR .....	1000-0300
Dallas/Ft. Worth (DFW) .....	RSW SRQ Q100 REDFN Q105 HRV J58 AEX CQY ..	
	or RSW LAL J73 SZW J2 CEW J50 AEX CQY .....	1000-0300
Denver (DEN) .....	RSW SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR .....	
	or RSW LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR .....	
Detroit/Wayne (DTW) .....	JOCKS ORL J53 SPA HNN WEEDA-STAR.....	
Detroit Satellites:		
Ann Arbor (ARB), Willow Run (YIP) .....	LAL CTY J91 VXV J43 FLM DQN CRUXX-STAR .....	
Pontiac (PTK), Windsor (CYQG), Young (DET) .....	LAL J73 J119 TAY J85 DJB LLEE0-STAR .....	
Indianapolis (IND) .....	RSW LAL CTY J91 ATL J89 IIU DECEE-STAR .....	
Louisville (SDF) .....	RSW LAL CTY J91 ATL HCH DARBY-STAR .....	
Miami (MIA).....	(Turbojets-GPS or DME/DME-IRU equipped) CYY SSCOT (RNAV)-STAR .....	
Minneapolis (MSP) .....	RSW LAL CTY J91 ATL J89 BAE EAU-STAR.....	1000-0300
Nashville (BNA) .....	RSW LAL CTY J91 ATL GQO VOLLS-STAR .....	
Pittsburgh (PIT) .....	RSW ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR.....	1000-0300
Raleigh-Durham (RDU).....	RSW ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR.....	



Terminals	Route	Effective Times (UTC)
St Louis (STL) .....	LAL J73 SZW J41 VUZ STL .....	1100-0300
Washington Dulles (IAD) .....	RSW ORL J53 CRG J51 SAV J207 RDU FAK COATT-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) RSW ORL J53 CRG J51 SAV J207 RDU FAK BARIN-STAR .....	1000-0300
Washington Natl (DCA) .....	RSW ORL J53 CRG J51 SAV J55 CHS J165 RIC IRON-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) RSW ORL J53 CRG J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR .....	1000-0300
<b>GREENSBORO (GSO)</b>		
Chicago Midway (MDW) .....	PSK HNN FWA GOSHEN-STAR .....	1100-0300
	or PSK HVQ APE J178 FWA GOSHEN-STAR .....	1100-0300
Chicago O'Hare (ORD) .....	(/E/G/R/J/L/Q only) BOTTM FLM HEVAN MZZ ROYKO (RNAV)-STAR .....	1100-0300
	or (non-advanced RNAV only) BOTTM FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR .....	1100-0300
Cincinnati (LUK) .....	PSK HVQ FLM .....	0700-2300
Detroit/Wayne (DTW) .....	BOTTM BKW GEMNI-STAR .....	
La Guardia (LGA) .....	J14 PXT KORRY-STAR .....	
Louisville (SDF) .....	VXV J99 GHATS EWO IIU .....	0700-2300
Newark (EWR) .....	J14 J51 FAK DYLIN-STAR .....	
	or (GPS or DME/DME-IRU equipped) J14 J51 FAK PHLBO (RNAV)-STAR .....	
<b>GREER (GSP)</b>		
Detroit/Wayne (DTW) .....	SPA HMV HNN WEEDA-STAR .....	
<b>HUNTSVILLE (HSV)</b>		
Chicago O'Hare (ORD) .....	MEM FTZ BDF BDF-STAR .....	0000-2359
Detroit/Wayne (DTW) .....	(RNAV only) BNA IMPEL VHP FWA MIZAR-STAR .... or BNA CCT VHP FWA MIZAR-STAR .....	
<b>JACKSONVILLE METRO AREA (JAX)</b>		
Baltimore (BWI) .....	J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped) J51 SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR .....	1100-0400
Charlotte (CLT) .....	J53 IRQ UNARM-STAR .....	
	or J51 SAV J207 FLO CTF-STAR .....	
	or (Turbojets-GPS or DME/DME-IRU equipped) J51 SAV HUSTN (RNAV)-STAR .....	
	or (Turbojets-GPS or DME/DME-IRU equipped) J53 IRQ ADENA (RNAV)-STAR .....	
Chicago O'Hare (ORD) .....	(/E/G/R/J/L/Q only) SAV CAE HMV FLM HEVAN MZZ ROYKO (RNAV)-STAR .....	0000-2359
	or (non-advanced RNAV only) SAV CAE HMV FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR .....	0000-2359
Detroit/Wayne (DTW) .....	NOWAY J53 SPA HNN WEEDA-STAR .....	
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) TAY J2 SJI COLUMBIA (RNAV)-STAR .....	
	or (Non-advanced NAV only) TAY J2 CEW J50 AEX DAS-STAR .....	
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) TAY J2 SJI WOLDE (RNAV)-STAR .....	
	or	



Terminals	Route	Effective Times (UTC)
	(Non-advanced NAV only) TAY J2 CEW J50 AEX DAS-STAR.....	
La Guardia (LGA) .....	J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR.....	1100-0400
Newark (EWR) .....	CRG J51 FAK DYLIN-STAR..... or (GPS or DME/DME-IRU equipped) CRG J51 FAK PHLBO (RNAV)-STAR .....	
Philadelphia (PHL) .....	J51 SAV J55 CHS J121 SWL SWL034 RADD5 VCN-STAR.....	1100-0400
Tampa (TPA) .....	TAY LZARD-STAR .....	
	or (GPS or DME/DME-IRU equipped) TAY DADES (RNAV)-STAR.....	
Washington Dulles (IAD).....	SAV CHS J165 J109 FAK COATT-STAR..... or (GPS or DME/DME-IRU equipped) SAV J207 RDU FAK BARIN-STAR .....	1100-0400
Washington Natl (DCA).....	J51 SAV J55 CHS J165 RIC IRONS-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped) J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR .....	1100-0400
<b>KEY WEST METRO AREA (NQX)</b>		
Daytona Beach (DAB).....	J41 RSW ORL .....	1030-0300
Fort Lauderdale (FLL).....	(all others) EYW DVALL-STAR .....	1030-0300
	or (/E, /G, /R, /J, /L, /Q) EYW CURSO (RNAV)-STAR.....	1030-0300
Fort Myers (RSW) .....	J41 .....	1030-0300
Melbourne (MLB).....	PHK.....	1030-0300
Miami (MIA) .....	(all others) EYW DVALL-STAR .....	1030-0300
	or (/E, G, /R, /J, /L, /Q) EYW CURSO (RNAV)-STAR .....	1030-0300
Orlando (MCO) .....	J41 RSW MINEE-STAR .....	1030-0300
Palm Beach (PBI) .....	PHK.....	1030-0300
Sarasota/Bradenton (SRQ).....	J41 RSW V7 ROGAN .....	1030-0300
Tallahassee (TLH) .....	J41 RSW LAL .....	1030-0300
	or (at or above FL360) J41 RSW TEPEE SZW .....	1030-0300
Tampa (TPA) .....	J41 RSW ROGAN BRDGE BRDGE-STAR .....	1030-0300
	or (GPS or DME/DME-IRU equipped) J41 RSW ROGAN DEAKK DEAKK (RNAV)-STAR.....	1000-0300
Vero Beach (VRB) .....	PHK.....	1030-0300
<b>KNOXVILLE (TYS)</b>		
Chicago O'Hare (ORD) .....	(/E/G/R/J/L/Q only) VXV HEVAN MZZ ROYKO (RNAV)-STAR..... or (non-advanced RNAV only) VXV HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	0000-2359
Cleveland Metro (CLE) .....	VXV J91 BULEY J91 HNN TVT KEATN-STAR .....	
Detroit/Wayne (DTW).....	VXV J91 HNN WEEDA-STAR.....	
La Guardia (LGA) .....	BKW J42 GVE KORRY-STAR.....	
<b>LAKELAND METRO AREA (LAL, GfF, BOW, BKV, X16)</b>		
Fort Lauderdale (FLL).....	(Jets only-all others) RSW FORTL-STAR .....	
Key West Intl (EYW).....	RSW J41.....	1030-0300
Miami (MIA).....	(Turbojets-GPS or DME/DME-IRU equipped) CYV SSCOT (RNAV)-STAR .....	
West Palm Beach (PBI) .....	(Turbojets-GPS or DME/DME-IRU equipped) WLACE (RANV)-STAR .....	1030-0300
<b>LEXINGTON (LEX)</b>		
Atlanta (ATL) .....	(RNAV only) AZQ SOT FLCON (RNAV)-STAR .....	
Cleveland (CLE) .....	CVG ABERZ-STAR .....	



Terminals	Route	Effective Times (UTC)
<b>LOUISVILLE METRO AREA (LOU, SDF)</b>		
From BOWMAN FIELD (LOU) only		
Dallas/Ft Worth (DFW) .....	PXV J131 LIT BYP.....	
Phoenix (PHX) .....	FAM J78 ABQ J18.....	
	or	
	FAM J78 IRW J74 SJN J18.....	
From LOUISVILLE INTL (SDF) only		
Atlanta (ATL) .....	MYS BWG ROME-STAR .....	
	or	
	(RNAV only) MYS BWG RMG ERLIN (RNAV)-STAR	
Cleveland Metro (CLE) .....	CVG ABERZ-STAR .....	
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) SWB ROKIT	
	(RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) SWB DAS-STAR .....	
Houston (IAH) .....	(Turbojets-GPS or DME/DME-IRU equipped) SWB	
	TXMEX (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) SWB DAS-STAR .....	
<b>MEMPHIS (MEM)</b>		
Baltimore (BWI) .....	J42 BKW J147 CSN OTT-STAR.....	
	or	
	(GPS or DME/DME-IRU equipped) J42 BKW J147	
	CSN RAVNN (RNAV)-STAR .....	
Boca Raton (BCT) .....	(GPS or DME/DME-IRU equipped) MGM SZW	
	PRRIE (RNAV)-STAR .....	
Boston (BOS) .....	J42 BNA J46 VXV SPA SPA100 J209 RDU J207	
	FKN J79 JFK ORW-STAR .....	
	or	
	J118 SPA SPA100 J209 RDU J207 FKN J79 JFK	
	ORW-STAR .....	
Cincinnati (CVG) .....	(RNAV only) J29 PXV SARGO (RNAV)-STAR .....	
	or	
	(all others) J29 PXV MOSEY-STAR.....	
Cleveland (CLE) .....	PXV ABERZ-STAR .....	
Denver (DEN) .....	RZC PER GCK J154 RYLIE DANDD-STAR .....	
Detroit/Wayne (DTW) .....	J29 PXV VHP FWA MIZAR-STAR.....	
Houston (HOU) .....	(DME/DME-IRU or GPS-equipped) LIT J180 SWB	
	ROKIT (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Houston (IAH) .....	(Turbojets-DME/DME-IRU or GPS-equipped) LIT	
	J180 SWB TXMEX (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Kennedy (JFK) .....	J118 SPA SPA100 J209 ORF J121 SIE	
	CAMRN-STAR .....	
La Guardia (LGA) .....	J42 GVE KORRY-STAR .....	
Louisville (SDF) .....	BNA BNA037 BARRY EWO .....	
	or	
	Q29 SIDAE CHERI CHERI-STAR.....	
Minneapolis (MSP) .....	J35 STL IOW ALO KASPR-STAR .....	1300-0300
Newark (EWR) .....	J42 GVE DYLIN-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) J42 GVE	
	PHLBO (RNAV)-STAR .....	
Orlando (ORL/MCO) .....	MGM SZW J43 PIE LAL.....	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) MGM SZW J43	
	PIE COSTR (RNAV)-STAR .....	1100-0400
	or	
	J41 MGM S2W J43 PIE LAL .....	
Philadelphia (PHL) .....	J42 GVE DPNT-STAR .....	
Pittsburgh (PIT) .....	J29 PXV IIU HNN WISKE-STAR .....	



Terminals	Route	Effective Times (UTC)
Sarasota/Bradenton (SRQ) .....	MGM SZW CLAMP-STAR .....	
Tampa (TPA) .....	MGM SZW DARBS-STAR .....	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) MEM SZW	
	FOXX (RNAV)-STAR .....	1100-0400
Washington Dulles (IAD) .....	J42 BKW ROYIL-STAR .....	1100-1830
	or	
	PXV IIU J8 HVQ SHNON (RNAV)-STAR .....	1830-2230
	or	
	J42 BKW SHNON (RNAV)-STAR .....	2230-0300
	or	
	PXV IIU J8 HVQ ROYIL-STAR .....	1830-2230
Washington Natl (DCA) .....	J42 BKW WZRRD-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) J42 BKW	
	ELDEE (RNAV)-STAR .....	
West Palm Beach (PBI) .....	MGM SZW WLACE (RNAV)-STAR .....	
Windsor Locks (BDL) .....	J42 BNA J46 VXV SPA SPA100 J209 RDU J207	
	FKN J79 JFK DPK DPK-STAR .....	
<b>MIAMI METRO AREA</b>		
<b>(MIA, HWO, OPF, TMB, HST, X51)</b>		
Albany (ALB) .....	(Water-Turbojets) VALLY PERMT AR16 ILM	
	KEMPR SBY J79 JOANI LGA LGA055 TRUDE	
	V487 CANAN V130 .....	
Atlanta (ATL) .....	J81 CHESN SINCA-STAR .....	1000-0300
	or	
	(RNAV only) J81 CHESN CANUK (RNAV)-STAR .....	1000-0300
Baltimore (BWI) .....	J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC	
	OTT-STAR .....	1000-0300
	or	
	(Water-Turbojets) VALLY PERMT AR16 ILM J40	
	RIC OTT-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J55 CHS J79 TYI J40 RIC RAVNN	
	(RNAV)-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) VALLEY PERMT	
	AR16 ILM J40 RIC RAVNN (RNAV)-STAR .....	1000-0300
Bedford (BED) .....	(Water-Turbojets) VALLY PERMT AR16 ILM	
	KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STAR .....	
	or	
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR .....	
Beverly (BVY) .....	(Water-Turbojets) VALLY PERMT AR16 ILM	
	KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STAR .....	
	or	
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR .....	
Boston (BOS) .....	J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR ...	1000-0300
	or	
	(Water-Turbojets) VALLY PERMT AR16 ILM	
	KEMPR SBY J79 JFK ORW-STAR .....	
Chicago Midway (MDW) .....	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK	
	FISSK (RNAV)-STAR .....	1000-0300
	or	
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	
	OKK V285 CLEFT OXI CGT .....	1000-0300
Chicago O'Hare (ORD) .....	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT	
	GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	
	(RNAV)-STAR .....	1000-0300



Terminals	Route	Effective Times (UTC)
	or	
	(non-advanced RNAV only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	1000-0300
Cincinnati (CVG).....	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR .....	
	or	
	(all others) CTY J91 VXV HARDU-STAR.....	1000-0300
Columbus (CMH).....	J81 IRQ J53 SPA J85 HVQ HNN BREMN-STAR .....	
Cross City (CTY).....	LAL CTY .....	1030-0300
Dallas/Fort Worth (DFW) .....	J616 SRQ Q100 REDFN Q105 HRV J58 AEX CQY .	1000-0300
	or	
	LAL J73 SZW J2 CEW J50 AEX CQY.....	1000-0300
Danbury (DXR) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR .....	
Daytona Beach (DAB)	J53 HEDLY MLB V3 or MLB V3 .....	1030-0300
Denver (DEN).....	LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR .....	
Detroit/Wayne (DTW).....	J53 SPA HNN WEEDA-STAR.....	
Detroit Satellites:		
Ann Arbor (ARB), .....	J81 IRQ J99 VXV J43 FLM DQN CRUXX-STAR.....	
Detroit (DET),		
Pontiac (PTK),		
Windsor (CYQG)		
Willow Run (YIP)		
Ann Arbor (ARB).....	J81 IRQ J85 DJB LLEEO-STAR .....	
Fort Pierce (FPR) .....	J53 HEDLY or FPR .....	1030-0300
Farmingdale (FRG).....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	
Gainesville (GNV) .....	Direct .....	1030-0300
Hampton (HTO) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 .....	
Hartford (HFD) .....	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1 .....	
Houston Intcntl (IAH) .....	(DME/DME-IRU or GPS-equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR .....	1000-0300
	or	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
	or	
	J616 SRQ Q100 LEV WOLDE (RNAV)-STAR.....	1000-0300
Houston Hobby (HOU).....	(DME/DME-IRU or GPS-equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR.....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) J616 SRQ Q100 LEV COLUMBIA (RNAV)-STAR .....	1000-0300
	or	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Indianapolis (IND) .....	LAL CTY J91 ATL J89 IIU DECEE-STAR .....	1000-0300
Islip (ISP) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SARDI CCC .....	
Jacksonville (JAX).....	J53 .....	1030-0300
Kennedy (JFK).....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	1000-0300
	or	
	J53 CRG J51 SAV J55 CHS J121 SIE CAMRN-STAR .....	1000-0300
La Guardia (LGA).....	(Water) VALLY PERMT AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR.....	1000-0300
	or	
	J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR.....	1000-0300
Lawrence (LWM) .....	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or	



Terminals	Route	Effective Times (UTC)
	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Louisville (SDF) .....	CTY J91 ATL HCH DARBY-STAR .....	1000-0300
Manchester (MHT) .....	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN .....	
Melbourne (MLB) .....	J53 HEDLY or DRCT .....	1030-0300
Minneapolis (MSP) .....	CTY J91 ATL J89 BAE EAU-STAR .....	1000-0300
Montreal (CYUL) .....	VALLY PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR .....	
Nantucket (ACK) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO V46 .....	
Nashville (BNA) .....	CTY J91 ATL GQO VOLLS-STAR .....	1000-0300
Newark (EWR) .....	(Water) VALLY PERMT AR16 ILM J109 FAK DYLIN-STAR .....	
	or J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) VALLY PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR .....	1000-0300
Newburgh (SWF) .....	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
New Haven (HVN) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
New London/Groton (GON) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO .....	
New Orleans (MSY) .....	LAL J73 SZW J2 .....	1000-0300
	or (Water) J616 SRQ Q100 REDFN Q105 HRV .....	1000-0300
Ocala (OCF) .....	J73 LAL or DRCT .....	1030-0300
Orlando (MCO) .....	J53 PHK GOOFY-STAR .....	1030-0300
	or (PHK GOOFY-STAR .....	
Overwater Routes to the Northeast .....	(Water-Turbojets) VALLY PERMT AR16 ILM .....	
	or (Water-Turbojets) VALLY WOLFO AR18 DIW .....	
Overwater Routes to the Northwest .....	J616 SRQ Q100 LEV J86 .....	1030-0300
	or J616 SRQ Q100 REDFN Q105 HRV J58 .....	1030-0300
Philadelphia (PHL) .....	J53 CRG J51 SAV J55 CHS J121 SWL SWL034 RADDs VCN-STAR .....	1000-0300
	or (Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL RADDs VCN-STAR .....	1000-0300
Pittsburgh (PIT) .....	J53 CRG J51 CAE PSK EKN IHD NESTO-STAR .....	1000-0300
Poughkeepsie (POU) .....	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
Providence (PVD) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO JORDAN (RNAV)-STAR .....	
Raleigh-Durham (RDU) .....	(Water-Turbojets) VALLY PERMT AR16 ILM BRADE-STAR .....	1000-0300
	or J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR .....	1000-0300
St Louis (STL) .....	WINCO CTY J151 VISQA QBALL-STAR .....	1000-0300
	or (/E, /G, /R, /J, /L, /Q) WINCO KPASA Q110 FEONA VUZ J151 VISQA QBALL-STAR .....	
Sarasota/Bradenton (SRQ) .....	J616 .....	1030-0300



Terminals	Route	Effective Times (UTC)
Tallahassee (TLH) .....	J73 .....	
	or	
	LAL .....	1030-0300
Tampa (TPA) .....	J43 BRDGE BRDGE-STAR .....	1030-0300
	or	
	(GPS or DME/DME-IRU equipped) J43 DEAKK	
	DEAKK (RNAV)-STAR .....	1030-0300
Toronto (CYYZ) .....	(Water-Turbojets) VALLY PERMT AR16 ILM J109	
	BUF YOUTH-STAR .....	
Vero Beach (VRB) .....	DRCT .....	1030-0300
	or	
	J53 HEDLY .....	
Washington Dulles (IAD) .....	J53 CRG J51 SAV J207 RDU FAK COATT-STAR ....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J207 RDU FAK BARIN-STAR .....	1000-0300
	or	
	(Water) VALLEY PERMT AR16 ILM J109 FAK	
	COATT-STAR .....	1000-0300
	or	
	(Water-GPS or DME/DME-IRU equipped) VALLY	
	PERMT AR16 ILM J109 FAK BARIN-STAR .....	1000-0300
Washington Natl (DCA) .....	(Turbojets) J53 CRG J51 SAV J55 CHS J165 RIC	
	IRONS-STAR .....	1000-0300
	or	
	(Water-Turbojets) VALLY PERMT AR16 ILM J40	
	RIC IRONS-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR .....	1000-0300
	or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) VALLY PERMT ILM J40 RIC OJAAY	
	(RNAV)-STAR .....	1000-0300
Westhampton (FOK) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 HTO .....	
White Plains (HPN) .....	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 SIE BOUNO-STAR .....	
	or	
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 SIE V139 RICED	
	RICED-STAR .....	
Wilmington (ILM) .....	(Water-Turbojets) VALLY PERMT AR16 .....	
Windsor Locks (BDL) .....	(Water-Turbojets) VALLY PERMT AR16 ILM	
	KEMPR SBY J79 VILLS DPK DPK-STAR .....	
Worcester (ORH) .....	(Water-Turbojets) VALLY PERMT AR16 ILM	
	KEMPR SYB J79 JFK DPK MAD HFD .....	
<b>MOBILE (MOB)</b>		
Houston (HOU) .....	(DME/DME-IRU or GPS-equipped) SJI COLUMBIA	
	(RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) SJI J50 AEX DAS-STAR.	
Houston (IAH) .....	(DME/DME-IRU or GPS-equipped) SJI WOLDE	
	(RNAV)-STAR	
	or	
	(Non-advanced NAV only) SJI J50 AEX DAS-STAR.	
<b>MYRTLE BEACH (MYR)</b>		
Detroit/ Wayne (DTW) .....	BKW GEMNI-STAR .....	
<b>NASHVILLE</b>		
Baltimore (BWI) .....	J42 BKW J147 CSN OTT-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) J42 BKW J147	
	CSN OTT-STAR .....	
Boca Raton (BCT) .....	(GPS or DME/DME-IRU equipped) MGM SZW	
	PRRIE (RNAV)-STAR .....	



Terminals	Route	Effective Times (UTC)
Boston (BOS).....	J46 VXV SPA SPA100 J209 RDU J207 FKN J79	
Chicago/Midway (MDW) .....	JFK ORW-STAR .....	
	(/E/G/R/J/L/Q only) IIU OKK FISSK	
	(RNAV)-STAR .....	0000-2359
	or	
	(non-advanced RNAV only) IIU OKK V285 CLEFT	
	OXI CGT .....	0000-2359
Chicago O'Hare (ORD).....	(/E/G/R/J/L/Q only) IIU HEVAN MZZ ROYKO	
	(RNAV)-STAR .....	0000-2359
	or	
	(non-advanced RNAV only) IIU HEVAN MZZ	
	MZZ344/33 OXI KNOX-STAR .....	0000-2359
	or	
	IIU MZZ OXI KNOX-STAR .....	
Cincinnati (CVG).....	BWG V49 ABB V47 CVG .....	
Cleveland (CLE) .....	IIU ABERZ-STAR .....	
Columbus (CMH).....	LVT V493 YRK YRK035 APE168 NIKLS .....	
Denver (DEN).....	FAM J112 BUM J110 GCK J154 RYLIE	
	DANDD-STAR .....	
Detroit/Wayne (DTW).....	(RNAV only) IMPEL VHP FWA MIZAR-STAR .....	
	or	
	CCT VHP FWA MIZAR-STAR .....	
Fort Lauderdale (FLL).....	(all others) J39 MGM SZW J41 PIE FORTL-STAR ..	
Fort Myers (FMY, RSW).....	(Turbojets-GPS or DME/DME-IRU equipped) J39	
	MGM J41 SZW SSCOT (RNAV)-STAR .....	1100-0300
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) LIT J180 SWB	
	ROKIT (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR .....	
Houston (IAH) .....	(Turbojets-GPS or DME/DME-IRU equipped) LIT	
	J180 SWB TXMEX (RNAV)-STAR .....	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR .....	
Indianapolis (IND) .....	J39 IIU DECEE-STAR .....	
Kennedy (JFK).....	J46 VXV SPA SPA100 J209 ORF J121 SIE	
	CAMRN-STAR .....	
La Guardia (LGA).....	J42 GVE KORRY-STAR .....	
Miami (MIA).....	(all others) J39 MGM SZW J41 PIE CY-STAR .....	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) J39	
	MGM SZW SSCOT (RNAV)-STAR .....	
Minneapolis (MSP) .....	IIU J89 BAE EAU-STAR .....	
Newark (EWR) .....	SPA J14 J51 FAK DYLIN-STAR .....	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) SPA J14 J51	
	FAK PHLBO (RNAV)-STAR .....	1100-0400
Orlando (MCO, ORL) .....	J39 MGM SZW J43 PIE LAL .....	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) J39 MGM SZW	
	J43 PIE COSTR (RNAV)-STAR .....	1100-0400
Philadelphia (PHL) .....	J42 OTT DPNT-STAR .....	
Pittsburgh (PIT) .....	IIU HNN WISKE-STAR .....	
St. Louis (STL) .....	QBALL-STAR .....	
Toronto (CYYZ).....	J39 ROD J43 CRL J586 YXU V98 YWT V216 .....	
Washington Dulles (IAD).....	J42 BKW ROYIL-STAR .....	
	or	
	J42 BKW SHNON (RNAV)-STAR .....	
Washington Natl (DCA).....	J42 BKW WZRRD-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) J42 BKW	
	ELDEE (RNAV)-STAR .....	
West Palm Beach (PBI) .....	(Turbojets-GPS or DME/DME-IRU equipped)	
	MGM SZW WLACE (RNAV)-STAR .....	



Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL).....	J46 VXV SPA SPA100 J209 RDU J207 FKN J79 JFK DPK DPK-STAR .....	
<b>ORLANDO METRO AREA</b> <b>(MCO, ORL, ISM, LEE, SFB)</b>		
Baltimore (BWI) .....	(Water-Turbojets-GPS or DME/DME-IRU equipped) MLB LENDS AR16 ILM J40 RIC RAVNN (RNAV)-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR .....	1100-0400
Detroit/Wayne (DTW) .....	JAGUAR-DP IRQ J53 SPA HNN WEEDA-STAR .....	
Fort Pierce (FPR) .....	VRB .....	1030-0300
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) PIE REMIS Q100 LEV COLUMBIA (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJ1 COLUMBIA (RNAV)-STAR .....	1000-0300
	or (Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) PIE REMIS Q100 LEV WOLDE (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJ1 WOLDE (RNAV)-STAR .....	
	or (Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Key West (EYW) .....	RSW J41 .....	1030-0300
Overwater Routes to the Northeast .....	(Water-Turbojets) MLB LENDS AR16 ILM .....	
	or (Water-Turbojets) MLB ETECK AR18 DIW .....	
Wilmington (ILM) .....	(Water-Turbojets) MLB LENDS AR16 .....	
From ORLANDO EXECUTIVE (ORL) only		
Albany (ALB) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE V487 CANAN V130 .....	
Atlanta (ATL) .....	J53 CRG DBN SINCA-STAR .....	
	or (RNAV only) J53 CRG DBN CANUK RNAV-STAR .....	
Baltimore (BWI) .....	(Water-Turbojets) MLB LENDS AR16 ILM J40 RIC OTT-STAR .....	1100-0400
	or J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR .....	1100-0400
Bedford (BED) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Beverly (BVY) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Bridgeport (BDR) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
Charlotte (CLT) .....	J53 CRG J51 SAV J207 FLO CTF-STAR .....	
	or (Turbojets-GPS or DME/DME-IRU equipped) J53 CRG J51 SAV HUSTN (RNAV)-STAR .....	
Cincinnati (CVG) .....	(RNAV only) J53 CRG J45 ATL J43 VXV JAKIE (RNAV)-STAR .....	



Terminals	Route	Effective Times (UTC)
	or (all others) J53 CRG J45 ATL J43 VXV HARDU-STAR .....	
Cleveland (CLE) .....	J53 SPA J85 TVT040 KEATN KEATN-STAR .....	
Columbus (CMH) .....	J53 SPA J85 HVQ HNN BREMN-STAR .....	
Dallas/Ft. Worth (DFW) .....	PIE REMIS Q100 REDFN Q105 HRV J58 AEX CQY .	
Danbury (DXR) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR .....	
Denver (DEN) .....	CTY SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR .....	
Detroit/Wayne (DTW) .....	VXV J91 HNN WEEDA-STAR .....	
Detroit Satellites: Detroit (DET), Windsor (CYQG), Pontiac (PTK), Willow Run (YIP), Ann Arbor (ARB) .....	J53 CRG J45 ATL J91 VXV J43 FLM DQN CRUX-STAR .....	1100-0400
	or J53 IRQ J85 DJB LLEE0-STAR .....	
East Hampton (HTO) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO .....	
Farmingdale (FRG) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	
Hartford (HFD) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD V1 .....	
Indianapolis (IND) .....	J53 CRG J45 ATL J89 IIU DECEE-STAR .....	
Islip (ISP) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SARDI CCC .....	
Kennedy (JFK) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	0700-0000
	or J53 CRG J51 SAV J55 CHS J121 SIE CAMRN-STAR .....	
La Guardia (LGA) .....	(Water-Turbojets) MLB LENDS AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR .....	1100-0300
	or J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR .....	1100-0300
Lawrence (LWM) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Louisville (SDF) .....	CTY J91 ATL HCH DARBY-STAR .....	
Manchester (MHT) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK ALB EEN .....	
Minneapolis (MSP) .....	CTY J91 ATL J89 BAE EAU-STAR .....	1100-0400
Montreal (CYUL) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR .....	
Nantucket (ACK) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO V46 .....	
Nashville (BNA) .....	CTY J91 ATL VOLLS-STAR .....	1100-0400
Newark (EWR) .....	(GPS or DME/DME-IRU equipped-WATER) MLB LEND S AR16 ILM J109 FAK PHLBO (RNAV)-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR .....	1100-0400
Newburgh (SWF) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
New Haven (HVN) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
New London (GON) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO .....	



Terminals	Route	Effective Times (UTC)
Philadelphia (PHL) .....	(Water-Turbojets) J53 CRG J55 CHS J121 SWL SWL034 RADD5 VCN-STAR .....	1100-0400
Pittsburgh (PIT) .....	CRG J51 CAE PSK EKN IHD NESTO-STAR .....	1100-0400
Poughkeepsie (POU) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
Providence (PVD) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR .....	
Springfield (CEF) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR .....	
St. Louis (STL) .....	CTY SZW J41 VUZ J151 VISQA QBALL-STAR .....	1100-0400
Toronto (CYYZ) .....	(Water-Turbojets) MLB LENDS AR16 ILM J109 BUF YOUTH-STAR .....	
Washington Natl (DCA) .....	(Water-Turbojets-GPS or DME/DME-IRU equipped) MLB LENDS AR16 ILM J40 RIC OJAAY (RNAV)-STAR .....	
	or	
	(Water-Turbojets) MLB LENDS AR16 ILM J40 RIC IRONS-STAR .....	
Washington Dulles (IAD) .....	(Water-GPS or DME/DME-IRU equipped) MLB LENDS AR16 ILM J109 FAK BARLIN -STAR .....	
	or	
	(Water) MLB LENDS AR16 ILM J109 FAK COATT-STAR .....	
Westfield (BAF) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR .....	
Westhampton Beach (FOK) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO .....	
White Plains (HPN) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR .....	
	or	
	(Water-Turboprops) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR .....	
Windsor Locks (BDL) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR .....	
Worcester (ORH) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD .....	
From ORLANDO INTL (MCO) only		
Atlanta (ATL) .....	MCOY-DP AMG SINCA-STAR .....	1100-0400
	or	
	(RNAV only) JAGUAR-DP DBN CANUK (RNAV)-STAR .....	1100-0400
Baltimore (BWI) .....	MCOY-DP SAV J55 CHS J79 TYI J40 RIC OTT-STAR .....	1100-0400
	or	
	(Water-Turbojets) MLB LENDS AR16 ILM J40 RIC OTT-STAR .....	
Bedford (BED) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Beverly (BVY) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Boston (BOS) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK ORW-STAR .....	1100-0300
	or	
	MCOY-DP SAV J55 CHS J79 JFK ORW-STAR .....	1100-0300
Bridgeport (BDR) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
Charlotte (CLT) .....	MCOY-DP SAV J207 FLO CTF-STAR .....	



Terminals	Route	Effective Times (UTC)
	or	
Chicago Midway (MDW) .....	(Turbojets—GPS or DME/DME—IRU equipped) MCOY—DP SAV HUSTN (RNAV)—STAR .....	
	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)—STAR .....	1100—0400
	or	
Chicago O'Hare (ORD) .....	(non—advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT .....	1100—0400
	(/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)—STAR .....	1100—0400
	or	
Cincinnati (CVG) .....	(non—advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX—STAR .....	1100—0400
	(RNAV only) MCOY—DP AMG J45 ATL J43 VXV JAKIE (RNAV)—STAR .....	
	or	
Columbus (CMH) .....	(all others) MCOY—DP AMG J45 ATL J43 VXV HARDU—STAR .....	1100—0400
	MCOY—DP IRQ J53 SPA J85 HVQ HNN BREMN—STAR .....	1100—0400
Danbury (DXR) .....	(Water—Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED—STAR .....	
Detroit/Wayne (DTW) .....	JAGUAR—DP IRQ J53 SPA HNN WEEDA—STAR .....	
Detroit Satellites:		
Detroit (DET), Windsor (CYQG), Pontiac (PTK), Willow Run (YIP), Ann Arbor (ARB) .....	JAGUAR—DP IRQ J85 DJB LLEE0—STAR .....	
Fort Myers (FMY, RSW) .....	LBV .....	
Hartford (HFD) .....	(Water—Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD V1 .....	
Indianapolis (IND) .....	CTY J91 ATL J89 IIU DECEE—STAR .....	1100—0400
Islip (ISP) .....	(Water—Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SARDI CCC .....	
Kennedy (JFK) .....	(Water) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN—STAR .....	
	or	
La Guardia (LGA) .....	MCOY—DP SAV J55 CHS J121 SIE CAMRN—STAR .. MCOY—DP SAV J207 RDU J55 HPW J191 PXT ENO—STAR .....	1100—0300
	or	
Lawrence (LWM) .....	(Water—Turbojets) MLB LENDS AR16 ILM J40 TYI HPW J191 PXT ENO—STAR .....	
	(Water—Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM—STAR .....	
	or	
Louisville (SDF) .....	(Water—Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM—STAR .....	
Minneapolis (MSP) .....	CTY J91 ATL HCH DARBY—STAR .....	1100—0400
	(all others) CTY VUZ ALO KASPR—STAR .....	
	or	
	(/E, /G, /R, /J, /L, /Q) WEBSS BRUTS Q110 FEONA VUZ ALO KASPR—STAR .....	
Montreal (CYUL) .....	(Water—Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT—STAR .....	
Nantucket (ACK) .....	(Water—Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO V46 .....	
Nashville (BNA) .....	CTY J91 ATL VOLLS—STAR .....	1100—0400
Newark (EWR) .....	(Water—Turbojets) MLB LENDS AR16 ILM J109 FAK DYLIN—STAR .....	
	or	
	MCOY—DP SAV J207 FLO J55 J51 FAK DYLIN—STAR .....	
	or	



Terminals	Route	Effective Times (UTC)
	J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR .....	1100-0400
	or (Turbojets-WATER) MLB LENDS AR16 ILM J109 FAK DYLIN-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped) MCCOY SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped-WATER) MLB LEND S AR16 ILM J109 FAK PHLBO (RNAV)-STAR .....	1100-0400
Newburgh (SWF) .....	(Water-Turbojets)-MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
New Haven (HVN) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
New London (GON) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO .....	
Philadelphia (PHL) .....	(Turbojets) MCOY-DP SAV J55 CHS J121 SWL SWL034 RADD S VCN-STAR .....	1100-0400
	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL RADD S VCN-STAR .....	
Pittsburgh (PIT) .....	MCOY-DP SAV J51 CAE PSK EKN IHD NESTO-STAR .....	1100-0400
Poughkeepsie (POU) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
Providence (PVD) .....	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR .....	
Springfield (CEF) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR .....	
St. Louis (STL) .....	CTY J151 VISQA QBALL-STAR .....	
	or (/E, /G, /R, /J, /L, /Q) WEBBS BRUTS Q110 FEONA VUZ J151 VISQA QBALL-STAR .....	
Toronto (CYYZ) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK CFB J95 BUF YOUTH-STAR .....	
Washington Dulles (IAD) .....	MCOY-DP SAV J55 CHS J165 J109 FAK COATT-STAR .....	1100-0300
Westfield (BAF) .....	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR .....	
West Palm Beach (PBI) .....	(Turbojets-GPS or DME/DME-IRU equipped) DEARY VRB FRWAY (RNAV)-STAR .....	
	or DEARY VRB TUXXI-STAR .....	
<b>PALM BEACH METRO AREA (PBI, BCT, LNA, UTX, SUA)</b>		
Albany (ALB) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE V487 CANAN V130 .....	
Atlanta (ATL) .....	(RNAV only) ORL J81 CHESN CANUK (RNAV)-STAR .....	1100-0300
	or ORL J81 CHESN SINCA-STAR .....	1100-0300
Baltimore (BWI) .....	(Water-Turbojets) A699 PERMT AR16 ILM J40 RIC OTT-STAR .....	
	or ORL CRG J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR .....	1100-0300
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR .....	
	or	



Terminals	Route	Effective Times (UTC)
	(GPS or DME/DME-IRU equipped) ORL CRG J51 SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR.....	1100-0300
Bedford (BED).....	(Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
	or	
	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
Beverly (BVY).....	(Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
	or	
	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
Boston (BOS) .....	(Water-Turbojets) A699 PERMT AR16 KEMPR SBY J79 JFK ORW-STAR .....	1100-0300
	or	
	ORL J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR.....	1100-0400
Bridgeport (BDR) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
Charlotte (CLT) .....	ORL J53 CRG J51 SAV J207 FLO CTF-STAR .....	
	or	
	(Turbojets-GPS or DME/DME IRU equipped) ORL J53 CRG J51 SAV HUSTN (RNAV)-STAR .....	
Chicago Midway (MDW) .....	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR.....	1100-0300
	or	
	(non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT .....	1100-0400
Chicago O'Hare (ORD).....	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR.....	1100-0300
	or	
	(non-advanced RNAV only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	1100-0300
Cincinnati (CVG).....	(All Others) CTY J91 VXV HARDU-STAR .....	1100-0300
	or	
	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR .....	
Cleveland (CLE) .....	ORL J53 SPA J85 TVT040 KEATN KEATN-STAR ....	1100-0300
Columbus (CMH).....	ORL J81 IRQ J53 SPA J85 HVQ HNN BREMN-STAR .....	1100-0300
Cross City (CTY).....	LAL .....	1030-0300
Dallas/Ft Worth (DFW) .....	SRQ Q100 REDFN Q105 HRV J58 AEX CQY .....	
Danbury (DXR) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR.....	
Daytona Beach (DAB) .....	MLB .....	1030-0300
Denver (DEN).....	SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR .....	
	or	
	CTY SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR .....	
Detroit/Wayne (DTW).....	ORL J53 SPA HNN WEEDA-STAR .....	
Dixon (DIW) .....	(Water-Turbojets) WOLFO AR18 .....	
East Hampton (HTO) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 HTO .....	
Farmingdale (FRG) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	
Fort Myers (RSW) .....	RSW .....	1030-0300
Groton (GON).....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 HTO .....	



Terminals	Route	Effective Times (UTC)
Hartford (HFD) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1 .....	
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV COLUMBIA (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR .....	1000-0300
	or (Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR .....	1000-0300
	or (Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Indianapolis (IND) .....	CTY J91 ATL J89 IUU DECEE-STAR .....	1100-0300
Islip (ISP) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SARDI CCC .....	
Jacksonville (JAX) .....	ORL J53 .....	1030-0300
Kennedy (JFK) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE J121 SIE CAMRN-STAR .....	1100-0300
	or ORL J53 CRG J51 SAV J55 CHS J121 SIE CAMRN-STAR .....	1000-0300
La Guardia (LGA) .....	(Water-Turbojets) A699 PERMT AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR .....	
	or ORL J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR .....	1100-0400
Lawrence (LWM) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR .....	
	or (Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Louisville (LOU) .....	CTY J91 ATL HCH DARBY-STAR .....	1100-0300
Manchester (MHT) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN .....	
Minneapolis (MSP) .....	CTY J91 ATL J89 BAE EAU-STAR .....	1100-0300
Montreal (CYUL) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR .....	
Nashville (BNA) .....	CTY J91 ATL GQO VOLLS-STAR .....	1100-0300
Nantucket (ACK) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO V46 .....	
Newark (EWR) .....	(Water-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR .....	
	or ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR .....	1100-0300
	or (WATER) A699 PERMT AR16 ILM J109 FAK DYLIN-STAR .....	
	or (GPS or DME/DME-IRU equipped) ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR .....	1100-0300
Newburgh (SWF) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
New Haven (HVN) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED .....	
Ocala (OCF) .....	LAL .....	1030-0300



Terminals	Route	Effective Times (UTC)
Orlando (MCO).....	BAIRN GOOFY-STAR .....	1030-0300
Overwater Routes to the Northeast .....	(Water) A699 PERMT AR16 ILM or WOLFO AR18 DIW .....	1030-0300
Philadelphia (PHL).....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL RADD SWL-STAR .....	
	or ORL J53 CRG J51 SAV J55 CHS J121 SWL SWLO34 RADD SWL-STAR .....	1100-0300
Pittsburgh (PIT) .....	ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR .....	
Poughkeepsie (POU) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR .....	
Providence (PVD).....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR .....	
Raleigh/Durham (RDU) .....	(Water-Turbojets) A699 PERMT AR16 ILM BRADE-STAR .....	
	or ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR .....	1100-0400
St. Louis (STL) .....	TBIRD CTY J151 VISQA QBALL-STAR .....	
	or (/E,/G,/R,/J,/L,/O) TBIRD KPASA Q110 FEONA VUZ J151 VISQA QBALL-STAR .....	
Springfield (CEF) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR .....	
Tallahassee (TLH) .....	LAL .....	1030-0300
Tampa (TPA).....	LBV BRDGE-STAR .....	1030-0300
	or BRDGE BRDGE-STAR .....	1030-0300
	or (GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR .....	1000-0300
	or (GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR .....	1030-0300
Toronto (CYYZ).....	(Water-Turbojets) A699 PERMT AR16 ILM J109 BUF YOUTH-STAR .....	
Washington Dulles (IAD) .....	(Water-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J109 FAK BARIN-STAR .....	
	or (Water) A699 PERMT AR16 ILM J109 FAK COATT-STAR .....	
	or (GPS or DME/DME-IRU equipped) ORL J53 CRG J51 SAV J207 RDU FAK BARIN-STAR .....	
	or ORL J53 CRG J51 SAV J207 RDU FAK COATT-STAR .....	
Washington Natl (DCA).....	(Water) A699 PERMT AR16 ILM J40 RIC IRONS-STAR .....	
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC OJAAY (RNAV)-STAR .....	
Westfield (BAF) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR .....	
Westhampton Beach (FOK) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 HTO .....	
White Plains (HPN) .....	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR .....	
	or (Water-Turboprops) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR .....	
Wilmington (ILM) .....	(Water-Turbojets) A699 PERMT AR16 .....	



Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL).....	(Water-Turbojets) PERMT A699 AR16 ILM KEMPR SBY J179 VILLS DPK DPK-STAR .....	
Worcester (ORH) .....	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD .....	
<b>PENSACOLA (PNS)</b>		
Chicago O'Hare (ORD) .....	(/E/G/R/J/L/Q only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR .....	0000-2359
	or	
	(non-advanced RNAV only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	0000-2359
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) ROMMY HRV COLUMBIA (RNAV)-STAR .....	1000-0300
	or	
	(Non-advanced NAV only) SJI AEX DAS-STAR.....	1000-0300
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) ROMMY HRV WOLDE (RNAV)-STAR.....	1000-0300
	or	
	(Non-advanced NAV only) SJI AEX DAS-STAR.....	1000-0300
<b>PORT AU PRINCE (MTPP)</b>		
Atlanta (ATL) .....	(if unable FL370 by CVIKK) JOSES A315 ZIN FLL ORL CRG SINCA-STAR .....	
	or	
	ALBBE A636 ZIN FLL ORL CRG CANUK (RNAV)-STAR .....	
	or	
	(if unable FL370 by CVIKK) ALBBE A636 ZIN FLL ORL CRG SINCA-STAR .....	
	or	
	(if unable FL370 by CVIKK) JOSES A315 ZIN FLL ORL CRG CANUK (RNAV)-STAR .....	
Kennedy (JFK) .....	BOTES G444 GTK M594 CERDA LUCTI L454 OWENZ CAMRN.....	
	or	
	BOTES G444 GTK M594 CERDA L453 AZEJU BERGH L454 OWENZ CAMRN.....	
	or	
	BOTES G444 GTK L452 OXANA AR8 ECG ORF J121 SIE CAMRN-STAR .....	
	or	
	JOSES A315 ZIN A756 DUKKY A555 ZQA AR3 PANAL DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR.....	
Newark (EWR) .....	ALBBE M594 CERDA LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO .....	
	or	
	ALBBE M594 GTK L452 OXANA AR8 ECG FAK DYLIN-STAR .....	
	or	
	ALBBE M594 GTK L452 OXANA AR8 ECG FAK PHLBO (RNAV)-STAR .....	
<b>RALEIGH-DURHAM (RDU)</b>		
Albany (ALB) .....	TYI J79 SBY J79 JOANI LGA LGA055 V487 V130..	1100-0400
Atlanta (ATL) .....	PACKK-DP AZELL CAE J4 IRQ SINCA-STAR.....	1100-0400
	or	
	(RNAV only) PACKK-DP AZELL CAE J4 IRQ CANUK RNAV-STAR.....	1100-0400
Boston (BOS).....	TYI J79 JFK ORW-STAR .....	
Chicago Midway (MDW) .....	PACKK-DP AZELL PSK HVQ FWA GOSHEN-STAR ..	1100-0400
Chicago O'Hare (ORD).....	(/E/G/R/J/L/Q only) PACKK-DP AZELL HMV FLM HEVAN MZZ ROYKO (RNAV)-STAR .....	1100-0400
	or	
	(non-advanced RNAV only) PACKK-DP AZELL HMV FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR ..	1100-0400



Terminals	Route	Effective Times (UTC)
Cincinnati (CVG) .....	(RNAV only) HNV JAKIE (RNAV)–STAR..... or (all others) HNV HARDU–STAR.....	
Columbia (CAE) .....	FAY–DP FAY FLO .....	1100–0400
Dallas/Ft Worth (DFW) .....	PACKK–DP AZELL SPA J14 VUZ J52 SQS CQY .....	1100–0400
Detroit/Wayne (DTW) .....	AZELL PSK BKW GEMNI–STAR .....	
Fort Lauderdale (FLL) .....	(Turbojets–GPS or DME/DME–IRU equipped) TARL–DP CHS J79 OMN FISEL (RNAV)–STAR..... or (Water–Turbojets–GPS or DME/DME–IRU equipped) TARL–DP CLB BAHAA AR21 CRANS FISEL (RNAV)–STAR .....	
	or (Turbojets) TARL–DP CHS J79 OMN GISSH–STAR ..	
	or (Water–Turbojets) TARL–DP CLB BAHAA AR21 CRANS HILL FATHR GISSH–STAR.....	
	or (Turboprops) TARL–DP CHS J79 OMN MLB BLUFI–STAR .....	
	or (Water–Turboprops–GPS or DME/DME–IRU equipped) TARL–DP CLB BAHAA AR21 CRANS FISEL (RNAV)–STAR .....	
	or (Water–Turboprops) TARL–DP CLB BAHAA AR21 CRANS HILL FATHR GISSH–STAR.....	
Houston (HOU) .....	(GPS or DME/DME–IRU equipped) VUZ JAN AEX ROKIT (RNAV)–STAR .....	
	or (Non–advanced NAV only) VUZ JAN AEX DAS–STAR.....	
Houston (IAH) .....	(Turbojets–GPS or DME/DME–IRU equipped) VUZ JAN AEX TXMEX (RNAV)–STAR .....	
	or (Non–advanced NAV only) VUZ JAN AEX DAS–STAR.....	
Kennedy (JFK) .....	TYI ORF J121 SIE CAMRN–STAR.....	1100–0400
La Guardia (LGA) .....	LVL HPW J191 PXT KORRY–STAR .....	
Miami (MIA) .....	(Turbojets–GPS or DME/DME–IRU equipped) TARL–DP CHS J79 OMN HILEY (RNAV)–STAR .... or (Water–Turbojets–GPS or DME/DME–IRU equipped) TARL–DP CLB SEELO AR22 JORAY HILEY (RNAV)–STAR.....	
	or (Turbojets) TARL–DP CHS J79 OMN ANNEY–STAR.. or (Water–Turbojets) TARL–DP CLB SEELO AR22 JORAY OSOGY ENVOY YOSSY MILSY BOYUR HILEY KAINS.....	
	or (Turboprops) TARL–DP CHS J79 OMN ANNEY–STAR .....	
Newark (EWR) .....	LVL FAK DYLIN–STAR.....	1100–0300
	or (GPS or DME/DME–IRU equipped) LVL FAK PHLBO (RNAV)–STAR .....	1100–0300
Newburgh (SWF) .....	TYI J79 JFK BDR V91 STUBY .....	1100–0300
Orlando (MCO) .....	(Turbojets) TARL–DP CHS J79 OMN BITHO–STAR.. or (GPS or DME/DME–IRU equipped) TARHEEL–DP CHS J79 OMN CWRDL (RNAV)–STAR.....	1100–0400
Orlando (ORL) .....	(Turbojets) TARL–DP CHS J79 OMN CORLL–STAR ..	1100–0400
Palm Beach (PBI) .....	(Turbojets–GPS or DME/DME–IRU equipped) TARL–DP CHS J79 OMN FRWAY (RNAV)–STAR ...	



Terminals	Route	Effective Times (UTC)
	or (Turbojets) TARL-DP CHS J79 OMN TUXXI-STAR ..	
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CLB SEELO AR19 AYBID CAYSL (RNAV)-STAR.....	
	or (Water-Turbojets) TARL-DP CLB SEELO AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL ....	1100-0400
Philadelphia (PHL) .....	V3 FAK DPNT-STAR .....	1100-0400
Pittsburgh (PIT) .....	PACK-DP ROA EKN IHD NESTO-STAR .....	1100-0400
Sarasota (SRQ) .....	FAY-DP FAY CAE J75 TAY J85 GNV LAL .....	1100-0400
Savannah (SAV) .....	TARL-DP CHS .....	1100-0400
Tampa (TPA) .....	FAY-DP FAY CAE J75 TAY LZARD-STAR .....	1100-0400
	or (GPS or DME/DME-IRU equipped) FAY-DP FAY CAE J75 TAY DADES (RNAV)-STAR .....	1100-0400
Windsor Locks (BDL) .....	TYI J79 SBY J79 JFK DPK-STAR.....	1100-0400
<b>SAN JUAN (TJSJ)</b>		
Atlanta (ATL) .....	HARDE A555 ZQA FLL ORL CRG CANUK (RNAV)-STAR.....	
	or HARDE A555 ZQA FLL ORL CRG SINCA-STAR.....	
	or CONCH R507.....	
Atlantic City (ACY) .....	ELMUC L451 LETON L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL J121 SIE .....	
Baltimore (BWI) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC NOTTINGHAM-STAR .....	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC RAVNN (RNAV)-STAR.....	
	or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC NOTTINGHAM-STAR .....	
	or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC RAVNN (RNAV)-STAR.....	
Bedford (BED).....	ELMUC L454 LUCTI OWENZ HTO ORW GRAYM-STAR .....	
	or ELMUC L451 CERDA L453 AZEZU BERGH OWENZ HTO ORW GRAYM-STAR .....	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
	or ELMUC L451 LETON L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....	
Charlotte (CLT) .....	ELMUC L451 OLDEY CHS CHESTERFIELD-STAR...	
	or ELMUC L451 OLDEY CHS HUSTN (RNAV)-STAR....	
Cincinnati (CVG).....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG VXV JAKIE (RNAV)-STAR .....	
	or ELMUC L451 OLDEY METTA CHS SPA CAE VXV JAKIE (RNAV)-STAR .....	
Cleveland (CLE) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG HVQ TVT KEATN-STAR .....	
	or ELMUC L451 OLDEY METTA CHS CAE HVQ TVT KEATN-STAR .....	
Dayton (DAY) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG VXV J43 FLM KEKEE-STAR .....	



Effective  
Times  
(UTC)

Terminals	Route
	or
	ELMUC L451 OLDEY METTA CHS CAE VXV J43
	FLM KEKEE-STAR .....
Detroit (DTW) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG HNN WEEDA-STAR .....
	or
	ELMUC L451 OLDEY METTA CHS SPA HNN
	WEEDA-STAR .....
Indianapolis (IND) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG IIU V51 DECEE DECEE-STAR .....
	or
	ELMUC L451 OLDEY METTA CHS SPA CAE VXV
	J89 IIU V51 DECEE DECEE-STAR .....
Kennedy (JFK) .....	ELMUC L454 LUCTI L454 OWENZ CAMRN .....
	or
	ELMUC L453 LAMER L453 AZEZU BERGH L454
	OWENZ CAMRN .....
	or
	ELMUC L451 OLDEY AR3 PANAL DIW WETRO
	CEBEE SWL J121 SIE CAMRN-STAR .....
Louisville (SDF) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG HCH DARBY-STAR .....
	or
	ELMUC L451 OLDEY METTA CHS SPA HCH
	DARBY-STAR .....
Newark (EWR) .....	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK
	DYLIN-STAR .....
	or
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK
	PHLBO (RNAV)-STAR .....
	or
	ELMUC L454 LUCTI L454 BERGH L454 OWENZ
	CYN GXU RBV V249 METRO .....
	or
	ELMUC L451 CERDA L453 AZEZU BERGH L454
	OWENZ CYN GXU RBV V249 METRO .....
Ottawa (CYOW) .....	ELMUC L454 LUCTI L454 JFK SYR J599 .....
	or
	ELMUC L451 CERDA L453 AZEZU BERGH L454
	JFK SYR J599 .....
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG SYR J599 .....
	or
	ELMUC L451 OLDEY AR3 CLB ILM SYR J599 .....
Providence (PVD) .....	ELMUC L454 LUCTI L454 BERGH OWENZ HTO
	JORDN .....
	or
	ELMUC L451 CERDA L453 AZEZU BERGH OWENZ
	HTO JORDN .....
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG SWL J174 HTO JORDN .....
	or
	ELMUC L451 OLDEY AR3 PANAL DIW SWL J174
	HTO JORDN .....
Quebec (CYQB) .....	ELMUC L454 LUCTI L454 JFK PLB J560 .....
	or
	ELMUC L451 CERDA L453 AZEZU BERGH L454
	JFK PLB J560 .....
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG ORF SBY J209 VILLS SAX J6 PLB J560 .....
	or
	ELMUC L451 OLDEY AR3 PANAL DIW J174 ORF
	SBY J209 VILLS SAX J6 PLB J560 .....



Terminals	Route
Raleigh-Durham (RDU) .....	ELMUC L451 OLDEY ILM BRADE-STAR .....
Teterboro (TEB).....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK JAIKE (RNAV)-STAR .....
	or
	ELMUC L451 CERDA L453 AZEJU BERGH L454 OWENZ .....
	or
	ELMUC L454 LUCTI L454 OWENZ.....
	or
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR .....
Washington (DCA) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC IRONS-STAR .....
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC OJAAY (RNAV)-STAR.....
	or
	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC IRONS-STAR .....
	or
	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC OJAAY (RNAV)-STAR .....
Washington (IAD) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK BARIN (RNAV)-STAR .....
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK COATT-STAR .....
	or
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK BARIN (RNAV)-STAR .....
	or
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK COATT-STAR .....
White Plains (HPN) .....	ELMUC L454 LUCTI L454 OWENZ.....
	or
	ELMUC L451 CERDA L453 AZEJU BERGH L454 OWENZ .....
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE BOUNO-STAR .....
	or
	ELMUC L451 OLDEY ECG ORF J121 SIE BOUNO-STAR .....
Winsor Locks (BDL) .....	ELMUC L454 LUCTI L454 JFK DBK DEER PARK-STAR .....
	or
	ELMUC L451 LETON L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK DPK DEER PARK-STAR .....
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK DPK DEER PARK-STAR .....
Winnipeg (CYWG) .....	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG IIU J99 BAE MSP .....
	or
	ELMUC L451 OLDEY METTA CHS VXV J89 IIU J99 BAE MSP.....
<b>SANTO DOMINGO (MDSD)</b>	
Atlantic City (ACY) .....	BESAS L464 CERDA L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J121 SIE .....
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL J121 SIE.....
	or
	JUELE L463 NUCAR AR3 CLB DIW WETRO CEBEE SWL J121 SIE.....



Effective  
Times  
(UTC)

Terminals	Route
Baltimore (BWI) .....	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC NOTTINGHAM-STAR .....
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC RAVNN (RNAV)-STAR .....
	or
	BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC NOTTINGHAM-STAR .....
	or
	BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC RAVNN (RNAV)-STAR .....
	or
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC NOTTINGHAM-STAR .....
	or
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC RAVNN (RNAV)-STAR .....
Bangor (BGR) .....	BESAS L464 CERDA LUCTI L454 BERGH HTO LfV J79 .....
	or
	BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO LfV J79 .....
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK HTO LfV .....
Bedford (BED) .....	BESAS L464 CERDA L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....
	or
	BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO ORW GRAYM-STAR .....
	or
	BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO ORW GRAYM-STAR .....
	or
	JUELE L463 NUCAR AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR .....
Boston (BOS) .....	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STAR .....
	or
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J49 JFK INNDY (RNAV)-STAR .....
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK INNDY (RNAV)-STAR .....
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK NORWICH-STAR .....
	or
	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK NORWICH-STAR .....
	or
	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK INNDY (RNAV)-STAR .....
	or
	JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STAR .....
Charlotte (CLT) .....	BESAS L464 CERDA L451 OLDEY CHS CHESTERFIELD-STAR .....
	or
	BESAS L464 CERDA L451 OLDEY CHS HUSTN (RNAV)-STAR .....



Terminals	Route	Effective Times (UTC)
	or	
	JUELE L463 NUCAR AR3 OLDEY CHS	
	CHESTERFIELD-STAR .....	
	or	
	JUELE L463 NUCAR AR3 OLDEY CHS HUSTN	
	(RNAV)-STAR .....	
Chicago O'Hare (ORD) .....	JUELE L463 NUCAR AR3 OLDEY AR4 CH SPA HMV	
	FLM J24 BIGXX ROYKO (RNAV)-STAR .....	
Cincinnati (CVG) .....	BESAS L464 CERDA L451 OLDEY METTA CHS	
	SPA HMV JAKIE (RNAV)-STAR .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG FAK J24 HVQ HNN JAVIT-STAR .....	
	or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA	
	HMV JAKIE (RNAV)-STAR .....	
Cleveland (CLE) .....	BESAS L464 CERDA L451 OLDEY METTA CHS	
	CAE HVQ TVT KEATN-STAR .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG HVQ TVT KEATN-STAR .....	
	or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE	
	HVQ TVT KEATN-STAR .....	
Dayton (DAY) .....	BESAS L464 CERDA L451 OLDEY METTA CHS	
	CAE SPA HMV FLM KEKEE-STAR .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG FAK J24 HVQ HNN .....	
	or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE	
	SPA HMV FLM KEKEE-STAR .....	
Detroit (DTW) .....	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG HNN WEEDA-STAR .....	
	or	
	BESAS L464 CERDA L451 OLDEY METTA CHS	
	SPA HNN WEEDA-STAR .....	
	or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA	
	HNN WEEDA-STAR .....	
Indianapolis (IND) .....	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG III V51 DECEE DECEE-STAR .....	
	or	
	BESAS L464 CERDA L451 OLDEY METTA CHS	
	SPA CAE VVX J89 III V51 DECEE DECEE-STAR .	
	or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA	
	CAE VVX J89 III V51 DECEE DECEE-STAR .....	
Kennedy (JFK) .....	BESAS L464 LAMER L453 AZEZU BERGH L454	
	OWENZ CAMRN .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG ORF J121 SIE CAMRN-STAR .....	
	or	
	BESAS L464 CERDA LUCTI L454 OWENZ CAMRN .	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW	
	WETRO CEBEE SWL J121 SIE CAMRN-STAR .....	
	or	
	JUELE L463 NUCAR AR3 PANAL DIW WETRO	
	CEBEE SWL J121 SIE CAMRN-STAR .....	
La Guardia (LGA) .....	BESAS L464 LAMER L453 AZEZU BERGH L454	
	OWENZ CAMRN .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG HPW J191 PXT KORRY-STAR .....	



Terminals	Route	Effective Times (UTC)
	or	
	BESAS L464 CERDA LUCTI L454 OWENZ CAMRN .	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J40 TYI HPW J191 PXT KORRY-STAR.....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J40 TYI HPW	
	J191 PXT KORRY-STAR.....	
Louisville (SDF).....	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG HCH DARBY-STAR .....	
	or	
	BESAS L464 CERDA L451 OLDEY METTA CHS	
	SPA HCH DARBY-STAR .....	
	or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA	
	HCH DARBY-STAR .....	
Montreal (CYMX), (CYUL).....	BESAS L464 LAMER L453 AZEZU BERGH L454	
	JFK J37 ALB J6 PLB PLATTSBURGH-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY	
	J79 JFK J37 ALB J6 PLB PLATTSBURGH-STAR ..	
Morristown (MMU).....	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG FAK JAIKE (RNAV)-STAR .....	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454	
	OWENZ .....	
	or	
	BESAS L464 CERDA LUCTI L454 OWENZ .....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J109 FAK JAIKE (RNAV)-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIKE	
	(RNAV)-STAR.....	
Newark (EWR).....	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG FAK DYLIN-STAR.....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG FAK PHLBO (RNAV)-STAR .....	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454	
	OWENZ CYN GXU RBV V249 METRO .....	
	or	
	BESAS L464 CERDA LUCTI L454 BERGH L454	
	OWENZ CYN GXU RBV V249 METRO .....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J109 FAK DYLIN-STAR.....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J109 FAK PHLBO (RNAV)-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
	DYLIN-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
	PHLBO (RNAV)-STAR .....	
Ottawa (CYOW) .....	BESAS L464 CERDA LUCTI L454 JFK SYR J599 ...	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454	
	JFK SYR J599 .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG SYR J599 .....	
	or	



Terminals	Route	Effective Times (UTC)
Philadelphia (PHL) .....	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM SYR J599 .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM SYR J599 .....	
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL RADDs CEDAR LAKE-STAR .....	
Providence (PVD) .....	or	
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL RADDs CEDAR LAKE-STAR or	
	BESAS L464 LAMER L453 AZEZU B24 SIE .....	
	BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO JORDN .....	
Quebec (CYQB) .....	or	
	BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO JORDN .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL J174 HTO JORDN .....	
Raleigh/Durham (RDU) .....	or	
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW SWL J174 HTO JORDN .....	
	or	
	JUELE L463 NUCAR AR3 PANAL DIW SWL J174 HTO JORDN .....	
Teterboro (TEB) .....	BESAS L464 CERDA LUCTI L454 JFK PLB J560 ....	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK PLB J560 .....	
	or	
Toronto (CYYZ) .....	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF SBY J209 VILLS SAX J6 PLB J560 .....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560 ....	
	or	
Washington (DCA) .....	JUELE L463 NUCAR AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560 .....	
	BESAS L464 CERDA L451 OLDEY ILM BRADE-STAR .....	
	or	
	JUELE L463 NUCAR ILM BRADE-STAR .....	
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK JAIKE (RNAV)-STAR .....	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ .....	
	or	
	BESAS L464 CERDA LUCTI L454 OWENZ .....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR .....	
	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK J63 HUO CFB J95 BUF YOUTH (RNAV)-STAR .....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 BUF YOUTH (RNAV)-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 BUF YOUTH (RNAV)-STAR .....	
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC IRONS-STAR .....	



Terminals	Route	Effective Times (UTC)
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG RIC OJAAY (RNAV)-STAR.....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J40 RIC IRONS-STAR.....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J40 RIC OJAAY (RNAV)-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC	
	IRONS-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC OJAAY	
	(RNAV)-STAR .....	
Washington (IAD) .....	BESAS L464 CERDA LNHOM L452 OXANA ECG	
	FAK BARIN (RNAV)-STAR .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA ECG	
	FAK COATT-STAR .....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J109 FAK BARIN (RNAV)-STAR .....	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J109 FAK COATT-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
	BARIN (RNAV)-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
	COATT-STAR .....	
White Plains (HPN) .....	BESAS L464 CERDA L451 OLDEY ECG ORF J121	
	SIE BOUNO-STAR.....	
	or	
	JUELE L463 NUCAR AR3 PANAL DIW WETRO	
	CEBEE SWL J121 SIE BOUNO-STAR .....	
	or	
	BESAS L464 CERDA LUCTI L454 OWENZ .....	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454	
	OWENZ .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG ORF J121 SIE BOUNO-STAR .....	
Windsor Locks (BDL) .....	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	KEMPR SBY J79 JFK DPK DPK-STAR .....	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG SBY J79 JFK DPK DPK-STAR .....	
	or	
	JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY	
	J79 JFK DPK DPK-STAR .....	
Winnipeg (CYWG) .....	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG IJU J99 BAE MSP .....	
	or	
	BESAS L464 CERDA L451 OLDEY METTA CHS	
	VXV J89 IJU J99 BAE MSP .....	
	or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS VXV	
	J89 IJU J99 BAE MSP .....	
<b>SARASOTA-BRADENTON AREA (SRQ)</b>		
Baltimore (BWI) .....	TAY J75 CAE J52 RIC OTT-STAR.....	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) TAY J75 CAE	
	J52 RIC RAVNN (RNAV)-STAR .....	1100-0300



Terminals	Route	Effective Times (UTC)
Charlotte (CLT).....	TAY J85 IRQ UNARM-STAR..... or (Turbojets-GPS or DME/DME-IRU equipped) TAY J85 IRQ ADENA (RNAV)-STAR.....	
Chicago Midway (MDW) .....	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR..... or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT .....	1100-0300 1100-0300
Chicago O'Hare (ORD).....	(/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR..... or (non-advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR.....	0000-2359 0000-2359
Cincinnati (CVG).....	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR..... or (all others) CTY J91 VXV HARDU-STAR.....	
Cleveland (CLE).....	PIE J119 TAY J85 TVT040 KEATN KEATN-STAR....	
Columbus (CMH) .....	PIE J119 TAY J85 HVQ HNN BREMN-STAR .....	
Dallas/Ft. Worth (DFW) .....	(Water) SRQ Q100 REDFN Q105 HRV J58 AEX CQY.....	
Denver (DEN) .....	(Water) Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR.....	
Detroit/Wayne (DTW) .....	PIE TAY J85 SPA HNN WEEDA-STAR .....	
Detroit Satellites: Ann Arbor (ARB), Pontiac (PTK), Willow Run (YIP).....	PIE J119 TAY J85 IRQ J99 VXV J43 FLM DQN CRUXX-STAR .....	
Young (DET).....	PIE J119 TAY J85 DJB LLEE0-STAR.....	
Fort Lauderdale (FLL).....	(all others) RSW FORTL-STAR..... or (GPS or DME/DME-IRU equipped) RSW FORTL JINGL (RNAV)-STAR.....	1030-0300
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV COLUMBIA (RNAV)-STAR..... or (GPS or DME/DME-IRU equipped) SZW J2 SJI COLUMBIA (RNAV)-STAR..... or (Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR.....	
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR..... or (GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR..... or (Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR.....	
Indianapolis (IND) .....	CTY J91 ATL J89 IIU DECEE-STAR.....	
La Guardia (LGA) .....	TAY J75 DUNKN J210 VAN FLO J207 RDU J55 HPW J191 PXT KORRY-STAR .....	
Louisville (LOU, SDF) .....	CTY J91 ATL HCH DARBY-STAR .....	
Minneapolis (MSP) .....	CTY J91 ATL J89 BAE EAU-STAR .....	
Nashville (BNA) .....	CTY J91 ATL GQO VOLLS-STAR.....	1100-0300
Newark (EWR) .....	TAY J75 CAE J51 FAK DYLIN-STAR..... or (GPS or DME/DME-IRU equipped) TAY J75 CAE J51 FAK PHLBO (RNAV)-STAR.....	1100-0300 1100-0300
Philadelphia (PHL).....	TAY J75 CAE J51 FAK DPNT-STAR.....	
Pittsburgh (PIT) .....	TAY J75 CAE PSK J53 EKN IHD NESTO-STAR.....	
Windsor Locks (BDL) .....	TAY J75 DUNKN J210 J79 JFK DPK DPK-STAR....	0700-0000
<b>SAVANNAH (SAV)</b>		
Baltimore (BWI) .....	CHS J79 TYI J40 RIC OTT-STAR.....	1100-0400



Terminals	Route	Effective Times (UTC)
Philadelphia (PHL) .....	CHS J121 SWL SWL SWL034 RADDS VCN-STAR..	1100-0400
Washington Dulles (IAD) .....	J207 RDU FAK COATT-STAR	
	or	
	(GPS or DME/DME-IRU equipped J207 RDU FAK BARIN-STAR.....	
<b>TAMPA/ST PETERSBURG METRO AREA (TPA, SPG, PIE, TPF)</b>		
Atlanta (ATL) .....	SZW LGC-STAR .....	1100-0400
	or	
	(RNAV only) SZW HONIE (RNAV)-STAR.....	
Baltimore (BWI) .....	TAY J75 CAE J52 RIC OTT-STAR .....	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC RAVNN (RNAV)-STAR .....	1100-0400
Boston (BOS) .....	TAY J75 DUNKN J210 J79 JFK ORW-STAR .....	1100-0400
Charlotte (CLT) .....	TAY J85 IRQ UNARM-STAR .....	
	or	
	(Turbojets-GPS or DME/DME IRU equipped) TAY J85 IRQ ADENA (RNAV)-STAR .....	
Chicago Midway (MDW).....	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR.....	1100-0300
	or	
	(non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT .....	1100-0300
Chicago O'Hare (ORD) .....	(/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK MZZ ROYKO (RNAV)-STAR .....	0000-2359
	or	
	(non-advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR .....	0000-2359
Cincinnati (CVG) .....	(All Others) CTY J91 VXV HARDU-STAR .....	
	or	
	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR .....	
Cleveland Metro (CLE) .....	PIE J119 TAY J85 TVT040 KEATN KEATN-STAR ...	
	or	
	CTY J91 HNN TVT KEATN-STAR .....	
Columbus (CMH) .....	PIE J119 TAY J85 HVQ HNN BREMN-STAR .....	
	or	
	CTY J91 HNN BREMN-STAR .....	
Denver (DEN) .....	SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR .....	
Detroit/Wayne (DTW) .....	TAY J85 SPA HNN WEEDA-STAR .....	
Detroit Satellites:		
Ann Arbor (ARB), Pontiac (PTK), Young (DET) .....	CTY J91 VXV J43 FLM DQN CRUX-STAR .....	
Willow Run (YIP) .....	CTY J91 VXV J43 FLM DQN V98 VQO CRUX .....	
Windsor (CYQG) .....	PIE J119 TAY J85 DJB LLEEO-STAR .....	
Fort Lauderdale:		
Hollywood Intl (FLL), Executive (FXE), Pompano Beach (PMP), North Perry (HWO), Opa Locka (OPF) .....	(all others) RSW FORTL-STAR .....	1030-0300
	or	
	(GPS OR DME/DME-IRU equipped) SABEE RXXAN JINGL (RNAV)-STAR .....	
Fort Myers (RSW), (FMY) .....	(Turbojets-GPS or DME/DME-IRU equipped) SRQ TYNEE (RNAV)-STAR .....	
Fort Pierce (FPR) .....	VRB.....	1030-0300
Houston (HOU) .....	(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV COLUMBIA (RNAV)-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) SZW J2 SJI COLUMBIA (RNAV)-STAR .....	1000-0300
	or	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR.....	1000-0300



Terminals	Route	Effective Times (UTC)
Houston (IAH) .....	(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV WOLDE (RNAV)-STAR .....	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) SZW J2 SJ1 WOLDE (RNAV)-STAR .....	1000-0300
	or	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR .....	1000-0300
Indianapolis (IND) .....	CTY J91 ATL J89 IUU DECEE-STAR .....	
Kennedy (JFK) .....	TAY J75 J210 J121 SIE CAMRN-STAR .....	
Key West (EYW) .....	RSW J41 .....	1030-0300
La Guardia (LGA) .....	TAY J75 DUNKN J210 VAN FLO J207 RDU J55 HPW J191 PXT KORRY-STAR .....	1100-0400
Louisville (SDF) .....	CTY J91 ATL HCH DARBY-STAR .....	
Miami (MIA) .....	(all others) RSW CYY CYY-STAR .....	1030-0300
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR .....	
Minneapolis (MSP) .....	CTY J91 ATL J89 BAE EAU-STAR .....	
Nashville (BNA) .....	CTY J91 ATL GQO VOLLS-STAR .....	
Newark (EWR) .....	TAY J75 CAE J51 FAK DYLIN-STAR .....	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) TAY J75 CAE J51 FAK PHLBO (RNAV)-STAR .....	1100-0400
Philadelphia (PHL) .....	TAY J75 CAE J51 FAK DPNT-STAR .....	1100-0400
Pittsburgh (PIT) .....	TAY J75 CAE PSK EKN IHD NESTO-STAR .....	
Raleigh-Durham (RDU) .....	TAY J75 CAE BUZZY-STAR .....	
Washington Dulles (IAD) .....	TAY J75 CAE J51 FAK COATT-STAR .....	1100-0400
Washington Natl (DCA) .....	TAY J75 CAE J52 RIC IRONS-STAR .....	1100-0400
	or	
	GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC OJAAY (RNAV)-STAR .....	1100-0400
West Palm Beach (PBI) .....	(Turbojets-GPS or DME/DME-IRU equipped) SABEE JOOOE WLACE (RNAV)-STAR .....	
Windsor Locks (BDL) .....	TAY J75 DUNKN J210 J79 JFK DPK DPK-STAR ....	0700-0000
From St Petersburg (PIE) only:		
Detroit/Wayne (DTW) .....	TAY J85 SPA HNN WEEDA-STAR	
Detroit Satellites:		
Ann Arbor (ARB), Pontiac (PTK) Willow		
Run (YIP) .....	CTY J91 VXV J43 FLM DQN CRUX-STAR .....	
Windsor (CYQG), Young (DET) .....	PIE J119 TAY J85 DJB LLEE0-STAR .....	



**PREFERRED IFR ROUTES**  
**SPECIAL HIGH ALTITUDE ARRIVAL ROUTES**  
**FOR ATLANTA HARTSFIELD INTL ARPT**  
**(JETS AND TURBOPROPS)**

**NORTHEAST**

Traffic originating North and East of J186 to North of a line from ATL to RDU file:

..... MOL WHINZ-STAR .....

or

..... MOL FLCON (RNAV)-STAR .....

..... J145 ODF WHINZ-STAR .....

or

..... J145 ODF FLCON (RNAV)-STAR .....

..... VXV WHINZ-STAR .....

or

..... VXV FLCON (RNAV)-STAR .....

..... J186 ODF WHINZ-STAR .....

or

..... J186 ODF FLCON (RNAV)-STAR .....

..... SPA ODF WHINZ-STAR .....

or

..... SPA ODF FLCON (RNAV)-STAR .....

**SOUTHEAST**

Traffic originating South of a line from ATL to RDU, to East of J89 file:

..... IRQ SINCA-STAR .....

or

..... IRQ CANUK (RNAV)-STAR .....

..... DBN SINCA-STAR .....

or

..... DBN CANUK (RNAV)-STAR .....

**SOUTHWEST**

Traffic originating West of J89 to South and West of J14 file:

..... MEI LGC-STAR .....

or

..... MEI HONIE (RNAV)-STAR .....

..... SZW LGC-STAR .....

or

..... SZW HONIE (RNAV)-STAR .....

..... MGM LGG-STAR .....

or

..... MGM HONIE (RNAV)-STAR .....

**NORTHWEST**

Traffic originating West and North of J43 to North of J14 file:

..... BWG RMG-STAR .....

or

..... BWG ERLIN (RNAV)-STAR .....

..... BNA RMG-STAR .....

or

..... BNA ERLIN (RNAV)-STAR .....

..... MEM RMG-STAR .....

or

..... MEM ERLIN (RNAV)-STAR .....



## PREFERRED IFR ROUTES

### SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR ATLANTA TERMINAL AREA AIRPORTS (SATELLITE AIRPORTS ONLY JETS AND TURBOPROPS)

**NORTHEAST**

Traffic originating North and East of a line from ATL to VXV to North of a line from ATL to RDU file:

.....	J48 ODF AWSON-STAR .....
.....	J145 ODF AWSON-STAR .....
.....	VXV AWSON-STAR .....
.....	J186 ODF AWSON-STAR .....
.....	SPA ODF AWSON-STAR .....

**SOUTHEAST**

Traffic originating South of a line from ATL to RDU, to East of J89 file:

.....	IRQ TRBOW-STAR .....
.....	DBN TRBOW-STAR .....

**SOUTHWEST**

Traffic originating West of J89 to South and West of J14 file:

.....	MEI LGC MIKEE-STAR .....
.....	SZW LGC MIKEE-STAR .....
.....	MGM LGC MIKEE-STAR .....

**NORTHWEST**

Traffic originating West and North of a line from ATL to VXV to North of J14 file:

.....	GQO BUNNI-STAR .....
.....	RQZ BUNNI-STAR .....

### SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR CHARLOTTE TERMINAL AREA

**NORTHEAST**

Traffic originating North and East of J53 to North of a line from CLT to RDU file:

.....	LYH MAJIC-STAR .....
.....	RDU SUDSY (RNAV)-STAR .....
.....	ROA MAJIC-STAR .....

**SOUTHEAST**

Traffic originating South of a line from CLT to RDU to South and East of J51 file:

.....	FLO CTF-STAR .....
.....	FLO HUSTN (RNAV)-STAR .....

**SOUTHWEST**

Traffic originating West of J51 to South of J118 file:

.....	ATL ADENA (RNAV)-STAR .....
.....	ATL UNARM-STAR .....
.....	IRQ ADENA (RNAV)-STAR .....
.....	IRQ UNARM-STAR .....

**NORTHWEST**

Traffic originating West of J53 to North of J118 file:

.....	VXV SHINE-STAR .....
.....	HMV SHINE-STAR .....



# PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR MEMPHIS TERMINAL AREA

451

### NORTHEAST

Traffic entering Memphis ARTCC north of J118:

.....	BNA WILDER-STAR .....
.....	BWG WILDER-STAR .....
.....	PXV WILDER-STAR .....

### NORTHWEST

Traffic entering Memphis ARTCC on or west of J35:

.....	FAM GQE-STAR .....	
.....	ARG GQE-STAR .....	
.....	SGF ARG GQE-STAR .....	
.....	RZC GQE-STAR .....	
.....	FSM GQE-STAR .....	1100-0200

### SOUTHEAST

Traffic entering Memphis ARTCC south of J118:

.....	VUZ HLI-STAR (MONDAY-FRIDAY) .....	
.....	GQO HLI-STAR .....	1100-0200

### SOUTHWEST

Traffic entering Memphis ARTCC on or south of J6:

.....	LIT MARVELL-STAR .....	
.....	TXK MARVELL-STAR .....	
.....	ELD MARVELL-STAR .....	
.....	SQS MARVELL-STAR .....	1100-0200

## SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

Terminals	Route	Effective Times (UTC)
Traffic entering Miami Center (ZMA) for northbound Caribbean flights originating from Santo Domingo UIR (MDCS) to:		
FLL.....	(Advanced RNAV equipped) JUELE L463	
	BTLER A555 ZQA 054V CAREY DEKAL	
	WAVUN (RNAV)-STAR .....	
	or	
	JUELE L463 BTLER A555 ZQA 054V CAREY	
	DEKAL DEKAL-STAR .....	
	or	
(Advanced RNAV equipped) RETAK A636 ZIN		
A315 HODGY ZQA 054V CAREY DEKAL		
WAVUN(RNAV)-STAR.....		
	or	
	RETAK A636 ZIN A315 HODGY ZQA 054V	
	CAREY DEKAL DEKAL-STAR .....	
MIA .....	(Advanced RNAV equipped) JUELE L463	
	BTLER A555 ZQA FLIPR (RNAV)-STAR .....	
	or	
	JUELE L463 BTLER A555 ZQA FOWEE -STAR	
	or	
	(Advanced RNAV equipped) RETAK A636 ZIN	
	A315 HODGY FLIPR(RNAV)- STAR .....	
	or	
	RETAK A636 ZIN A315 HODGY FOWEE-STAR	
PBI .....	JUELE L463 BTLER A555 ZQA 054V PBI.....	
	or	
	RETAK A636 ZIN A315 HODGY ZQA 054V.....	



# PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

	Route	Effective Times (UTC)
Traffic overflying Atlanta Center originating north and east of a line from TYS to LAL (except DAY and CVG) for ZTL to MCO:		
.....	PSK CAE SAV OMN BITHO-STAR .....	1100-0400
.....	or	
.....	J83 SPA CAE SAV OMN BITHO-STAR .....	1100-0400
.....	or	
.....	(GPS or DME/DME-equipped) PSK CAE SAV OMN CWRLD (RNAV)-STAR .....	1100-0400
.....	or	
.....	(GPS or DME/DME-IRU equipped) J83 SPA CAE SAV OMN CWRLD (RNAV)-STAR .....	1100-0400
Traffic overflying Atlanta Center Eastbound originating South of a line from DFW to JFK:		
BDL .....	GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR .....	
BOS .....	(Turbojet only) GRD J209 RDU J207 FKN J79 JFK ORW-STAR .....	
	or	
	(Turboprop only) SIE J121 HTO V308 ORW V16 WOONS .....	
BWI .....	SPA J14 RIC OTT-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) SPA J14 RIC RAVNN (RNAV)-STAR .....	
DCA .....	SPA J14 RIC IRONS-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) SPA J14 RIC OJAAY (RNAV)-STAR .....	
EWR .....	SPA J14 J15 FAK DYLIN-STAR .....	
	or	
	(GPS or DME/DME-IRU equipped) SPA J14 J51 FAK PHLBO (RNAV)-STAR .....	
IAD .....	SPA J14 J51 FAK COATT-STARR .....	
JFK .....	GRD J209 ORF J121 SIE CAMRN-STAR .....	
LGA .....	AHN J208 HPW J191 PXT KORRY-STAR .....	
PHL .....	SPA J14 J51 FAK DPNT-STAR .....	
Northbound from over VXV with destination of CMH:		
.....	VXV J91 HNN BREMN-STAR .....	
Traffic overflying Atlanta Center Northbound from over SPA to CMH:		
.....	SPA J85 HVQ HNN BREMN-STAR .....	
Traffic overflying Atlanta Center Northbound from over PSK to CMH:		
.....	PSK HVQ HNN BREMN-STAR .....	
Traffic overflying Atlanta Center Southbound originating North and East of line from VXV to LAL (except DAY and CVG) with destinations of FLL, FMY, MCO, MIA, PBI, RSW, SRQ and TPA file:		
.....	PSK CAE .....	1100-0300
.....	or	
.....	J83 SPA J85 AMG .....	1100-0300
Traffic overflying Atlanta Center Southbound originating North and East of a line from VXV to LAL (with DAY and CVG) with destinations of FLL, FMY, MCO, MIA, PBI and RSW file:		
.....	VXV J91 ATL OTK .....	1100-0300
.....	or	
.....	BNA J73 SZW .....	1100-0300
.....	or	
.....	MGM J20 SZW .....	1100-0300
.....	or	
.....	BNA J73 SZW .....	1100-0300
.....	or	
.....	MGM J20 SZW .....	1100-0300



# PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

453

	Route	Effective Times (UTC)
Traffic originating South of Wilmington VORTAC (ILM):		
EWR .....	ILM J109 FAK DYLIN-STAR .....	1100-0300
	or	
	(GPS or DME/DME.IRU equipped) ILM J109	
FRG .....	FAK PHLBO (RNAV)-STAR .....	1100-0300
	(Water-Turbojets) WOLFO AR18 DIW WETRO	
JFK .....	CEBEE SWL J121 SIE CAMRN-STAR .....	
	(Water-Turbojets) WOLFO AR18 DIW WETRO	
	CEBEE SWL J121 SIE CAMRN-STAR .....	1100-0300
LGA .....	ILM TYI HPW J191 PXT KORRY-STAR .....	1100-0300
Traffic overflying Ormond Beach VORTAC (OMN) destined MIA:		
OMN .....	OMN J79 VRB HEATT-STAR .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to La Romana (MDLR) and Nagua (MDCY):		
ZMA .....	LETON L450 GTK ASIVO .....	
	or	
	LNHOM L452 GTK ASIVO .....	
	or	
	LAMER L464 CERDA L453 ASIVO .....	
	or	
	MLLER M594 CERDA L459 ASIVO .....	
	or	
	NUCAR L463 RNDLY ASIVO .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Puerto Plata (MDPP):		
ZMA .....	LETON L450 SEKAR A554 PTA .....	
	or	
	LNHOM L452 GTK A554 PTA .....	
	or	
	LAMER L453 MACKI B891 PTA .....	
	or	
	LUCTI L454 MNDEZ M594 CERDA L453	
	MACKI B891 PTA .....	
	or	
	MLLER M594 CERDA L453 MACKI B891	
	PTA .....	
	or	
	NUCAR L463 RNDLY SEKAR A554 PTA .....	
	or	
	WATRS M596 PTA .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Santo Domingo (MDSD):		
ZMA .....	LETON L450 SEKAR A554 CDO .....	
	or	
	LNHOM L452 GTK L450 SEKAR A554 CDO...	
	or	
	LAMER L453 ASIVO CDO .....	
	or	
	LUCTI L454 MNDEZ M594 CERDA L453	
	ASIVO CDO .....	
	or	
	MLLER M594 CERDA L453 ASIVO CDO .....	
	or	
	NUCAR L463 RNDLY SEKAR A554 CDO .....	



# PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

	Route	Effective Times (UTC)
Traffic entering Miami Center (ZMA) for southbound ZMA .....	Caribbean flights on L452/L453/L454 to Port au Prince (MTPP): LETON L450 GTK G444 OBN ..... or LNHOM L452 GTK G444 OBN ..... or LAMER L464 CERDA M594 GTK G444 OBN .	
Traffic entering Miami Center (ZMA) for southbound ZMA .....	Caribbean flights on L452/L453/L454 to Saint Johns Island (TAPA): LETON L451 ELMUC L451 ANU ..... or LNHOM L452 JORGG L451 ELMUC L451 ANU..... or LAMER L453 CERDA L451 ELMUC L451 ANU ..... or LUCTI L454 ELMUC L451 ANU .....	
Traffic entering Miami Center (ZMA) for southbound ZMA .....	Caribbean flights on L452/L453/L454 to Bridgetown (TBPB): LETON L451 ELMUC L454 ILURI A555 BGI ... or LNHOM L452 JORGG L451 ELMUC L454 ILURI A555 BGI..... or LAMER L453 CERDA L451 ELMUC L454 ILURI A555 BGI..... or LUCTI L454 ELMUC L454 ILURI A555 BGI ....	
Traffic entering Miami Center (ZMA) for southbound ZMA .....	Caribbean flights on L452/L453/L454 to Fort de France (TFFF): LETON L451 ELMUC L454 ILURI A555 FOF... or LNHOM L452 JORGG L451 ELMUC L454 ILURI A555 FOF ..... or LAMER L453 CERDA L451 ELMUC L454 ILURI A555 FOF ..... or LUCTI L454 ELMUC L454 ILURI A555 FOF....	
Traffic entering Miami Center (ZMA) for southbound ZMA .....	Caribbean flights on L452/L453/L454 to Grand Case (TFFG) and Saint Barthelemy (TFFJ) and Oranjestad–Roosevelt (TNCE) and Sanit Maarten (TNCM) and The Valley (TQPF): LETON L451 ELMUC L451 PJM ..... or LNHOM L452 JORGG L451 ELMUC L451 PJM ..... or LAMER L453 CERDA L451 ELMUC L451 PJM ..... or LUCTI L454 ELMUC L451 PJM .....	
Traffic entering Miami Center (ZMA) for southbound ZMA .....	Caribbean flights on L452/L453/L454 to Point a Pitre (TFFR): LETON L451 ELMUC L454 LEE00 MODUX R888 PPR ..... or LNHOM L452 JORGG L451 ELMUC L454 LEE00 MODUX R888 PPR ..... or LAMER L453 CERDA L451 ELMUC L454 LEE00 MODUX R888 PPR ..... or LUCTI L454 ELMUC L454 LEE00 MODUX R888 PPR .....	



# PREFERRED IFR ROUTES

## SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

455

	Route	Effective Times (UTC)
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Saint Thomas Virgin Islands (TIST):		
ZMA .....	LETON L451 ELMUC L454 PANMO JETSS .....	
	or	
	LNHOM L452 JORGG L451 ELMUC L454	
	PANMO JETSS .....	
	or	
	LAMER L453 CERDA L451 ELMUC L454	
	PANMO JETSS .....	
	or	
	LUCTI L454 ELMUC L454 PANMO JETSS .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Saint Croix Virgin Islands (TISX):		
ZMA .....	LETON L451 ELMUC L454 PANMO COY .....	
	or	
	LNHOM L452 JORGG L451 ELMUC L454	
	PANMO COY .....	
	or	
	LAMER L453 CERDA L451 ELMUC L454	
	PANMO COY .....	
	or	
	LUCTI L454 ELMUC L454 PANMO COY .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Aguadilla (TJBQ):		
ZMA .....	LETON L451 ELMUC BQN .....	
	or	
	LNHOM L452 JORGG L451 ELMUC BQN .....	
	or	
	LAMER L453 CERDA L451 ELMUC BQN .....	
	or	
	LUCTI L454 ELMUC BQN .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to San Juan (TJIG):		
ZMA .....	LETON L451 ELMUC IDAHO BEANO .....	
	or	
	LNHOM L452 JORGG L451 ELMUC IDAHO	
	BEANO .....	
	or	
	LAMER L453 CERDA L451 ELMUC IDAHO	
	BEANO .....	
	or	
	LUCTI L454 ELMUC IDAHO BEANO .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Mayaguez (TJMZ):		
ZMA .....	LETON L451 ELMUC MAZ .....	
	or	
	LNHOM L452 JORGG L451 ELMUC MAZ .....	
	or	
	LAMER L453 CERDA L451 ELMUC MAZ .....	
	or	
	LUCTI L454 ELMUC MAZ .....	



# **PREFERRED IFR ROUTES** **SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES**

	<b>Route</b>	<b>Effective Times (UTC)</b>
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Ponce (TJPS):		
ZMA .....	LETON L451 ELMUC PSE.....	
	or	
	LNHOM L452 JORGG L451 ELMUC PSE .....	
	or	
	LAMER L453 CERDA L451 ELMUC PSE .....	
	or	
	LUCTI L454 ELMUC PSE.....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to San Juan (TJSJ):		
ZMA .....	LETON L451 ELMUC IDAHO R006 .....	
	or	
	LNHOM L452 JORGG L451 ELMUC IDAHO R006 .....	
	or	
	LAMER L453 CERDA L451 ELMUC IDAHO R006 .....	
	or	
	LUCTI L454 ELMUC IDAHO R006.....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Golden Rock (TKPK) and Charlestown (TKPN):		
ZMA .....	LETON L451 ELMUC L454 LEE00 DANDE G633 SKB .....	
	or	
	LNHOM L452 JORGG L451 ELMUC L454 LEE00 DANDE G633 SKB .....	
	or	
	LAMER L453 CERDA L451 ELMUC L454 LEE00 DANDE G633 SKB .....	
	or	
	LUCTI L454 ELMUC L454 LEE00 DANDE G633 SKB .....	
Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Crown Point (TTCP) and Port of Spain (TTPP):		
ZMA .....	LETON L451 ELMUC G431 DDP G449 POS...	
	or	
	LNHOM L452 JORGG L451 ELMUC G431 DDP G449 POS .....	
	or	
	LAMER L453 CERDA L451 ELMUC G431 DDP G449 POS .....	
	or	
	LUCTI L454 ELMUC G431 DDP G449 POS....	
	or	
	GTK L452 ANADA G449 POS .....	



# PREFERRED IFR ROUTES

## HIGH ALTITUDE—SINGLE DIRECTION ROUTES

457

Airway	Segment Fixes	Direction Effective	Effective Times (UTC)
J14 .....	Greensboro, NC to Richmond, VA .....	Northeast	1100-0300
J37 .....	Coyle, NJ to Spartanburg, SC .....	Southwest	1100-0300
J40 .....	Wilmington, NC to Richmond, VA .....	North	1100-0300
J48 .....	Pottstown, PA to Foothills, GA .....	Southwest	1100-0300
J51 .....	Columbia, SC to Yardley, NJ .....	Northeast	1100-0300
J52 .....	Columbia, SC to Richmond, VA .....	Northeast	1100-0300
J55 .....	Florence, SC to HUBBS Int., VA .....	Northeast	1100-0300
J75 .....	Modena, PA to Greensboro, NC .....	Southwest	1100-0300
J89 .....	Atlanta, GA to HITTR Int, FL .....	South	1100-0300
J91 .....	Cross City, FL to Atlanta, GA .....	North	1100-0300
J109 .....	Wilmington, NC to Buffalo, NY .....	North	1100-0300
J165 .....	Charleston, SC to Richmond, VA .....	North	1100-0300
J191 .....	Wilmington, NC to Robbinsville, NJ .....	North	1100-0300
J193 .....	HUBBS Int., VA to Wilmington, NC .....	South	1100-0300
J207 .....	Florence, SC to Franklin, VA .....	Northeast	1100-0300
J208 .....	Athens, GA to Hopewell, VA .....	Northeast	1100-0300
J209 .....	Greenwood, SC to Norfolk, VA .....	Northeast	1100-0300



## Q-ROUTES

### GULF OF MEXICO "Q ROUTES"

These area navigation routes extend more than 12 miles off shore in airspace controlled by the Federal Aviation Administration (FAA). Additional regulatory information for these routes can be found in the Notices to Airmen Publication, Part 3, International Notices to Airmen.

These routes have a Minimum Obstruction Clearance Altitude (MOCA) of 1500 feet (MSL). The Minimum Enroute Altitude (MEA) for these routes is 6000 feet (MSL).

#### Q100

LEV VORTAC

REDFN N28°52.98' / W088°42.11'

ROZZI N28°18.87' / W086°42.31'

REMIS N27°53.04' / W085°15.47'

SRQ VORTAC

#### Q102

LEZ VORTAC

BLVNS N28°22.94' / W088°02.05'

BUNNZ N28°00.58' / W086°45.76'

BACCA N27°35.51' / W085°20.66'

CIGAR N27°29.61' / W084°46.99'

BAGGS N27°08.06' / W082°50.45'

CYY VORTAC

#### Q105

HRV VORTAC

FATSO N29°41.40' / W089°47.08'

REDFN N28°52.98' / W088°42.11'

BLVNS N28°22.94' / W088°02.05'

### Q-ROUTES REGULATORY

**Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.**

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this A/FD volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

Route	Segment	DME
<b>Q1</b>	ELMAA-ERAVE	BTG, OLM, HQM, HUH, UBG
	ERAVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
<b>Q2</b>	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
<b>Q3</b>	FEPTOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
<b>Q4</b>	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-SCOLE	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TFD, PXR, BLH
	ZEBOL-SKTTTR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
	SKTTTR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME



Route	Segment	DME
Q5	HAROB-HISKU	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH
	HISKU-HARPR	ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
Q7	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL
	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ-JAGWA	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
Q9	JAGWA-AVENAL	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ
	SUMMA-SMIGE	OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED, EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED, SWR
Q11	REBRG-DERBB	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA
	PAAGE-PAWLI	EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV, OED, SEA
	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
Q13	PUSHH-LOS ANGELES	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS
	All segments	None; GNSS required
	All segments	None; GNSS required
	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IIU, FAM, BWG, CSX
Q20	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
	UNNOS-FUSCO	FST, ACH, INK, CME, SJT, TXO, TCC
	FUSCO-JUNCTION	ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST
Q21	JONEZ-RAZORBACK	BYP, EOS, TUL, TXK, ADM, RZC, OKM
	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
Q23	FORT SMITH-RAZORBACK	OKM, RZC, EOS, TUL
	LAKE CHARLES-BATON ROUGE	AEX, DAS, LCH, MCB, LFT, BTR
	BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
Q25	MEEOW-WALNUT RIDGE	ELD, MEM, LIT, FAM, RZC
	WALNUT RIDGE-WLSUN	MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
	WLSUN-POCKET CITY	BWG, PXV, ENL, BNA, TTH
	WALNUT RIDGE-DEVAC	LIT, JKS, GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
Q27	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK
	HAKAT-ESTEE	ARG, LIT, FAM, SGF, MEM
Q29	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
	HARES-MEMPHIS	MEM, ARG, LIT, JAN, ELD, SQS
	MEMPHIS-SIDAE	MEM, PXV, BNA, BWG, ARG, ENL
	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
Q30	SIDON-VULCAN	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
	DHART-JODOX	SQS, LIT, TXK
	JODOX-MARVELL	SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH
Q32	TIIDE-POCKET CITY	BWG, PXV, ENL, TTH
	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
	GAGLE-CRAMM	JAN, SQS, MEM, ARG, VUZ, BNA, LIT
	CRAMM-NASHVILLE	BWG, MEM, VUZ, BNA, GQO
Q33	NASHVILLE-SWAPP	BWG, IIU, PXV, VXV, BNA, GQO
	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
	LITTLE ROCK-PROWL	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
Q34	MATIE-MEMPHIS	LIT, ARG, MEM, ELD, SQS
	MEMPHIS-SWAPP	BWG, ARG, MEM, MKL, SQS, PXV, BNA, GQO, IIU, VXV
	KIMBERLY-NEERO	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO
	NEERO-WINEN	BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE
Q35	WINEN-CORKR	CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
	CORKR-DRAKE	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD



Route	Segment	DME
Q36	RAZORBACK-TWITS	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT
	TWITS-DEPEC	MEM, GQO, BNA, BWG, FAM, ARG, PXV, IUI
	DEPEC-NASHVILLE	GQO, BWG, BNA, PXV, IUI
	NASHVILLE-SWAPP	VXV, BWG, BNA, GQO, PXV, IUI
Q38	ROKIT-INCIN	DAS, LCH, SWB, IAH, LFK, HUB, AEX
	INCIN-LAREY	JAN, MCB, SWB, AEX
Q40	LAREY-BESOM	JAN, JYU, MEI, SQS, VUZ
	ALEXANDRIA-DOOMS	AEX, SWB, LCH, JAN, HEZ, MCB
Q42	DOOMS-WINAP	JAN, SQS, MEI, MCB
	WINAP-MISLE	MEI, VUZ, JYU
	KIRKSVILLE-STRUK	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX
	STRUK-DANVILLE	ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK, OBK, GIJ, FWA, GSH, IRK
Q104	DANVILLE-MUNCIE	GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM
	MUNCIE-HIDON	FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, AIR, HVQ, CXR, EWC
	HIDON-BUBAA	AIR, APE, HNN, CXR, HVQ, EWC, DJB
	BUBAA-PSYKO	AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB
	PSYKO-BRNAN	PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT
	BRNAN-MAALS	EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE
	MAALS-SUZIE	ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK
	SUZIE-EAST TEXAS	JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN
	EAST TEXAS-ELIOT	HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK
	DEFUN-HEVVN	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG
	HEVVN-PLYER	PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD
	PLYER-SWABE	PIE, ORL, OMN, SRQ, TAY
Q106	SWABE-ST PETERSBURG	LAL, ORL, OMN, SRQ, PHK, PIE
	ST PETERSBURG-CYPRESS	PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN
	SMELZ-BULZI	LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW
	BULZI-DRABK	AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI
Q108	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI
	GADAY-CLAWZ	MGM, SJI, CEW, JYU, PZD, OTK, MCN, SZW, LGC, TAY, AMG
Q110	THNOR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
Q112	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK
	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM
	DEFUN-HEVVN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB
	HEVVN-INPIN	JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG
Q116	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK
Q118	GULFR-CEEYA	MCN, AMG, PZD, OTK, SZW, TAY
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
Q501	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN
	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU, DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF
Q502	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD
	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW, MSP, MNM, ASP, TVC, GEP, RWF, BRD
Q504	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD
	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC, SAW, GRB, BRD
Q505	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD
	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB
	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB



**RNAV Routing Pitch and Catch Points**

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by **pitch** (entry into) and **catch** (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.

Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: <http://sua.faa.gov/sua/Welcome.do>. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.







## HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIE.

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

## HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque	ABQ, GUP, HANOS or ZUN
Austin	ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV
Boca Raton, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Burbank includes Santa Monica and Van Nuys	GMN, MARKS or DAG LAS or HEC EED or PMD BLH
Chicago Terminal Area	IOW, PLL275065, MZV or BAE
Dallas/Fort Worth Terminal Area	ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK ELD, SWB or Aircraft destined the Chicago terminal area Except MDW EAKER MIDEE BDF BRADFORD-STAR Or MLC J105 SGF BDF BRADFORD-STAR
Denver Terminal Area	PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE, CABET, WEEDS, OR BINKE
Fort Lauderdale (or) Fort Lauderdale Executive	THNDR KPASA Q118 LENIE or THNDR KPASA Q116 CEEYA or THNDR KPASA Q110 FEONA or THNDR SMELZ Q106 GADAY or THNDR SMELZ Q106 BULZI
Houston Bush	LIT, EMG, MLC, JCT or Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR or Aircraft joining J37 to the northeast, BPT GUSTI Q22 CATLN or Aircraft joining J42 to the northeast, ELD Q32 J42



Houston Hobby	LIT, EMG, MLC, JCT, or Aircraft joining J42 to the northeast, ELD Q32 J42
Jacksonville, FL	TAY
Kansas City Terminal Area	TIFTO, CATTS or KENTN
Los Angeles, includes Ontario	GMN, RZS or DAG LAS or TRM EED or TRM PKE
Las Vegas	DOBNE, MOSBI, NICLE, TRALR or ZELOT
Long Beach includes Orange County	GMN SNS, EHF, LANDO or TRM PKE or TRM EED
Memphis	BNA, HAAWK, SALMS or SQS
Miami Terminal Area	WINCO KPASA Q118 LENIE or WINCO KPASA Q116 CEEYA or WINCO KPASA Q110 FEONA or WINCO SMELZ Q106 GADAY or WINCO SMELZ Q106 BULZI
Milwaukee	GREAS
Minneapolis Terminal Area*	ONL, ABR, FAR, OBH, OVR, FOD
New Orleans Terminal Area	AEX, MEI, SQS, KAPLN
Orlando Terminal Area	WEBBS BRUTS Q118 LENIE or WEBBS GULFR Q116 CEEYA or WEBBS BULZI Q106 GADAY or WEBBS FEONA or WEBBS BULZI
Palm Beach, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Palm Springs	TRM JOTNU BLD or TRM EED or TRM PKE
Phoenix	CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK
Portland, OR	PDT, TIMEE



Salt Lake City	HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI or TCH J56 CHE or TCH J173 EKR
Saint Louis	VIH, MAP, MYERZ, MCM or HLV MCI
San Antonio Terminal Area	FUZ, SJT, MQP, ABI or Aircraft North of LFK, LFK or Aircraft South of HUB, ELA or Aircraft South of LFK and North of HUB LCH
San Diego	TRM EED or TRM PKE or TRM JOTNU BLD
San Francisco Bay Area Oakland San Jose	GALLI, INSLO, HAROL JSICA GALLI, INSLO, HAROL JSICA GALLI or INSLO
Seattle	BLUIT
Southwest Florida Airports (RSW/FMY)	JOCKS KPASA Q118 LENIE or JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA or JOCKS SMELZ Q106 GADAY or JOCKS SMELZ Q106 BULZI
Tampa Terminal Area	FEONA, BULZI or BRUTS Q118 LENIE or GULFR Q116 CEEYA or BULZI Q106 GADAY

\*MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

### **Catch Points for Airports Located Outside HAR Phase I Expansion Airspace**

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area	Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA or Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC or MEM or Aircraft through ZME airspace from ZID airspace west of a line from VHP to BWG, BNA or Aircraft through ZME airspace from ZID airspace east of a line from VHP to BWG, BWG or Aircraft through ZME airspace from ZFW airspace, MEM or MEI HONIE (RNAV)–STAR or PATYN HONIE (RNAV)–STAR
-----------------------	---



Baltimore–Washington*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA or VUZ
Boston*	GEP, CRL, ECK, IIU, BNA or VUZ
Buffalo*	GEP, CRL
Hartford Bradley*	GEP, CRL
Canton–Akron*	GIJ, VHP, GEP
Charlotte	BNA, VUZ
Cincinnati Terminal Area	BNA, PXV or Aircraft north of SLC, JOT or Aircraft over or south of SLC, ENL or SLC or SFO departures, ENL, JOT
Cleveland Terminal Area*	OBK
Detroit Terminal Area	BAE MKG POLAR–STAR or VHP FWA MIZAR–STAR
Detroit Young	VHP FWA or LAN SPRTN–STAR
Indianapolis Terminal Area	BIB, SPI, JOT
Louisville	ENL, MEM
Newark*	GEP, VHP, FLM, IIU, BNA, VUZ or IOW GIJ J554 CRL J584 SLT FQM
New York Kennedy*	GEP, VHP, FLM, IIU, BNA, VUZ or DBQ J94 PMM J70 LVZ LENDY–STAR
New York LaGuardia*	GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ
Philadelphia Terminal Area*	GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ
Pittsburgh Terminal Area*	VHP, GIJ, BAE, GEP
Pontiac	LFD, LAN, VHP, FWA, GEP
Providence	JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ
Raleigh–Durham	FLM, IIU, BNA, VUZ
Toronto Terminal Area	ECK, SVM, SSM, GEP
Teterboro*	GEP, VHP, CRL, BNA, VUZ
Washington Dulles/National*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ
White Plains*	GEP, VHP, CRL, FLM, IIU, BNA, VUZ
Willow Run*	LAN, LFD, VHP, FWA, GEP

\*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.



**Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace**

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area	CURLY CURLY-STAR or ESPAN FRIHO-STAR or LAVAN LAVAN-STAR or FTI FRIHO-STAR or MIERA MIERA-STAR
Austin Terminal Area	Aircraft west of a north-south line at LFK, BLEWE or Aircraft east of a north-south line at LFK, IDU or LLO
Boca Raton, FL	CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or SZW INPIN SHDAY (RNAV)-STAR
Chicago Midway	CVA MOTIF-STAR or PIA MOTIF-STAR or DBQ CVA MOTIF-STAR or LMN MOTIF-STAR
Chicago O'Hare Terminal Area	GEP DLL MSN JVL JANESVILLE-STAR or TVC PULLMAN-STAR or FOD DBQ JVL JANESVILLE-STAR or MCW JANESVILLE-STAR or GCK IRK BRADFORD-STAR
Dallas/Fort Worth Terminal Area	IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM or Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW or Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS or Aircraft through ZME airspace from J52 and south of J52, SQS



Denver Terminal Area	OATHE DANDD-STAR
	or
	HGO QUAIL-STAR
	or
	LOPEC-STAR
	or
	ALS LARKS-STAR
	or
	HBU POWDR-STAR
	or
	EKR TOMSN-STAR
	or
	CHE TOMSN-STAR
	or
	BFF LANDR-STAR
	or
	LBF SAYGE-STAR
	or
	HCT SAYGE-STAR
	or
	RSK LARKS-STAR
	or
	LAA QUAIL-STAR
	or
	GCK J154 RYLIE DANDD-STAR
	or
	OCS J154 ALPOE RAMMS-STAR
	or
	YANKI J114 SNY LANDR-STAR
	or
	Aircraft filed BIL or east, MBW RAMMS-STAR
	CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR
Ft Lauderdale or Ft Lauderdale Executive	Aircraft through ZHU airspace remain south ZME and ZTL airspace
	or
Houston Bush	SZW HEVVN Q104 PIE SWAGS (RNAV)-STAR
	CRP, CVE, LLO, LUKIY, SAT
	or
	Aircraft south and east of LLA, LLA
	or
	MISLE Q40 AEX
	or
	Aircraft north and east of SJI, SJI
	or
	Aircraft east of PXV, PXV Q31 DHART SWB
Houston Hobby	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
	CRP, ELLVR, SAT, SWB
	or
	Aircraft south and east of GIRLY, GIRLY
	or
	Aircraft north and east of SJI, SJI
	or
	BESOM Q38 ROKIT ROKIT-STAR
	or
Jacksonville	Aircraft east of PXV, PXV Q29 HARES SWB
	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
	GADAY ZOOSS TAY
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	ZOOSS TAY



John Wayne–Orange County	HEC, PGS, BLD or Aircraft south of TBC from ZAB airspace, HIPPI
Kansas City Terminal Area	LMN BRAYMER–STAR or PWE ROBINSON–STAR or EMP JHAWK–STAR
Las Vegas	DILCO, LIDAT, IGM or Aircraft over PGA or north of PGA KSINO or Aircraft south of PGA PGS LYNBY
Los Angeles Terminal Area	Aircraft North of TBC, HEC, PGS or Aircraft South of TBC from ZAB airspace, HIPPI, MESSI
Miami Terminal Area	CEW DEFUN Q104 CYY DEEDS (RNAV)–STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or SZW HEVVN Q104 CYY DEEDS (RNAV)–STAR
Minneapolis Terminal Area	Aircraft from north, west, south, FAR GOPHER–STAR or RWF SKETR–STAR or ALO KASPR–STAR or BRD GOPHER–STAR or BAE EAU CLAIRE–STAR or FOD TWOLF–STAR
Memphis Terminal Area	ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD
Naples, FL	CEW DEFUN Q104 PLYER PIKKR (RNAV)–STAR Aircraft through ZHU AIRSPACE remain south of ZME and ZTL airspace or SZW HEVVN Q104 PLYER PIKKR (RNAV)–STAR
Nashville	CCT, GHM, GUITR, TINGS, VOLL
New Orleans Terminal Area	BLUEZ, GPT, LCH, MCB, TBD, FATSO
Oakland	ILA or KATTS PAMMY or Aircraft over or south of a line ILC J16 DVC REANA KATTS PAMMY or Aircraft from north of ILC, JOPER PAMMY or KATTS PAMMY or Aircraft over or south of ILC, REANA KATTS PAMMY
Orlando Terminal Area	GADAY Q108 CLAWZ LEESE–STAR Aircraft through ZHU airspace remain south of ZME/ZTL airspace or OTK LEESE–STAR



Palm Beach, FL	CEW DEFUN Q112 INPIN GULLO (RNAV)–STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW INPIN GULLO (RNAV)–STAR
Phoenix	CORKR DRK or Aircraft from ZDV airspace, GUP or Aircraft from ZAB airspace, ZUN, MOHAK, SSO or VYLLA TUS
Phoenix Satellites	FLG, SSO, MOHAK or VYLLA, TUS
Portland, OR Terminal Area	ARNIT BONVL–STAR or LARNO BONVL–STAR or MOXEE MOXEE–STAR
St. Louis Terminal Area	SGF TRAKE–STAR or BUM TRAKE–STAR or ANX TRAKE–STAR or LMN IRK RIVRS–STAR or RBS VANDALIA–STAR
Salt Lake City Terminal Area	JNC J12 HELPR SPANE–STAR or EKR MTU SPANE–STAR or BCE DTA–TCH or MLF DTA–TCH or BVL BONNEVILLE–STAR or BYI BEARR–STAR or PIH BEARR–STAR or DBS BRIGHAM CITY–STAR or JAC BRIGHAM CITY–STAR or BPI BRIGHAM CITY–STAR or OCS BRIGHAM CITY–STAR
San Diego Terminal Area	EED, LAX, GBN
Santa Ana	HEC, PGS, BLD, HIPPI
San Antonio Terminal Area	IDU, CSI, JCT, LLO, CRP, LRD or West of a north–south line at LFK, BLEWE or East of a north–south line at LFK, IDU



San Francisco	FMG GOLDEN GATE--STAR
	or
	MVA MODESTO--STAR
	or
	ENI GOLDEN GATE--STAR
	or
San Jose	OAL MODESTO--STAR
	or
	South of a line ILC to DVC, REANA KATTS OAL MODESTO--STAR
	FMG HYP EL NIDO--STAR
	or
	OAL HYP EL NIDO--STAR
Seattle Terminal Area	or
	ENI GOLDEN GATE--STAR
	or
	South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO--STAR
	Aircraft From northeast, southeast, south, TEMPL GLASR--STAR
	or
Southwest Florida Airports RSW and FMY	SUNED CHINS--STAR
	or
	BTG OLMYPIA--STAR
	CEW DEFUN Q104 SWABE JOSFF--STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
Tampa Terminal Area	SZW HEVVN Q104 SWABE JOSFF--STAR
	CEW DEFUN Q104 HEVVN DARBS--STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	SZW DARBS--STAR
	DRK PXR
Tucson	or
	MOHAK GBN



## VISUAL FLIGHT RULES (VFR) WAYPOINTS

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

## BALTIMORE–WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPAXI	_____	N38°34.57' /W076°20.38'
VPONX	_____	N39°06.65' /W076°55.92'
VPOOP	_____	N38°56.32' /W076°36.90'

## BOSTON HELICOPTER CHART

VPBAY	_____	N42°16.17' /W070°49.48'
VPBLT	_____	N42°19.67' /W070°53.40'
VPCGS	_____	N42°22.08' /W071°03.13'
VPEVS	_____	N42°23.52' /W071°04.10'
VPFEN	_____	N42°12.58' /W071°08.88'
VPFRE	_____	N42°25.03' /W071°12.32'
VPGLV	_____	N42°21.88' /W070°52.18'
VPHAM	_____	N42°30.13' /W071°07.15'
VPPIK	_____	N42°20.37' /W071°15.93'
VPQUA	_____	N42°12.10' /W071°04.78'
VPQUB	_____	N42°12.60' /W070°59.83'
VPSPF	_____	N42°24.20' /W071°09.47'
VPTOB	_____	N42°31.42' /W070°59.82'
VPWAN	_____	N42°36.88' /W071°19.45'

## BOSTON TERMINAL AREA CHART

VPCOH	Cohasset	N42°13.58' /W070°48.94'
VPCUT	Cuttyhunk Harbor	N41°25.50' /W070°55.03'
VPFRA	Framingham Shopping Center	N42°18.16' /W071°23.65'
VPHOL	Woods Hole	N41°31.06' /W070°40.60'
VPHUL	Hull	N42°18.20' /W070°55.30'
VPLPT	Nantucket Great Point	N41°23.41' /W070°02.78'
VPNED	Needham Towers	N42°18.51' /W071°14.64'
VPPEA	Peabody Shopping Center	N42°32.52' /W070°56.69'
VPROC	Rockingham Race Track	N42°46.29' /W071°13.57'
VPSCI	Scituate	N42°11.89' /W070°43.69'
VPTPT	Nantucket Third Point	N41°18.51' /W070°03.37'
VPTUC	Tuckernuck	N41°18.31' /W070°15.43'
VPWAK	Wakefield	N42°30.72' /W071°05.24'
VPWAN	Wang Towers	N42°36.88' /W071°19.45'

## CHARLOTTE SECTIONAL CHART

VPATO	_____	N34°37.37' /W076°31.47'
VPAVA	_____	N34°57.00' /W077°16.50'
VPBFE	_____	N32°16.38' /W080°47.50'
VPBRA	_____	N36°13.75' /W076°08.08'
VPGCE	_____	N36°03.90' /W076°36.42'
VPGHI	_____	N35°15.30' /W075°31.25'
VPGIO	_____	N35°32.50' /W076°37.33'
VPKJU	_____	N35°26.58' /W076°10.22'
VPLMN	_____	N34°55.43' /W077°46.42'
VPMAB	_____	N34°42.20' /W077°03.50'
VPNPO	ISLE OF PALMS	N32°47.78' /W079°46.45'
VPOKY	_____	N35°06.53' /W075°59.17'
VPREP	_____	N32°33.98' /W080°21.82'
VPRRS	_____	N33°25.45' /W079°07.60'
VPUMO	_____	N35°35.63' /W075°28.08'
VPWZO	_____	N36°00.87' /W075°40.07'
VPZIE	_____	N32°01.62' /W080°53.42'



## CHICAGO SECTIONAL CHART

WAYPOINT IDENT  
VPCOHCOLLOCATED VFR CHECKPOINT  
\_\_\_\_\_LOCATION  
N31°49.35'/W081°51.07'

## DENVER TERMINAL AREA CHART/FLYWAY CHART

VPBEN  
VPFTG  
VPNIC\_\_\_\_\_  
\_\_\_\_\_  
NORTH INTERCHANGEN39°44.28'/W104°26.00'  
N39°44.35'/W104°32.75'  
N39°58.90'/W104°59.27'

## HOUSTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT

COLLOCATED VFR CHECKPOINT

LOCATION

VPBWY  
VPDTN  
VPGLA  
VPGLB  
VPKTY  
VPPLN  
VPRSN  
VPSND  
VPSNT  
VPTNE  
VPTNW  
VPTRK\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_N29°46.25'/W095°09.24'  
N29°46.59'/W095°22.01'  
N30°08.32'/W095°06.62'  
N30°07.80'/W094°55.70'  
N29°47.05'/W095°44.92'  
N30°08.80'/W095°50.42'  
N29°30.00'/W095°41.00'  
N29°23.13'/W095°28.86'  
N29°49.29'/W094°53.94'  
N29°47.48'/W095°03.34'  
N29°47.06'/W095°33.81'  
N29°24.06'/W095°10.44'

## JACKSONVILLE SECTIONAL CHART

VPAFI  
VPAFY  
VPBEC  
VPCJA  
VPCKY  
VPCNY  
VPDAD  
VPDAR  
VPDFI  
VPDUT  
VPEAR  
VPEGV  
VPFFU  
VPGPE  
VPHAA  
VPHUC  
VPIWA  
VPJMY  
VPKER  
VPLEV  
VPLJA  
VPMAI  
VPTLH  
VPXZY  
VPYIW  
VPZIE\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
DADE CITY  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
CLEARWATER BEACH  
\_\_\_\_\_  
\_\_\_\_\_  
ST PETE BEACH  
\_\_\_\_\_  
\_\_\_\_\_  
MIDWAY  
\_\_\_\_\_  
LAKE PARKER  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_N31°49.35'/W081°51.07'  
N30°07.00'/W081°21.33'  
N29°46.25'/W081°15.10'  
N29°30.00'/W081°06.00'  
N28°46.50'/W082°34.00'  
N28°30.00'/W080°45.00'  
N28°22.57'/W082°11.25'  
N31°22.38'/W081°24.13'  
N29°00.17'/W081°20.85'  
N27°37.70'/W082°09.10'  
N27°58.67'/W082°49.83'  
N29°39.97'/W081°24.87'  
N28°57.08'/W081°00.33'  
N27°43.50'/W082°44.67'  
N30°04.02'/W083°40.02'  
N28°19.87'/W082°43.77'  
N31°48.33'/W081°25.85'  
N29°26.92'/W081°18.27'  
N28°04.00'/W081°56.00'  
N28°48.00'/W080°52.00'  
N29°00.00'/W080°51.00'  
N30°50.02'/W084°56.63'  
N30°32.70'/W083°52.22'  
N29°35.00'/W083°10.00'  
N30°42.28'/W081°27.25'  
N32°01.62'/W080°53.42'

## KANSAS CITY SECTIONAL CHART

VPAGO  
VPBEK  
VPDEN  
VPENE  
VPES  
VPFME  
VPGXY  
VPMBE  
VPMKE  
VPROV  
VPUTT\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_N37°50.33'/W090°29.03'  
N37°15.07'/W092°30.67'  
N37°46.75'/W092°19.20'  
N37°44.75'/W091°55.78'  
N36°59.48'/W091°00.88'  
N37°41.00'/W092°38.33'  
N37°15.50'/W091°40.17'  
N37°11.08'/W090°27.92'  
N37°24.47'/W092°40.00'  
N38°01.72'/W091°12.81'  
N37°52.05'/W092°01.20'



## VFR WAYPOINTS

WAYPOINT IDENT

VPWOC  
VPWRO  
VPXIZ

### COLLOCATED VFR CHECKPOINT

---

---

---

### LOCATION

N37°18.03'/W092°18.63'  
N37°39.12'/W091°45.68'  
N37°26.60'/W092°05.42'

## KANSAS CITY TERMINAL AREA CHART

VPATN  
VPBGS  
VPBSP  
VPCHB  
VPDSO  
VPESG  
VPGTB  
VPLAT  
VPLEN  
VPLVL  
VPMCL  
VPNHA  
VPSCX  
VPSKR  
VPSPK  
VPTSK  
VPWOF

ATCHISON  
BLUE SPRINGS  
BONNER SPRINGS  
CHOUTEAU BRIDGE  
DE SOTO  
EXCELSIOR SPRINGS  
GARRETSBURG  
LATHROP WATER TANK  
LENEXA  
LONGVIEW LAKE  
MC LOUTH  
NASHUA  
SPORTS COMPLEX  
SUGAR CREEK REFINERY  
SWOPE PARK  
TWIN STACKS  
WORLDS OF FUN

N39°33.62' / W095°07.65'  
N39°01.82' / W094°16.32'  
N39°03.78' / W094°53.10'  
N39°08.77' / W094°32.03'  
N38°58.68' / W094°58.48'  
N39°20.68' / W094°13.77'  
N39°40.92' / W094°41.45'  
N39°32.87' / W094°20.00'  
N38°57.77' / W094°43.68'  
N38°54.63' / W094°28.28'  
N39°11.65' / W095°12.50'  
N39°17.83' / W094°34.80'  
N39°03.00' / W094°29.02'  
N39°07.00' / W094°27.02'  
N39°00.47' / W094°31.93'  
N39°09.05' / W094°38.22'  
N39°10.42' / W094°29.12'

## KLAMATH FALLS SECTIONAL CHART

VPORO

N43°57.38' /W123°02.22'

## LOS ANGELES HELICOPTER CHART

VPANA  
VPART  
VPAUT  
VPBOB  
VPCAR  
VPCNG  
VPCOR  
VPCRX  
VPCSU  
VPDOW  
VPELA  
VPETY  
VPFCB  
VPFPL  
VPGOL  
VPIMP  
VPKAT  
VPKEL  
VPLAC  
VPLLU  
VPLQM  
VPLRT  
VPLVT  
VPMDR  
VPNEW  
VPNUY  
VPPCH  
VPPKC  
VPPOR  
VPRRT  
VPSEF  
VPSFR  
VPSTC  
VPSTK

MAGNOLIA  
HWY 91 & 55  
  
CONEJO GRADE US HWY 101  
  
CSU CHANNEL ISLANDS  
  
OXNARD FINANCIAL PLAZA  
  
QUEEN MARY  
SANTA ANITA RACE TRACK  
VINCENT THOMAS BRIDGE  
  
NEWHALL PASS  
  
SATICOY BRIDGE

N33°44.43' / W117°50.03'  
N33°51.45' / W117°58.92'  
N33°50.63' / W117°49.57'  
N33°59.60' / W117°21.45'  
N33°49.90' / W118°17.23'  
N34°12.54' / W118°59.61'  
N33°52.90' / W117°32.90'  
N34°01.40' / W117°44.88'  
N34°09.76' / W119°02.53'  
N33°56.47' / W118°05.80'  
N34°00.98' / W118°10.35'  
N33°38.70' / W117°44.12'  
N34°02.03' / W118°01.63'  
N34°13.71' / W119°10.39'  
N34°09.33' / W118°17.37'  
N33°55.85' / W118°16.85'  
N33°48.23' / W117°54.22'  
N34°03.92' / W117°48.40'  
N34°03.75' / W118°14.93'  
N34°03.85' / W117°47.82'  
N33°45.17' / W118°11.37'  
N34°08.45' / W118°02.65'  
N33°44.97' / W118°16.32'  
N33°59.27' / W118°23.97'  
N34°20.18' / W118°30.72'  
N34°09.63' / W118°28.18'  
N33°28.07' / W117°40.32'  
N34°03.32' / W118°12.83'  
N34°00.10' / W117°50.12'  
N33°59.37' / W118°16.83'  
N34°05.80' / W118°28.63'  
N34°17.45' / W118°28.07'  
N34°16.62' / W119°08.34'  
N34°13.97' / W118°24.60'



## LOS ANGELES SECTIONAL CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71'/W119°10.39'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

## LOS ANGELES TERMINAL AREA CHART/FLYWAY CHART

VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPGETY	GETTY CENTER	N34°04.84'/W118°28.66'
VPLBP	BANNING PASS	N33°56.05'/W116°59.63'
VPLCC	CHAFFEY COLLEGE	N34°08.87'/W117°34.33'
VPLCP	CAJON PASS	N34°18.07'/W117°27.68'
VPLDL	DISNEYLAND	N33°48.72'/W117°55.13'
VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLDS	DODGER STADIUM	N34°04.42'/W118°14.42'
VPLFX	91/605 INTERCHANGE	N33°52.38'/W118°06.08'
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10'/W118°18.02'
VPLHF	110/405 FWYS	N33°51.42'/W118°17.10'
VPLHP	HUNTINGTON PIER	N33°39.32'/W118°00.25'
VPLKH	KING HARBOR	N33°50.75'/W118°23.88'
VPLLC	L.A. COLISEUM	N34°00.83'/W118°17.27'
VPLLM	LAKE MATHEWS	N33°50.58'/W117°26.85'
VPLMM	MAGIC MOUNTAIN	N34°26.20'/W118°36.28'
VPLMS	MILE SQUARE PARK	N33°43.40'/W117°56.77'
VPLPD	PRADO DAM	N33°53.40'/W117°38.48'
VPLPP	PACIFIC PALISADES	N34°02.13'/W118°32.15'
VPLQM	QUEEN MARY	N33°45.17'/W118°11.37'
VPLRB	ROSE BOWL	N34°09.67'/W118°10.05'
VPLRT	SANTA ANITA RACE TRACK	N34°08.45'/W118°02.65'
VPLSA	SANTA ANA CANYON	N33°52.03'/W117°42.68'
VPLSB	SANTA FE FLOOD BASIN	N34°07.72'/W117°57.30'
VPLSC	STATE COLLEGE	N33°52.97'/W117°53.13'
VPLSF	SAN FERNANDO RESERVOIR	N34°17.87'/W118°29.00'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07'/W118°21.13'
VPLSS	SANTA SUSANA PASS	N34°16.00'/W118°38.43'
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40'/W118°20.30'
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97'/W118°16.32'
VPLWT	WATER TANK	N34°10.82'/W118°46.27'
VPNEW	NEWHALL PASS	N34°20.18'/W118°30.72'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

## MIAMI SECTIONAL CHART

VPACH	HOLLYWOOD BEACH	N26°00.92'/W080°06.93'
VPBOV	_____	N27°57.00'/W080°46.75'
VPCLC	_____	N26°27.07'/W082°00.88'
VPCTE	_____	N26°09.28'/W081°20.70'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDUT	_____	N27°37.70'/W082°09.10'
VPDZE	_____	N27°19.00'/W080°44.17'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78'/W080°28.00'
VPFAH	_____	N26°25.40'/W081°29.67'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHRO	_____	N27°05.97'/W082°12.20'
VPHUC	_____	N28°19.87'/W082°43.77'
VPIBR	_____	N27°12.47'/W081°40.22'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPKOE	_____	N24°40.08'/W081°20.55'
VPLYV	_____	N24°49.07'/W080°49.17'
VPMB0	GULFSTREAM PARK	N25°58.57'/W080°08.17'
VPOBA	PUMPING STATION	N26°28.30'/W080°26.75'
VP RBI	_____	N25°50.67'/W080°55.18'
VP RNL	RANGER STATION	N25°22.92'/W080°36.58'
VPWMO	_____	N27°03.00'/W080°35.00'



### MIAMI TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPACH	HOLLYWOOD BEACH	N26°00.92' /W080°06.93'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78' /W080°28.00'
VPMBO	GULFSTREAM PARK	N25°58.57' /W080°08.17'
VPOBA	PUMPING STATION	N26°28.30' /W080°26.75'
VPRBI		N25°50.67' /W080°55.18'
VPRNL	RANGER STATION	N25°22.92' /W080°36.58'

### NEW ORLEANS SECTIONAL CHART

VPGPT		N30°25.95' /W089°05.62'
VPLIP	PHILLIPS INLET	N30°16.23' /W085°59.25'
VPMAI		N30°50.02' /W084°56.63'
VPMOB		N30°23.00' /W088°31.72'
VPRAM		N30°18.95' /W089°35.88'
VPRER		N30°13.87' /W085°20.67'
VPRIV		N30°54.85' /W087°57.82'
VPSAW		N30°49.65' /W089°07.42'
VPTHR		N30°19.93' /W087°08.50'

### NEW YORK HELICOPTER CHART

VPJAY		N40°59.00' /W073°07.00'
VPLYD		N40°57.37' /W073°29.59'
VPROK		N40°52.70' /W073°44.24'

### PHOENIX TERMINAL AREA CHART/FLYWAY CHART

VPALL	ALLENVILLE	N33°20.97' /W112°35.20'
VP AQU	AQUEDUCT PUMPING STATION	N33°40.05' /W112°41.38'
VPARM	ARROWHEAD MALL	N33°38.52' /W112°13.48'
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98' /W111°59.08'
VPAZM	ARIZONA MILLS	N33°23.43' /W111°57.88'
VPBAR	BARTLETT DAM	N33°49.10' /W111°37.92'
VPCCC	COUNTRY CLUB & CANAL	N33°30.73' /W111°50.37'
VPCNL	CANAL	N33°33.23' /W111°46.89'
VPFRB	FIREBIRD LAKE	N33°16.35' /W111°58.10'
VPFTN	FOUNTAIN HILLS	N33°36.12' /W111°42.72'
VPGLX	GILA CROSSING	N33°16.55' /W112°10.08'
VPGPP	GLENDALE POWER PLANT	N33°33.27' /W112°13.00'
VPMAR	MARICOPA	N33°03.42' /W112°02.88'
VPMHS	MESQUITE HIGH SCHOOL	N33°20.53' /W111°49.58'
VPNRV	NEW RIVER	N33°55.08' /W112°08.45'
VPNTT	NORTH TEST TRACK	N33°03.50' /W111°55.83'
VPPIR	PIR	N33°22.52' /W112°18.90'
VPQTR	QUINTERO GOLF COURSE	N33°49.53' /W112°23.58'
VP RVC	RIO VERDE COMMUNITY	N33°44.37' /W111°39.62'
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02' /W112°02.12'
VPSQP	SQUAW PEAK	N33°32.83' /W112°01.27'
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50' /W111°41.37'
VPSTN	SANTAN MOUNTAINS	N33°09.23' /W111°40.92'
VPSTT	SOUTH TEST TRACK	N32°56.25' /W111°59.67'
VPZZZ		N33°20.18' /W111°26.53'

### ST LOUIS TERMINAL AREA CHART/FLYWAY CHART

VPAGN	TV ANTENNA	N38°32.08' /W090°22.42'
VPBPE		N38°23.80' /W090°20.38'
VPCJY	HOLIDAY SHORES	N38°55.00' /W089°56.00'
VPCOJ	WINFIELD DAM	N39°00.28' /W090°41.23'
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18' /W090°16.47'
VPEAZ	BUSCH STADIUM	N38°37.43' /W090°11.55'
VPEDJ	WATER TANKS	N38°45.30' /W090°34.87'
VPEGR	GAS TANKS	N38°35.80' /W090°19.32'
VPEOX	ST PETERS	N38°47.17' /W090°39.25'



## WAYPOINT IDENT

VPFAI  
VPFFY  
VPGPF  
VPGVI  
VPHRQ  
VPIBO  
VPJMU  
VPKNY  
VPLES  
VPLIW  
VPLXU  
VPNSY  
VPNZY  
VPAZ  
VPRMO  
VPWKO  
VPXXI  
VPYID

## COLLOCATED VFR CHECKPOINT

HOWELL ISLAND  
  
  
  
CHAIN OF ROCKS BRIDGE  
WATERLOO  
HORSESHOE LAKE  
PACIFIC  
ST CHARLES  
SIX FLAGS  
GATEWAY ARCH  
WOOD RIVER REFINERIES  
WENTZVILLE  
JERSEYVILLE  
FOREST PARK  
COLUMBIA  
MILLSTADT  
MOSENTHEIN ISLAND

## LOCATION

N38°40.00'/W090°43.00'  
N38°55.37'/W090°17.30'  
N38°35.60'/W090°26.92'  
N38°32.30'/W090°27.80'  
N38°45.88'/W090°10.42'  
N38°20.00'/W090°09.00'  
N38°41.00'/W090°05.00'  
N38°29.00'/W090°44.00'  
N38°47.00'/W090°30.00'  
N38°30.67'/W090°40.47'  
N38°37.50'/W090°11.00'  
N38°50.00'/W090°05.00'  
N38°48.83'/W090°50.98'  
N39°07.00'/W090°20.00'  
N38°38.00'/W090°17.00'  
N38°27.00'/W090°12.00'  
N38°27.50'/W090°05.68'  
N38°43.00'/W090°12.25'

## SALT LAKE CITY HELICOPTER CHART

VPAIR  
VPBEE  
VPBRN  
VPCAP  
VPOCHS  
VPCOP  
VPCWY  
VPCYN  
VPFPC  
VPFPK  
VPGFS  
VPHVE  
VPJRT  
VPKSL  
VPLGN  
VPMMDH  
VPMMT  
VPMST  
VPNSL  
VPNTPT  
VPOGE  
VPOPS  
VPPEN  
VPPPT  
VPPTM  
VPPVO  
VPRWY  
VPSLC  
VPTIP  
VPWBR  
VPWBT

SALTAIR  
SOUTH INTERCHANGE  
BARN  
STATE CAPITOL  
  
BINGHAM COPPER MINE  
CAUSEWAY  
PARLEYS CANYON  
FREE PORT CENTER  
FRANCIS PEAK  
GARFIELD STACK  
SPAGHETTI BOWL  
JORDAN RIVER TEMPLE  
KSL ANTENNA  
LAGOON AMUSEMENT PARK  
MCKAY DEE HOSPITAL  
MICROWAVE TOWERS  
  
  
GRAIN ELEVATOR  
POWER STATION  
STATE PRISON  
PROMONTORY POINT  
POINT OF THE MOUNTAIN  
PROVO CANYON  
  
I-15/I-80 INTERCHANGE  
SOUTH TIP  
WEBER CANYON

N40°44.85'/W112°11.22'  
N40°38.18'/W111°54.23'  
N40°54.28'/W112°10.15'  
N40°46.67'/W111°53.25'  
N40°42.28'/W112°05.92'  
N40°31.38'/W112°09.00'  
N41°05.37'/W112°07.17'  
N40°42.67'/W111°48.10'  
N41°05.92'/W112°02.27'  
N41°01.98'/W111°50.30'  
N40°43.28'/W112°11.88'  
N40°43.50'/W111°54.22'  
N40°35.02'/W111°55.58'  
N40°46.80'/W112°05.80'  
N40°59.08'/W111°53.57'  
N41°11.50'/W111°57.08'  
N40°48.50'/W111°53.37'  
N41°01.67'/W112°02.47'  
N40°50.15'/W111°54.90'  
N41°03.57'/W112°14.23'  
N41°13.13'/W112°00.45'  
N41°20.38'/W112°02.78'  
N40°29.88'/W111°53.62'  
N41°12.28'/W112°25.73'  
N40°27.42'/W111°54.83'  
N40°18.77'/W111°39.45'  
N40°48.48'/W112°00.33'  
N40°45.83'/W111°54.85'  
N40°50.93'/W112°10.92'  
N41°08.17'/W111°54.83'  
N40°38.00'/W112°03.33'

## SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR  
VPBEE  
VPBRN  
VPCAP  
VPOCHS  
VPCOP  
VPCVI  
VPCWY  
VPCYN  
VPFPC  
VPFPK  
VPGFS

SALTAIR  
SOUTH INTERCHANGE  
BARN  
STATE CAPITOL  
  
BINGHAM COPPER MINE  
CENTERVILLE INTERCHANGE  
CAUSEWAY  
PARLEYS CANYON  
FREE PORT CENTER  
FRANCIS PEAK  
GARFIELD STACK

N40°44.85'/W112°11.22'  
N40°38.18'/W111°54.23'  
N40°54.28'/W112°10.15'  
N40°46.67'/W111°53.25'  
N40°42.28'/W112°05.92'  
N40°31.38'/W112°09.00'  
N40°55.30'/W111°53.43'  
N41°05.37'/W112°07.17'  
N40°42.67'/W111°48.10'  
N41°05.92'/W112°02.27'  
N41°01.98'/W111°50.30'  
N40°43.28'/W112°11.88'



## WAYPOINT IDENT

VPHE  
VPJRT  
VPKSL  
VPLGN  
VPMDH  
VPMMT  
VPMTH  
VPNSL  
VPNTF  
VPOGE  
VPOPS  
VPPEN  
VPPPT  
VPPTM  
VPPVO  
VPRWY  
VPSLC  
VPTIP  
VPUOU  
VPWBR  
VPWBT  
VPZOO

## COLLOCATED VFR CHECKPOINT

SPAGHETTI BOWL  
JORDAN RIVER TEMPLE  
KSL ANTENNA  
LAGOON AMUSEMENT PARK  
MCKAY DEE HOSPITAL  
MICROWAVE TOWERS  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
GRAIN ELEVATOR  
POWER STATION  
STATE PRISON  
PROMONTORY POINT  
POINT OF THE MOUNTAIN  
PROVO CANYON  
\_\_\_\_\_  
I-15/I-80 INTERCHANGE  
SOUTH TIP  
U OF U EVENTS CENTER  
WEBER CANYON  
\_\_\_\_\_  
HOGLE ZOO

## LOCATION

N40°43.50'/W111°54.22'  
N40°35.02'/W111°55.58'  
N40°46.80'/W112°05.80'  
N40°59.08'/W111°53.57'  
N41°11.50'/W111°57.08'  
N40°48.50'/W111°53.37'  
N41°01.67'/W112°02.47'  
N40°50.15'/W111°54.90'  
N41°03.57'/W112°14.23'  
N41°13.13'/W112°00.45'  
N41°20.38'/W112°02.78'  
N40°29.88'/W111°53.62'  
N41°12.28'/W112°25.73'  
N40°27.42'/W111°54.83'  
N40°18.77'/W111°39.45'  
N40°48.48'/W112°00.33'  
N40°45.83'/W111°54.85'  
N40°50.93'/W112°10.92'  
N40°45.73'/W111°50.28'  
N41°08.17'/W111°54.83'  
N40°38.00'/W112°03.33'  
N40°45.00'/W111°48.95'

## SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

VPLDP  
VPLSP  
VPOCN  
VPSBC  
VPSBL  
VPSBM  
VPSCF  
VPSCM  
VPSCP  
VPSCR  
VPSFB  
VPSLJ  
VPSMB  
VPSMP  
VPSMS  
VPSMV  
VPSMW  
VPSOP  
VPSOT  
VPSPL  
VPSPP  
VPSQS  
VPSRT  
VPSRM  
VPSVS  
VPSPT  
VPSVA

DANA POINT  
SIGNAL PEAK  
\_\_\_\_\_  
BARONA CASINO  
\_\_\_\_\_  
BLACK MOUNTAIN  
\_\_\_\_\_  
COWLES MOUNTAIN  
CRYSTAL PIER  
\_\_\_\_\_  
IRON MOUNTAIN  
LAKE JENNINGS  
\_\_\_\_\_  
\_\_\_\_\_  
MOUNT SOLEDAD  
\_\_\_\_\_  
MOUNT WOODSON  
OTAY MESA PRISON  
LOWER OTAY LAKE  
SOUTH POINT LOMA  
POWER PLANT  
QUALCOMM STADIUM  
DEL MAR RACE TRACK  
SAN MIGUEL MOUNTAIN  
SAN VICENTE ISLAND  
TORREY PINES GOLF COURSE  
\_\_\_\_\_  
\_\_\_\_\_

N33°27.62'/W117°42.87'  
N33°36.33'/W117°48.63'  
N33°14.15'/W117°26.63'  
N32°56.25'/W116°52.60'  
N33°05.18'/W117°18.55'  
N32°58.87'/W117°07.00'  
N32°48.55'/W117°09.17'  
N32°48.72'/W117°01.97'  
N32°47.77'/W117°15.42'  
N32°39.37'/W117°07.30'  
N32°58.25'/W116°57.33'  
N32°51.53'/W116°53.28'  
N32°45.57'/W117°12.22'  
N33°22.70'/W117°36.75'  
N32°50.40'/W117°15.10'  
N32°45.75'/W117°09.80'  
N33°00.52'/W116°58.23'  
N32°35.82'/W116°55.28'  
N32°37.73'/W116°55.38'  
N32°39.90'/W117°14.55'  
N33°08.25'/W117°20.23'  
N32°46.98'/W117°07.23'  
N32°58.58'/W117°15.95'  
N32°41.78'/W116°56.18'  
N32°55.53'/W116°55.00'  
N32°54.17'/W117°14.68'  
N33°11.48'/W117°16.38'

## SAN FRANCISCO SECTIONAL CHART

VPKBG

KINGSBURY GRADE

N38°58.75'/W119°53.20'

## SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

VPALT  
VPANT  
VPBBR  
VPCAL  
VPCBT  
VPCOY  
VPCQZ  
VPCRL  
VPCRY

ALTAMONT PASS  
ANTIOCH BRIDGE  
BENICIA BRIDGE  
CALAVERAS RESERVOIR  
LAKE CHABOT  
COYOTE HILLS  
CARQUINEZ BRIDGE  
\_\_\_\_\_  
CRYSTAL SPRINGS CAUSEWAY

N37°44.35'/W121°35.42'  
N38°01.45'/W121°45.02'  
N38°02.50'/W122°07.45'  
N37°28.16'/W121°48.93'  
N37°43.68'/W122°06.94'  
N37°32.50'/W122°05.06'  
N38°03.66'/W122°13.52'  
N37°11.00'/W121°41.06'  
N37°30.56'/W122°21.10'



WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCSH	CAL STATE UNIVERSITY	N37°39.52'/W122°03.52'
VPDAM	DEL VALLE DAM	N37°36.91'/W121°44.78'
VPDLR		N37°07.00'/W121°47.06'
VPDUB	DUBLIN	N37°42.06'/W121°55.36'
VPEMB	EMBASSY SUITES	N37°26.05'/W121°53.83'
VPGGF	GOLDEN GATE FIELDS	N37°53.07'/W122°18.71'
VPGIL	GILROY	N37°01.37'/W121°33.99'
VPHHH	HAMILTON	N38°03.58'/W122°30.66'
VPKGO	KGO	N37°31.58'/W122°06.10'
VPLEX	LEXINGTON RESERVOIR	N37°11.66'/W121°59.18'
VPMID	MID-SPAN SAN MATEO BRIDGE	N37°36.28'/W122°11.81'
VPMOR	MORMON TEMPLE	N37°48.46'/W122°11.95'
VPNUM	NUMMI PLANT	N37°29.56'/W121°56.58'
VPPAC		N37°38.00'/W122°32.07'
VPPRU	PRUNEYARD	N37°17.33'/W121°56.01'
VPSAR	SARATOGA	N37°15.26'/W122°02.33'
VPSLA	SLAC/LINEAR ACCELERATOR	N37°24.75'/W122°14.35'
VPSTB	STINSON BEACH	N37°54.45'/W122°40.41'
VPSUN	SUNOL GOLF COURSE	N37°34.85'/W121°53.23'
VPUTC	U.T.C.	N37°13.93'/W121°41.35'
VPWAL	WALNUT CREEK	N37°53.78'/W122°04.30'
VPWAM		N37°30.28'/W122°10.00'
VPWFR	CEMENT PLANT	N37°30.88'/W122°12.26'

## TAMPA/ORLANDO TERMINAL AREA CHART/FLYWAY CHART

VPBOV		N27°57.00'/W080°46.75'
VPCNY		N28°30.00'/W080°45.00'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDFI		N29°00.17'/W081°20.85'
VPDUT		N27°37.70'/W082°09.10'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPFFU		N28°57.08'/W081°00.33'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHUC		N28°19.87'/W082°43.77'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPLEV		N28°48.00'/W080°52.00'
VPLJA		N29°00.00'/W080°51.00'

## WASHINGTON SECTIONAL CHART

VSPACE		N38°07.82'/W076°48.75'
VPAXI		N38°34.57'/W076°20.38'
VPBRA		N36°13.75'/W076°08.08'
VPGCE		N36°03.90'/W076°36.42'
VPWZO		N36°00.87'/W075°40.07'



**INTENTIONALLY  
LEFT  
BLANK**



**INTENTIONALLY  
LEFT  
BLANK**



## VOR RECEIVER CHECK VOR RECEIVER CHECKPOINTS AND VOR TEST FACILITIES (VOT)

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual. Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300 or 1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

### ALABAMA

#### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Brookley (Mobile Downtown)</b> .....	112.8/BFM	G	313	1.68	On runup area for rwy 14. VOR grand receiver checkpoint OTS indef.
<b>Cairns AAF (Fort Rucker)</b> .....	111.2/OZR	G	066	1.0	On runup pad Twy F.
<b>Enterprise Muni</b> .....	116.6/EDN	A/2000	341	7.4	Red/white twr.
<b>Monroeville</b> (Monroe Co Arpt) .....	116.8/MVC	G	196	0.6	Rwy 03 runup area/turnaround pad.
<b>Montgomery</b> (Montgomery Rgnl/ Dannelly Field) .....	112.1/MGM	G	318	6.2	On Twy C north of Twy A.
<b>Talladega Muni</b> .....	108.8/TDG	A/2000	084	9.0	Over center of segmented circle.
<b>Crimson</b> (Tuscaloosa Rgnl) .....	117.8/LDK	G	238	4.2	On centerline of Twy midway between ramp and rwy.

#### VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Birmingham-Shuttlesworth Intl</b> .....	110.0	G	
<b>Huntsville Intl-Carl T Jones Fld</b> .....	111.0	G	

### FLORIDA

#### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Cypress</b> (Naples Muni) .....	108.6/CYY	G	121	0.6	On runup area Rwy 32.
<b>Crestview</b> (Bob Sikes) .....	115.9/CEW	A/1200	106	8.6	Over rotating bcn.
<b>Lakeland Linder Rgnl</b> .....	116.0/LAL	G	038	0.5	On NE end of Twy C.
	116.0/LAL	G	283	1.1	On Twy A-1.
<b>Melbourne Intl</b> .....	110.0/MLB	G	184	0.6	SW corner of arpt at intersection of Twy C and D.
<b>Ocala Intl-Jim Taylor Fld</b> .....	113.7/OCF	G	167	1.0	On taxiway E adjacent to E9.
<b>Orlando</b> (Executive) .....	112.2/ORL	G	324	.5	On Twy E near AER 13.
		G	311	.5	On Twy H near AER 13.
<b>Pahokee</b> (Palm Beach Co Glades) .....	115.4/PHK	A/1500	022	13	Over radio twr at intersection of 2 canals.
<b>Panama City-Bay Co Intl</b> .....	114.3/PFN	G	190	0.5	Main terminal ramp.



# VOR RECEIVER CHECK

483

Facility Name (Arpt Name)	Freq./Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
		G	154	0.6	Rwy 32 run-up/Twy G.
		G	208	0.6	Rwy 5 run-up/Twy D.
<b>St. Petersburg-Clearwater Intl</b> .....	116.4/PIE	G	046	0.4	On circle located NE end of Twy M.
<b>Vero Beach Muni</b> .....	117.3/VRB	G	111	4.4	Runup area Rwy 29R.
		G	114	4	Compass rose on taxiway E.
		G	116	3.6	Runup area Rwy 11R.

## VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Daytona Beach Intl</b> .....	111.0	G	
<b>Jacksonville Intl</b> .....	111.0	G	Unuseable E of Twy F.
<b>Miami Intl</b> .....	112.0	G	
<b>Palm Beach Intl</b> .....	109.0	G	
<b>Tallahassee Rgnl</b> .....	111.0	G	
<b>Tampa Intl</b> .....	111.0	G	

## GEORGIA

### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq./Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Athens</b> (Madison Muni) .....	109.6/AHN	A/2000	199	21	Over center of rwy.
<b>Athens</b> (Athens/Ben Epps) .....	109.6/AHN	G	284	0.5	Twy A2.
<b>Atlanta</b> (DeKalb-Peachtree) .....	116.6/PDK	G	004	0.5	On runup area Rwy 20L. VOR ground checkpoint unavailable.
		G	218	0.5	On runup area Rwy 02L and 02R.
<b>Brunswick</b> (Malcolm McKinnon) .....	109.8/SSI	A/1050	029	7.2	Over rotating bcn.
<b>Columbus Metropolitan</b> .....	117.1/CSG	G	146	7.1	FBO ramp in front of ASOS equipment.
<b>Dublin</b> (W H 'Bud' Barron) .....	113.1/DBN	G	270	7.6	Ramp.
<b>Foothills</b> (Toccoa RG Letourneau Fld) .....	113.4/ODF	A/2000	179	6	Over rotating bcn.
<b>Hunter</b> .....	111.6/SVN	A/1500	090	15.5	Over lighthouse.
<b>Hunter AAF</b> .....	111.6/SVN	G	271	1.2	On Twy 6.
<b>Lawson AAF</b> .....	111.4/LSF	G	356	.6	On painted circle at taxiway intersection 580' NW of twr.
<b>Macon</b> .....	114.2/MCN	A/2000	028	13.6	Over oil tank.
		A/2000	320	9.5	Over dam.
<b>Pecan</b> (Southwest Georgia Rgnl) .....	116.1/PZD	A/1000	145	9	Over rotating bcn E side of arpt.
<b>Rome</b> (Richard B Russel) .....	115.4/RMG	G	348	11.5	At intersection of twy 200' S of terminal building. VOR ground checkpoint unavailable.
<b>Savannah</b> .....	112.7/SAV	A/1500	097	19.6	Over red and white lighthouse.
<b>Valdosta Rgnl</b> .....	114.8/OTK	G	131	0.6	On taxiway at apch end rwy 35.
<b>Vienna</b> (Crisp County-Cordele) .....	116.5/VNA	A/1300	226	19	Over center of NE/SW rwy.
<b>Waycross-Ware Co</b> .....	110.2/AYS	A/1200	099	8	Over fire twr W side arpt.



## VOR RECEIVER CHECK VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Atlanta</b> (Hartsfield–Jackson Atlanta Intl) ..	111.0	G	
(Atlanta Muni).....	111.0	G	VOT OTS indef.
<b>Brunswick Golden Isles</b> .....	111.0	G	
<b>Savannah/Hilton Head Intl</b> .....	111.0	G	

## KENTUCKY

### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Central City</b> (Muhlenberg Co) .....	109.8/CCT	A/2500	153	10.6	Over intersection of Rwy 23 and central taxiway.
<b>Clarksville</b> (Campbell AAF) .....	110.6/CKV	G	307	4.9	On taxiway 6 center romeo helipad.
<b>Clarksville</b> (Hopkinsville–Christian Co).....	110.6/CKV	A/2000	345	13.5	Over hangar.
<b>Fort Knox</b> (Godman AAF).....	109.6/FTK	A/2000	270	9.2	W of Godman AAF over a 298 ft twr.
<b>Frankfort</b> (Capital City) .....	109.4/FFT	G	082	.7	Runup pad Rwy 24.
<b>London</b> (London–Corbin Arpt–Magee Fld) .....	116.1/LOZ	G	033	3.8	On parking ramp taxiway entry.
<b>Owensboro–Davies Co.</b> .....	108.6/OWB	G	176	.7	On taxiway at apch end Rwy 36.

### VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Louisville Intl–Standiford Fld</b> .....	111.0	G	



# VOR RECEIVER CHECK NORTH CAROLINA

485

## VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Barretts Mountain</b> (Hickory Rgnl) .....	110.8/BZM	A/2200	229	10.2	Over apch end Rwy 24.
<b>Coffield</b> (Tri-Co).....	114.6/CVI	A/4500	259	15.3	Distance 20/25.
<b>Fayetteville Rgnl/Grannis Fld</b> .....	108.8/FAY	G	278	0.6	On runup area Rwy 04.
<b>Greensboro</b> (Lexington Muni) .....	116.2/GSO	A/2300	228	22	Over rotating bcn atop W end of building.
<b>Greensboro</b> (Piedmont Triad Intl) .....	116.2/GSO	G	036	3.5	On Twy M3. Checkpoint OTS indef.
<b>Greensboro</b> (Smith Reynolds).....	116.2/GSO	A/2000	297	13.5	Over atct.
<b>Kinston Rgnl Jetport At Stallings Fld</b> .....	109.6/ISO	G	230	3.1	Twy A between A4 and A5.
<b>Raleigh-Durham Intl</b> .....	117.2/RDU	G	244	0.85	At end of taxiway to Rwy 05R.
<b>Sugarloaf Mountain</b> (Asheville Rgnl).....	112.2/SUG	A/3200	280	13.6	Over atct. Airborne checkpoint unusable indef.
<b>Tar River</b> .....	117.8/TYI	A/1500	260	5.8	Over smoke stack at power house.

## VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Charlotte</b> (Charlotte/Douglas Intl).....	112.0	G	
<b>Hickory Rgnl</b> .....	110.0	G	

# SOUTH CAROLINA

## VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Charleston AFB/Intl</b> .....	113.5/CHS	G	225	.7	Runup pad Rwy 03.
	113.5/CHS	G	009	.5	Runup pad Rwy 21.
	113.5/CHS	G	337	1.2	Runup pad Rwy 15.
	113.5/CHS	G	331	0.3	Runup area for Rwy 33.
<b>Electric City</b> (Anderson Rgnl).....	108.6/ELW	G	039	5.5	On ramp in front of terminal bldg.
<b>Grand Strand</b> .....	117.6/CRE	A/1100	238	6	Over white water tank.
	117.6/CRE	G	213	0.7	On runup pad Rwy 05.
<b>Greenwood Co</b> .....	115.5/GRD	G	250	.7	End of taxiway at Rwy 09

## VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Charleston AFB/Intl</b> .....	111.0	G	



## VOR RECEIVER CHECK TENNESSEE

### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Hinch Mountain</b> (Crossville Memorial–Whitson Fld) .....	117.6/HCH	A/2900	336	11	Over metal hangar.
	117.6/HCH	G	335	11.5	Runup area between taxiway and rwy at center of fld.
<b>Holston Mountain</b> (Tri–Cities Rgnl TN/VA) ...	114.6/HMV	G	286	13.7	On ramp S of terminal building.
<b>Jackson</b> (McKellar–Sipes Rgnl) .....	112.0/MKL		256	0.6	At south end of ramp at fire station.
<b>Nashville</b> (Lebanon Muni) .....	114.1/BNA	A/2000	082	18	Over midfield.
<b>Tullahoma Rgnl/Wm Northern Fld</b> .....		A/1800	003	5.0	Over Normandy Dam.

### VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
<b>Knoxville</b> (McGhee–Tyson) .....	112.0	G	
<b>Memphis Intl</b> .....	111.0	G	
<b>Nashville Intl</b> .....	108.6	G	
<b>Smyrna</b> .....	110.2	G	

## PUERTO RICO

### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Borinquen</b> (Rafael Hernandez) .....	113.5/BQN	G	271	2.2	On apch end of Rwy 08.

## VIRGIN ISLANDS

### VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
<b>Saint Thomas</b> (Cyril E. King) .....	108.6/STT	G	118	3.5	On taxiway North of Main ramp. VOR gnd checkpoint unusable.



**INTENTIONALLY  
LEFT  
BLANK**



**INTENTIONALLY  
LEFT  
BLANK**



The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations, Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

(1) Be in operation for at least 1 year.

(2) Operate year round (at least on weekends).

(3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
<b>ALABAMA</b>			
Allen Army Heliport .....	11 NM; 253° Wiregrass .....	12,500	1 NM radius. SR-SS weekends and holidays.
(c) Bayou La Batre, Roy E.Ray Arpt.....	12 NM; 217° Brookley .....	12,500	Daily SR-SS
Bessemer, Old Bessemer Arpt .....	16 NM; 057° Brookwood .....	10,000	1030-SS weekends
(c) Cullman, Folsom Fld Arpt .....	36 NM; 001° Vulcan .....	14,500	3 NM radius. SR-SS Sat-Sun, other times by NOTAM.
(c) Dothan, Hatch Army Heliport .....	10.3 NM; 290° Wiregrass .....	12,500 AGL	1 NM SR-SS weekends and holidays.
(c) Elberta, Horak Arpt .....	11 NM; 268° Saufley .....	14,000	Daily 0700-1/2 hour after SS.
Ellis Drop Zone .....	15 NM; 220° Decatur .....	1,500	0.4 NM radius. Occasional use
Eutaw Muni Arpt .....	30 NM; 200° Crimson .....	13,000 AGL	Weekends and holidays
Gadsden, Northeast Alabama Rgnl Arpt..	3 NM; 230° Gadsden .....	14,000	Weekends and holidays 0900-SS.
Harvest, Epps Arpk .....	9 NM; 297° Rocket .....	13,500	Daily SR-SS
(c) Hazel Green .....	7 NM; 355° Rocket .....	14,000	7 NM radius. Daily SR-SS. Occasional night use.
Headland Muni Arpt .....	8 NM; 070° Wiregrass .....	15,000	Weekdays 1200-SS; Sat-Sun, and holidays SR-SS
Jones Drop Zone .....	6 NM; 276° Rocket .....	1,500	0.25 NM radius. Occasional use
Kilby Drop Zone .....	13 NM; 014° Montgomery .....	1,500	0.2 NM radius. Occasional use
Moundville Arpt .....	18 NM; 198° Tuscaloosa .....	12,000 AGL	5 NM radius. 0900-SS on weekends, occasionally weekdays by Notam.
Pell City, St Clair Co Arpt .....	10 NM; 263° Talladega .....	15,500	5 NM radius. SR-SS daily except Mon-Tue.
Pinson, Industrial Park .....	12 NM; 085° Vulcan .....	10,500	0800-SS Sat-Sun, occasionally weekday and ngt use.
Prattville-Grouby Fld Arpt .....	17 NM; 300° Montgomery .....	2,000	10NM radius. For specific times call 334-953-7325.
Redstone Drop Zone .....	9 NM; 220° Rocket .....	1,500	0.2 NM radius. Occasional use
Renda Drop Zone .....	8 NM; 234° Talledega .....	1,500	0.25 NM radius. Occasional use
Tac Runkle Drop Zone .....	19 NM; 280° Cairns .....	3,500 AGL	Occasional use
Tommy Drop Zone .....	17 NM; 235° Montgomery .....	1,500	0.2 NM radius. Occasional use
(c) Tuskegee, Moton Fld Muni .....	2 NM; 198° Tuskegee .....	12,500	3 NM radius. Occasionally on weekends.
Vincent .....	37 NM; 130° Vulcan .....	10,000	5 NM radius. Weekends 0900-SS.
Warrior .....	11 NM; 350° Vulcan .....	12,500	Daily SR-SS
Weaver, McMinn Arpt .....	15 NM; 047° Talladega .....	12,500	1 NM radius. Daily SR-SS, occasional night use.
(c) Wetumpka Muni .....	18 NM; 356° Montgomery .....	10,000	Daily SR-SS
<b>FLORIDA</b>			
Arcadia Muni .....	23 NM; 311° Labelle .....	15,000	5 NM radius. SR-SS daily, occasional ngt use.
Avon Park Executive Arpt .....	30 NM; 138° Lakeland .....	4,000	4 NM radius. Daily SR-SS
Brandon, Sod Farm .....	16 NM; 255° Lakeland .....	15,000	0830-1830 weekends
(c) Bunnell, Flagler County Arpt .....	11 NM; 334° Ormond Beach .....	14,000	3 NM radius. SR-SS daily. Occasional nights.
Chassahowitzka Drop Zone .....	38 NM; 010° St. Petersburg .....	4,000	0.25 NM radius. Occasional use



LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Clewiston, Airglades Arpt .....	19 NM; 097° LaBelle .....	13,500	1 NM radius. Daily SR-SS
(c) Coleman, Freeflight Arpt .....	24 NM; 155° Ocala .....	15,000	3 NM radius. Daily SR-SS.
(c) Deland Muni-Sidney H Taylor Fld ....	17 NM; 210° Ormond Beach .....	15,000	1 NM radius. SR-SS Sat, Sun, occasionally weekdays.
Englewood, Buchan Arpt .....	27 NM; 158° Sarasota .....	15,000 AGL	2 NM radius. Sunday 1000-SS
Florabama Drop Zone .....	16 NM; 216° Saufley .....	14,000	2 NM radius. Fri-Sun 0830-SS.
(c) Homestead General Aviation .....	22 NM; 218° Dolphin .....	15,000	5 NM radius. 24 hrs daily.
Jacksonville, Herlong Arpt .....	15 NM; 255° Craig .....	15,000	1 NM radius. Daily SR-SS with prior notification to JAX APP CON.
Key West .....	1 NM; 095° Key West .....	7,000	0.2 NM radius. Occasional use.
(c) La Belle, Sundance Farms Arpt .....	5.4 NM; 245° La Belle .....	12,500	1 NM radius. Daily SR-SS.
(c) Lake Wales Muni .....	21 NM; 104° Lakeland .....	18,000	7 NM radius, 24 hrs daily. <b>Miami Center 127.2</b>
(c) MacDill AFB .....	11 NM; 110° St. Petersburg .....	10,000	0600-1100 Sun. Over Rwy 31
(c) Melanie's Arpt .....	24 NM; 075° Crestview .....	13,000	3 NM radius. SR-SS Sat-Sun, holidays and other times by NOTAM.
(c) Myakka City .....	18 NM; 097° Sarasota .....	12,500	5 NM radius, 24 hrs daily
(c) New Smyrna Beach, Massey Ranch Airpark .....	22 NM; 150° Ormond Beach .....	15,000	1 NM radius SR-SS weekends, occasionally weekdays.
(c) Palatka Muni-Lt. Kay Larkin Fld ....	36 NM; 079° Gainesville .....	12,500	3 NM radius. Daily, SR-SS
(c) Pahokee, Palm Beach Co Glades Arpt .....	at Pahokee .....	17,500	3 NM radius, 0800-1800 daily.
(c) Quincy Muni Arpt .....	10 NM; 288° Seminole .....	15,000	Daily SR-SS
St. Augustine .....	35 NM; 159° Craig .....	12,500	Sat-Sun occasionally weekdays
(c) Sebastian Muni .....	8 NM; 001° Vero Beach .....	14,000	2 NM radius. Daily SR-SS.
(c) Shell Creek Airpark .....	27.5 NM; 347° Lee County .....	13,000	1 NM radius. SR-SS weekends, holidays.
(c) Sugar Loaf Shores Arpt .....	13 NM; 071° Key West .....	14,000	2 NM radius. SR-SS.
Sun City .....	22 NM; 123° St. Petersburg .....	12,500	
(c) Titusville, Arthur Dunn Air Park .....	33 NM; 341° Melbourne .....	13,500	1 NM radius, SR-SS daily.
(c) Umatilla Muni Arpt .....	29 NM; 327° Orlando .....	13,000 AGL	2 NM radius. SR-SS. Occasional night use.
Wakulla Co Arpt .....	35 NM; 180° Seminole .....	13,500	3 NM radius. SR-SS weekends occasionally weekdays.
(C) Williston Muni Arpt .....	22 NM; 210° Gators .....	11,000	<b>Tallahassee Rgnl Tower 135.8</b>
(c) Zephyrhills Muni .....	16 NM; 330° Lakeland .....	20,000	2.5 NM radius. SR-SS Fri, Sat and Sun. <b>Jacksonville Center 118.6</b>
<b>GEORGIA</b>			
Bunker Hill Drop Zone .....	10 NM; 233° Harris .....	8,000	1 NM radius. SR-1 hr after SS daily, irregular intervals. Mass military jumps from multiple acft.
(c) Cedartown, Polk Co Arpt-Cornelius Moore Fld .....	9 NM; 188° Rome .....	15,000	3 NM radius. SR-SS daily, occasionally nights.
Claxton-Evans Co Arpt .....	33.6 NM; 276° Savannah .....	7,500	0900-SS Sat and Sun
(c) Dahlonga, Lumpkin County Arpt, Wimpy Drop Zone .....	23 NM; 193° Harris .....	15,000	1 NM radius. SR to 1 hr after SS daily irregular intervals. Mass military jumps from multiple acft.
Dahlonga Highway 76 Drop Zone .....	11 NM; 231° Harris .....	3,000	Occasional use.
Fort Benning, Box Spring Drop Zone .....	24.5 NM; 116° Columbus .....	3,000	Occasional use.
Fort Benning, Eelbeck Drop Zone .....	17.5 NM; 131° Columbus .....	3,000	Occasional use.
(c) Fort Benning, EuBanks Drop Zone .....	16 NM; 171° Columbus .....	12,500	Daily 0500-1900
(c) Fort Benning, Fryar Field Drop Zone .....	22.5 NM; 168° Columbus .....	13,000	0.5 NM radius, Continuous.
(c) Fort Benning, Gardner Drop Zone .....	17 NM; 171° Columbus .....	12,500	Daily 0500-1900
Fort Benning, Lawson AAF (Fort Benning) .....	1.8 NM; 046° Lawson .....	12,500	1 NM radius. Daily SR-SS
Fort Benning, Lae Drop Zone .....	21 NM; 166° Columbus .....	3,000	Occasional use
Fort Benning, Lodo Drop Zone .....	14 NM; 090° Lawson .....	3,000	Occasional use
Fort Benning, McKenna Drop Zone .....	10 NM; 080° Columbus .....	3,000	Occasional use
(c) Fort Benning, York Drop Zone .....	16 NM; 172° Columbus .....	12,500	Daily 0500-1900
Fort Valley, Miami Valley Farms Arpt ....	12 NM; 220° Macon .....	14,000	1 NM radius, Daily 0900-SS
Locust Grove, Mallards Landing Arpt .....	17.5 NM; 118° Atlanta .....	13,500	Sat, Sun and holidays SR-SS. Occasional ngt jumps
(c) Monroe-Walton Co Arpt .....	22 NM; 242° Athens .....	13,500	5 NM radius. Daily 0800-2100.
Plantation Airpark, Moore Drop Zone ....	36 NM; 332° Savannah .....	1,500 AGL	1 NM radius. Occasional use. Mass Military jumps from multiple acft.
(c) Rome, Richard B. Russell Arpt .....	11.3 NM; 349° Rome .....	15,000	5 NM radius. SR-SS Weekends.
St Marys Arpt .....	19 NM; 203° Brunswick .....	12,000	2 NM radius. Daily 0700-1859.



LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
Thomaston-Upson Co .....	35 NM; 296° Macon .....	14,500	1 NM radius. Sat-Sun occasionally weekdays.
Tifton, Henry Tift Myers, Arpt .....	1 NM; 090° Tift Myers .....	15,000	5 NM radius. Daily 0700-1800.
Waycross-Ware Co Arpt .....	8 NM; 100° Waycross .....	12,500	1 NM radius. Daily 1000-1600
Wilscott Drop Zone .....	14 NM; 245° Harris .....	8,000	1 NM radius. SR to 1 hr after SS daily, irregular intervals. Mass military jumps from multiple acft.

## KENTUCKY

Elizabethtown, Addington Fld .....	12 NM; 285° New Hope .....	11,000	3 NM radius, SR-SS Weekends and noon-SS weekdays.
Elkton, Standard Fld .....	16 NM; 045° Clarksville .....	12,000	5 NM radius. Continuous.
(c) Flemingsburg, Fleming Mason Arpt ..	27 NM; 103° Falmouth .....	12,500	1 NM radius. SR-SS Sat-Sun and holidays.
Ft. Campbell, Bastogne Drop Zone .....	8 NM; 274° Clarksville .....	3,000	0600-2330 Mon-Fri and occasional weekends. Military use.
Ft. Campbell, Corregidor Drop Zone .....	11 NM; 270° Clarksville .....	3,000	0600-2330 Mon-Fri and occasional weekends. Military use.
Ft. Campbell, Los Banos Drop Zone .....	10 NM; 270° Clarksville .....	3,000	0600-2330 Mon-Fri and occasional weekends. Military use.
Ft. Campbell, Suckchon Drop Zone .....	10 NM; 270° Clarksville .....	3,000	0600-2330 Mon-Fri and occasional weekends. Military use.
Glasgow Muni Arpt .....	24 NM; 073° Bowling Green .....	8,000	5 mi radius. SR-SS weekends and holidays
(c) Greenville, Muhlenberg Co Arpt .....	10 NM; 149° Central City .....	13,500	5 mi. radius. Daily SR-SS.
	7 NM; 149° Central City .....	2,000	2 NM radius. Intermittent. Military use.
(c) Hopkinsville-Christian Co .....	14 NM; 352° Clarksville .....	14,500	3 NM radius, 0900-1600 Tue-Fri; occasional weekends.
Owensboro, Windy Hollow Drag Strip .....	6 NM; 205° Owensboro .....	8,000	2 NM radius. 0800-SS Sun, holidays occasionally other times

## NORTH CAROLINA

(c) Cherry Point, Cannon Drop Zone .....	9 NM; 184° Cherry Point Tacan ..	10,500	3 NM radius. Weekends and holidays, occasional use weekdays.
Erwin Arpt .....	22 NM; 030° Fayetteville .....	4,500	1 NM radius. Sat & Sun afternoons
(c) Fayetteville, Southern Comforts Arpt ...	9 NM; 220 Fayetteville .....	14,000	3 NM radius. Fri-Mon and holidays SR-SS.
Greensboro, Southeast Greensboro Arpt ....	18 NM; 115° Greensboro .....	12,000	1 NM radius. 0800-2000 Sat and Sun.
	8 NM; 339° Liberty .....	11,000	3 NM radius. 0800-1600 Fri-Sun.
Greenville .....	22 NM; 040° Kinston .....	15,500	Daily SR-SS.
(c) Jonesville, Swan Creek Arpt .....	27 NM; Barretts Mountain .....	15,000	3 NM radius. SR-SS daily, occasional night.
(c) Louisburg, North Raleigh .....	22 NM; 060° Raleigh-Durham .....	15,500	30 min before SR-30 min after SS daily. Occasional ngt.
(c) Luzon Drop Zone .....	13 NM; 152° Sandhills .....	17,500	0600-1900 Daily.
Mackall AAF .....	11 NM; 150° Sandhills .....	17,500	Continuous.
(c) Maxton, Laurinburg-Maxton Arpt .....	26 NM; 250° Fayetteville .....	13,500	0800-1700 Mon-Fri.
Mebane, Kimrey Arpt .....	29 NM; 296° Raleigh/Durham .....	12,000	1 NM radius. 0900-SS Weekends; occasionally other times.
Pinebluff .....	8.75 NM; 143° Sandhills .....	12,500	Sat, Sun and holidays. Weekdays on request.
(c) PK Airpark .....	17 NM; 280° Fayetteville .....	12,500 AGL	Continuous.
(c) Rocky Mount .....	9.5 NM; 285° Tar River .....	12,500	Sat, Sun and holidays 0900-SS.
Southport, Brunswick Co .....	27.2 NM; 209° Wilmington .....	12,000	3 NM radius. 0800-2100 daily.
Thomasville, Fairgrove Arpt .....	13 NM; 201° Greensboro .....	14,000	Weekends and holidays.
(c) Wallace, Henderson Fld .....	23 NM; 351° Wilmington .....	15,000 AGL	3 NM radius. Sat-Sun SR-SS.
Washington, Warrenn Fld .....	27.6 NM; 069° Kinston .....	14,999 AGL	2 NM radius. SR-SS daily, occasional night use.

## SOUTH CAROLINA

(c) Barnwell Rgnl Arpt .....	15 NM; 343° Allendale .....	12,500	Daily SR-SS.
Beaufort County Arpt .....	38.25 NM; 067° Savannah .....	10,000	1.0 NM radius. Sat, Sun and holidays SR-SS.
(c) Chester Catawa Rgnl Arpt .....	16.5 NM; 223° Fort Mill .....	13,500 AGL	1 NM radius. Daily 0800-SS.
Clemson-Oconee Co. Arpt .....	14 NM; 343° Electric City .....	12,000	Daily SR-SS.
Columbia, Fort Jackson .....	10 NM; 020° Columbia .....	10,000	1 NM radius. Weekends, occasional weekdays.



LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Green Sea Arpt.....	25 NM; 330° Grand Strand.....	15,000	3 NM radius. Weekends and occasional weekdays SR-SS.
(c) Loris, Twin City Arpt.....	15 NM; 340° Grand Strand.....	12,000	Weekends, holidays 0800-SS.
(c) North AF Aux Arpt .....	15 NM; 186° Columbia.....	2,000	½ NM radius. Mon-Fri 0800-2200. Military personnel and heavy equipment.
St George Arpt.....	17 NM; 192° Vance.....	17,900	SR-1 hr after SS.
Timmonsville, Huggins Arpt .....	14 NM; 247° Florence .....	12,500	Daily SR-SS.
(c) Walterboro, Lowcountry Rgnl Arpt ...	30.5 NM; 275° Charleston .....	12,500 AGL	Weekends.
<b>TENNESSEE</b>			
Campbell Co. ....	28.9 NM; 336° Volunteer.....	13,500	2 NM radius. 0800-one hr byd SS.
Chattanooga .....	13 NM; 087° Choo Choo .....	10,000	Continuous.
Clarksville, Outlaw Fld.....	Over Clarksville.....	14,000 AGL	4 NM radius. Daily SR-SS, occasional ngts.
Crossville Meml-Whitson Fld.....	11.5 NM; 335° Hitch Mountain ..	14,500	1 NM radius. Daily SR-1 hr after SS, occasional nights.
(c) Dunlap .....	30 NM; 335° Choo Choo .....	9,000	5 NM radius. SR-SS Daily.
Fort Campbell, Son Drop Zone.....	4.1 NM; 302° Clarksville.....	12,500	Daily.
Livingston Arpt .....	13 NM; 212° Livingston .....	12,500	Weekends.
(c) Paris, Henry Co. ....	44.3 NM; 357° Jacks Creek .....	13,500	5 NM radius. Daily SR-SS.
Sevierville, Seymour Airpark.....	10 NM; 133° Volunteer.....	13,500	3 NM radius. Weekends SR-SS.
(c) Somerville, Wings .....	26 NM; 210° McKellar.....	14,000 AGL	2 NM radius. Weekends 0700-SS. Occasional ngt jumps.
Tullahoma Rgnl Arpt/WM Northern Fld ...	14.1 NM; 139° Shelbyville .....	15,000	5 NM radius. SR-SS primarily weekends with occasional nights.
Whifferrill.....	25 NM; 303° Nashville	11,500	2 NM radius. Weekends SR-SS.
<b>PUERTO RICO</b>			
(c) Arecibo, Antonio/Nery/Juarbe Pol Arpt .....	25 NM; 105° Borinquen .....	12,500	0600-1800 weekends & holidays.
(c) Humacao Arpt .....	20.9 NM; 159° San Juan .....	15,000	2.5 NM radius. Weekends SR-SS, occasionally holiday SR-SS.
<b>VIRGIN ISLANDS</b>			
St. Croix, Ordinance Drop Zone.....		2,000	0700-1400 Mon-Fri. 5 NM radius from 17°49'N 064°52'W.
St. Thomas, Cyril E. King No. 1 .....	6.5 NM; 118° St. Thomas .....	15,000	
St. Thomas, Cyril E. King No. 2 .....	10.4 NM; 110° St. Thomas .....	15,000	



The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

## ATLANTA SECTIONAL

### 83rd Edition, 27 Aug 2009

#### OBSTRUCTIONS

**27 Aug 2009** No Major Changes.

**22 Oct 2009** Add obst 1327' MSL (310' AGL) UC, 34°21'17"N, 87°41'54"W.

Add obst 1114' MSL (346' AGL) UC, 34°37'03"N, 82°05'12"W.

Add obst 1629' MSL (285' AGL) UC, 36°04'48"N, 84°31'00"W.

Add obst 879' MSL (296' AGL) UC, 32°54'16"N, 86°30'27"W.

Add obst 1183' MSL (227' AGL) UC, 35°04'04"N, 86°30'50"W.

Add obst 569' MSL (285' AGL) UC, 33°52'09"N, 81°07'44"W.

**17 Dec 2009** Add obst 751' MSL (420' AGL) UC, 32°04'46"N, 86°24'32"W.

Add obst 1010' MSL (600' AGL) UC, 32°49'46"N, 87°25'47"W.

Add obst 794' MSL (310' AGL) UC, 32°38'32"N, 86°45'19"W.

Add obst 999' MSL (320' AGL) UC, 35°57'38"N, 87°45'23"W.

#### AIRPORTS

**27 Aug 2009** No Major Changes.

**22 Oct 2009** Delete POWELL arpt, 36°02'40"N, 084°00'16"W. Change CTAF 122.9 to 122.8 at ROBBINS arpt, 33°58'16"N, 86°22'49"W.

**17 Dec 2009** Add CHARLOTTE/DOUGLAS INTL ATCT 133.35, 35°12'48"N, 80°56'56"W.

Add RP 34 to ASHVILLE RGNL arpt, 35°26'10"N, 82°32'30"W.

#### NAVAIDS

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

#### AIRSPACE

**27 Aug 2009 – 22 Oct 2009** No Major Changes.

**17 Dec 2009** Revise ANNISTON, AL Class E: That airspace extending upward from the surface within 5.5 radius of Anniston Metropolitan Airport and that airspace extending upward from 700 feet above the surface within a 12.7-mile radius of Anniston Metropolitan Airport and within a 9.5-mile radius of Talladega Municipal Airport and within a 11.5-mile radius of St. Clair County Airport, excluding that airspace within Restricted Area R-2101 when the restricted area is active.

Add CLAYTON, GA Class E: That airspace extending upward from 700 feet above the surface within a 6.9-mile radius of the Heaven's Landing Airport.

Add SALUDA, SC Class E: That airspace extending upward from 700 feet above the surface within a 6.3-mile radius of the Saluda County Airport

#### SPECIAL USE AIRSPACE

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

#### MILITARY TRAINING ROUTES

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

#### MISCELLANEOUS

**27 Aug 2009 – 22 Oct 2009** No Major Changes.

**17 Dec 2009** Change MEF 1<sup>st</sup> to 1<sup>st</sup> in quadrant 32°00'-32°30'N, 85°00'-85°30'W.



---

**ATLANTA TERMINAL AREA CHART**  
**80th Edition, 27 Aug 2009****OBSTRUCTIONS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRPORTS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**NAVAIDS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 17 Dec 2009** No Major Changes.

---

**CG-21 WORLD AERONAUTICAL CHART**  
**40th Edition, 24 Sep 2009****OBSTRUCTIONS****22 Oct 2009** Add obst 1348' MSL (600' AGL), 34°15'06"N, 84°59'12"W.

Change obst from 312' MSL to 1312' MSL, 33°35'33"N, 083°58'31"W.

**17 Dec 2009** No Major Changes.**AIRPORTS****22 Oct 2009** Change elevation from 191' to 1911' at Blairsville arpt, 34°51'16"N, 083°59'50"W.

Change runway orientation to 01/19 at Halifax-Northhampton Co Rgnl arpt, 36°19'47"N, 077°38'07"W.

**17 Dec 2009** No Major Changes.**NAVAIDS****22 Oct 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****22 Oct 2009 – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009 – 17 Dec 2009** No Major Changes.



---

**CHARLOTTE SECTIONAL**  
**86th Edition, 30 Jul 2009****OBSTRUCTIONS****27 Aug 2009** Add obst 727' MSL (310' AGL) UC, 35°00'34"N, 79°46'48"W.

Add obst 537' MSL (310' AGL) UC, 34°02'15"N, 80°24'40"W.

Add obst 268' MSL (263' AGL) UC, 35°47'45"N, 75°33'02"W.

Add obst 1335' MSL (575' AGL) UC, 35°12'56"N, 81°45'44"W.

Add obst 404' MSL (300' AGL) UC, 34°11'08"N, 78°57'51"W.

**22 Oct 2009** Add obst 768' MSL (499' AGL) UC, 34°59'54"N, 79°15'46"W.

Add obst 656' MSL (290' AGL) UC, 35°13'03"N, 80°00'55"W.

Add obst 558' MSL (300' AGL) UC, 35°51'14"N, 78°53'39"W.

Add obst 326' MSL (310' AGL) UC, 34°51'44"N, 76°46'14"W.

Add obst 844' MSL (390' AGL) UC, 35°07'18"N, 80°20'10"W.

Add obst 365' MSL (300' AGL) UC, 34°10'08"N, 79°07'27"W.

Add obst 421' MSL (310' AGL) UC, 33°55'29"N, 79°54'56"W.

Add obst 348' MSL (275' AGL) UC, 33°44'25"N, 79°56'04"W.

Add obst 434' MSL (310' AGL) UC, 33°54'35"N, 80°01'52"W.

Add obst 1032' MSL (390' AGL) UC, 34°55'48"N, 80°38'59"W.

**17 Dec 2009** No Major Changes.**AIRPORTS****27 Aug 2009** No Major Changes.**22 Oct 2009** Delete RP\* at JAARS-TOWNSEND arpt, 34°51'49"N, 80°44'52"W.

Delete JORDAN arpt, 33°32'23"N, 79°31'55"W.

**17 Dec 2009** Add CHARLOTTE/DOUGLAS INTL ATCT frequency 133.35 (RWY 18R/36/L), 35°12'48"N, 80°56'56"W.**NAVAIDS****27 Aug 2009** No Major Changes.**22 Oct 2009** Delete JOHNS ISLAND NDB, 32°42'05"N, 80°00'20"W.**17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009** Revise Albemarle, NC Class D; That airspace extending upward from the surface to and including 3,100 feet MSL within a 5.8-mile radius of Stanly County Airport and within 1.5 miles each side of the 043 degree bearing from Stanly County Airport to 7.8 miles Northeast. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.**22 Oct 2009** No Major Changes.**17 Dec 2009** Change SHAW AFB CLASS C frequency from 385.6 to 285.4.

Add Hertford, NC Class E. That airspace extending upward from 700 feet above the surface of the Earth within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 199° bearing from the airport extending from the 6.5-mile radius to 9 miles southwest of the airport, and within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 018° bearing from the airport extending from the 6.5-mile radius to 9 miles northeast of the airport.

Add Saluda, SC Class E. That airspace extending upward from 700 feet above the surface within a 6.3-mile radius of the Saluda County Airport.

**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 17 Dec 2009** No Major Changes.



**CHARLOTTE TERMINAL AREA CHART****41st Edition, 30 Jul 2009****OBSTRUCTIONS****27 Aug 2009** Add obst 1335' MSL (575' AGL) UC, 35°12'56"N, 81°45'44"W.**22 Oct 2009** Add obst 844' MSL (390' AGL) UC, 35°07'18"N, 80°20'10"W.**17 Dec 2009** No Major Changes.**AIRPORTS****27 Aug 2009** Revise Albemarle, NC Class D; That airspace extending upward from the surface to and including 3,100 feet MSL within a 5.8-mile radius of Stanly County Airport and within 1.5 miles each side of the 043 degree bearing from Stanly County Airport to 7.8 miles Northeast. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory. Revise Albemarle, NC Class E; That airspace extending upward from 700 feet above the surface within an 8-mile radius of Stanly County Airport.

Revise Albemarle, NC Class E; That airspace extending upward from 700' above the surface within an 8-mile radius of Stanly County Airport.

**22 Oct 2009** Delete RP\* at JAARS-TOWNSEND arpt, 34°51'49"N, 80°44'52"W.**17 Dec 2009** Add CHARLOTTE/DOUGLAS INTL ATCT frequency 133.35 (RWY 18R/36/L), 35°12'48"N, 80°56'56"W.**NAVAIDS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**CINCINNATI SECTIONAL****83rd Edition, 17 Dec 2009****OBSTRUCTIONS****17 Dec 2009** No Major Changes.**AIRPORTS****17 Dec 2009** No Major Changes.**NAVAIDS****17 Dec 2009** No Major Changes.**AIRSPACE****17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009** No Major Changes.**MISCELLANEOUS****17 Dec 2009** No Major Changes.



---

**CINCINNATI TERMINAL AREA CHART**  
**22nd Edition, 17 Dec 2009****OBSTRUCTIONS****17 Dec 2009** No Major Changes.**AIRPORTS****17 Dec 2009** No Major Changes.**NAVAIDS****17 Dec 2009** No Major Changes.**AIRSPACE****17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009** No Major Changes.**MISCELLANEOUS****17 Dec 2009** No Major Changes.

---

**IFR GULF OF MEXICO CENTRAL**  
**1st Edition, 17 Dec 2009****OBSTRUCTIONS****17 Dec 2009** No Major Changes.**AIRPORTS****17 Dec 2009** No Major Changes.**NAVAIDS****17 Dec 2009** No Major Changes.**AIRSPACE****17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009** No Major Changes.**MISCELLANEOUS****17 Dec 2009** No Major Changes.

---

**IFR GULF OF MEXICO WEST**  
**1st Edition, 17 Dec 2009****OBSTRUCTIONS****17 Dec 2009** No Major Changes.**AIRPORTS****17 Dec 2009** No Major Changes.**NAVAIDS****17 Dec 2009** No Major Changes.**AIRSPACE****17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009** No Major Changes.**MISCELLANEOUS****17 Dec 2009** No Major Changes.

---



## JACKSONVILLE SECTIONAL

### 84th Edition, 27 Aug 2009

**OBSTRUCTIONS****27 Aug 2009** No Major Changes.**22 Oct 2009** Add obst 632' MSL (622' AGL) UC, 27°55'55"N, 82°24'04"W.

Add obst 487' MSL (473' AGL) UC, 31°46'58"N, 81°26'27"W.

**17 Dec 2009** No Major Changes.**AIRPORTS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**NAVAIDS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 17 Dec 2009** No Major Changes.

## MEMPHIS SECTIONAL

### 83rd Edition, 24 Sep 2009

**OBSTRUCTIONS****22 Oct 2009** Add obst 505' MSL (328' AGL), 34°21'56"N, 90°38'14"W.

Add obst 798' MSL (420' AGL) UC, 32°05'24"N, 90°39'59"W.

Add obst 979' MSL (499' AGL) UC, 34°13'53"N, 93°16'47"W.

Add obst 495' MSL (330' AGL) UC, 33°39'16"N, 92°40'34"W.

Add obst 945' MSL (645' AGL) UC, 33°38'59"N, 93°48'43"W.

**17 Dec 2009** Add obst 779' MSL (311' AGL) UC, 32°52'06"N, 89°10'13"W.

Add obst 558' MSL (311' AGL) UC, 32°45'06"N, 90°08'26"W.

Add obst 1465' MSL (304' AGL) UC, 36°05'39"N, 93°07'56"W.

Add obst 711' MSL (305' AGL) UC, 35°12'53"N, 92°27'30"W.

Add obst 820' MSL (311' AGL) UC, 32°58'38"N, 89°22'06"W.

Add obst 852' MSL (499' AGL) UC, 32°08'05"N, 90°03'41"W.

Add obst 826' MSL (256' AGL) UC, 32°54'53"N, 89°15'18"W.

Add obst 788' MSL (260' AGL) UC, 35°28'15"N, 88°31'00"W.

Change obst from 693' MSL (331' AGL) to 753' MSL (391' AGL), 32°28'00"N, 94°23'59"W.

Add obst 1624' MSL (339' AGL) UC, 36°02'15"N, 93°55'05"W.

Add obst 724' MSL (475' AGL) UC, 35°39'50"N, 89°56'44"W.

**AIRPORTS****22 Oct 2009** Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.**17 Dec 2009** FULTON ITAWAMBA CO arpt abandoned, 34°21'07"N, 88°22'38"W.

Delete abandoned arpt sym, 33°54'17"N, 94°50'43"W.

Delete abandoned arpt sym, 33°07'46"N, 94°58'32"W.

**NAVAIDS****22 Oct 2009** Shutdown PINHOOK NDB, 35°15'14"N, 88°12'15"W. Change bearing 294° to 293° from HAMILTON VORTAC(HAB) 34°11'42"N, 88°00'45"W.**17 Dec 2009** Shutdown CLARKSDALE NDB, 34°17'35"N, 90°30'56"W.**AIRSPACE****22 Oct – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Oct 2009** Change MEF 1° to 1° in quadrant 33°30'00"-34°00'00"N, 93°30'00"-94°00'00"W.**17 Dec 2009** No Major Changes.



## MEMPHIS TERMINAL AREA CHART

### 41st Edition, 24 Sep 2009

**OBSTRUCTIONS****22 Oct 2009** No Major Changes.**17 Dec 2009** Add obst 724' MSL (475' AGL) UC, 35°39'50"N, 89°56'44"W.**AIRPORTS****22 Oct 2009** Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.**17 Dec 2009** No Major Changes.**NAVAIDS****22 Oct 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****22 Oct 2009 – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009 – 17 Dec 2009** No Major Changes.

## MIAMI SECTIONAL

### 85th Edition, 27 Aug 2009

**OBSTRUCTIONS****27 Aug 2009** No Major Changes.**22 Oct 2009** Add obst 306' MSL (250' AGL) UC, 27°39'56"N, 81°22'11"W.

Add obst 632' MSL (622' AGL) UC, 27°55'55"N, 82°24'04"W.

**17 Dec 2009** No Major Changes.**AIRPORTS****27 Aug 2009** No Major Changes.**22 Oct 2009** Delete COXS HAMMOCK arpt, 27°04'18"N, 80°31'12"W.**17 Dec 2009** Change GWINN ATCT freq from 314.6 to 279.25, 26°54'30"N, 80°19'44"W.

Delete STRAZZULLA GROVES arpt, 27°29'51"N, 80°31'47"W.

**NAVAIDS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.

**17 Dec 2009** Revise SARASOTA, FL Class E airspace. That airspace extending upward from the surface within 2.4 miles each side of the 140° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 6.2 miles southeast of the airport and that airspace 2.4 miles each side of the 293° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 7.9 miles northwest of the airport. This Class E airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory. Revise SARASOTA, FL Class E airspace. That airspace extending upward from 700 feet above the surface within a 7.9-mile radius of the Sarasota/Bradenton International Airport.

**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 22 Oct 2009** No Major Changes.**17 Dec 2009** Change RP \* to RP 10R at ST LUCIE COUNTY INTERNATIONAL arpt, 27°29'50"N, 80°22'21"W.



---

**MIAMI TERMINAL AREA CHART**  
**74th Edition, 27 Aug 2009**

**OBSTRUCTIONS**

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

**AIRPORTS**

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

**NAVAIDS**

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

**AIRSPACE**

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

**SPECIAL USE AIRSPACE**

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

**MILITARY TRAINING ROUTES**

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

**MISCELLANEOUS**

**27 Aug 2009 – 17 Dec 2009** No Major Changes.

---

**NEW ORLEANS SECTIONAL**  
**85th Edition, 19 Nov 2009**

**OBSTRUCTIONS**

**17 Dec 2009** Add obst 250' MSL (231' AGL), 30°26'08"N, 90°38'21"W.

Add obst 852' MSL (499' AGL), 32°08'05"N, 90°03'41"W.

Change obst from 544' MSL (310' AGL) to 644' MSL (410' AGL), 31°52'32"N, 90°10'15"W.

Add obst 651' MSL (470' AGL), 31°44'31"N, 88°32'22"W.

**AIRPORTS**

**17 Dec 2009** Delete WOLF RIVER ARPT, 30°54'52"N, 89°26'40"W.

**NAVAIDS**

**17 Dec 2009** No Major Changes.

**AIRSPACE**

**17 Dec 2009** No Major Changes.

**SPECIAL USE AIRSPACE**

**17 Dec 2009** No Major Changes.

**MILITARY TRAINING ROUTES**

**17 Dec 2009** No Major Changes.

**MISCELLANEOUS**

**17 Dec 2009** No Major Changes.

---



---

**ORLANDO TERMINAL AREA CHART**  
**39th Edition, 27 Aug 2009****OBSTRUCTIONS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRPORTS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**NAVAIDS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 17 Dec 2009** No Major Changes.

---

**PUERTO RICO–VIRGIN ISLAND TERMINAL AREA CHART**  
**36th Edition, 22 Oct 2009****OBSTRUCTIONS****22 Oct 2009 – 17 Dec 2009** No Major Changes.**AIRPORTS****22 Oct 2009 – 17 Dec 2009** No Major Changes.**NAVAIDS****22 Oct 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****22 Oct 2009 – 17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009 – 17 Dec 2009** No Major Changes.



## ST. LOUIS SECTIONAL

81st Edition, 17 Dec 2009

**OBSTRUCTIONS****17 Dec 2009** No Major Changes.**AIRPORTS****17 Dec 2009** No Major Changes.**NAVAIDS****17 Dec 2009** No Major Changes.**AIRSPACE****17 Dec 2009** No Major Changes.**SPECIAL USE AIRSPACE****17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****17 Dec 2009** No Major Changes.**MISCELLANEOUS****17 Dec 2009** No Major Changes.

---

**TAMPA TERMINAL AREA CHART****39th Edition, 27 Aug 2009****OBSTRUCTIONS****27 Aug 2009** No Major Changes.**22 Oct 2009** Add obst 632' MSL (622' AGL) UC, 27°55'55"N, 82°24'04"W.**17 Dec 2009** No Major Changes.**AIRPORTS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**NAVAIDS****27 Aug 2009 – 17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.

**17 Dec 2009** Revise SARASOTA, FL Class E: That airspace extending upward from the surface within 2.4 miles each side of the 140° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 6.2 miles southeast of the airport and that airspace 2.4 miles each side of the 293° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 7.9 miles northwest of the airport. This Class E airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory. Revise SARASOTA, FL Class E airspace. That airspace extending upward from 700 feet above the surface within a 7.9-mile radius of the Sarasota/Bradenton International Airport.

**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 17 Dec 2009** No Major Changes.



---

**WASHINGTON SECTIONAL**  
**86th Edition, 30 Jul 2009****OBSTRUCTIONS****27 Aug 2009** No Major Changes.**22 Oct 2009** Add obst 588' MSL (421' AGL) UC, 37°35'09"N, 77°15'47"W.

Add obst 434' MSL (400' AGL) UC, 36°26'12"N, 76°43'25"W.

Add obst 3226' MSL (400' AGL) UC, 40°01'35"N, 78°48'07"W.

Add obst 369' MSL (309' AGL) UC, 37°24'37"N, 76°32'51"W.

**17 Dec 2009** Add obst 2857' MSL (262' AGL) UC, 39°45'14"N, 78°53'27"W.**AIRPORTS****27 Aug 2009** No Major Changes.**22 Oct 2009** Delete BOLLING AFB heliport, 38°50'34"N, 77°00'58"W.**17 Dec 2009** No Major Changes.**NAVAIDS****27 Aug 2009** No Major Changes.**22 Oct 2009** Delete LOUISA NDB, 38°01'14"N, 77°51'33"W.**17 Dec 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**17 Dec 2009** Add HERTFORD, NC Class E: That airspace extending upward from 700 feet above the surface of the earth within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 199° bearing from the airport extending from the 6.5-mile radius to 9 miles southwest of the airport, and within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 018° bearing from the airport extending from the 6.5-mile radius to 9 miles northeast of the airport.**SPECIAL USE AIRSPACE****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 17 Dec 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 17 Dec 2009** No Major Changes.

---



## SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private-use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

## UNITED STATES

FACILITY NAME	CHART & PANEL
<b>Frankfort, IL (LL40)</b>	L-28H
Chicago App/Dep Con 133.1 285.6	
<b>Glasgow Industrial, MT (Ø7MT)</b>	H-1E, 2F, L-13D
Salt Lake Center App/Dep Con 126.85 305.2	
<b>USAF Academy Bullseye Aux Airstrip, CO (C09Ø)</b>	L-10F
ASOS 118.325	
<b>West Kentucky Airpark, KY (5KY3)</b>	L-16I
Memphis Center App/Dep Con 133.65 292.15	
<b>William P Gwinn, FL (Ø6FA)</b>	H-8I, L-23C
Gwinn Tower 120.4 279.25 (Mon-Fri 1300-2100Z‡)	
Gnd Con 121.65 279.25	

## CANADA

FACILITY NAME	CHART & PANEL
<b>Abbotsford, BC (CYXX)</b>	H-1B, L-12F
ATIS 119.8 (1500-Ø700Z‡)	
Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8	
Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500-Ø700Z‡) Gnd Con 121.8	
MF 119.4 295.0 (Ø700-1500Z‡) (Shape irregular to 4500')	
<b>Amos/Magny, QC (CYEY)</b>	H-11B
Montreal Center App/Dep Con 125.9	
<b>Atikokan Muni, ON (CYIB)</b>	L-14I
MF 122.3 (5 NM to 4500' No ground station)	
<b>Barrie-Orillia (Lake Simcoe Rgnl), ON (CYLS)</b>	H-11B, L-31D
AWOS 122.55 (Pvt)	
Toronto Center App/Dep Con 124.025	
<b>Bar River, ON (CPF2)</b>	L-31C
Toronto Center App/Dep Con 132.65	
<b>Bathurst, NB (CZBF)</b>	L-32J
Moncton Center App/Dep Con 134.25	
<b>Boundary Bay, BC (CZBB)</b>	H-1B, L-1E
ATIS 125.5 (1500-Ø700Z‡)	
Vancouver App/Dep Con 132.3 363.8	
Tower 118.1 (Inner) 127.6 (Outer) (1500-Ø700Z‡) Gnd Con 124.3	
MF 118.1 (Ø700-1500Z‡ to 2000'. Vancouver Trml 125.2 above 2000'. Shape irregular to 2500'.)	
<b>Brampton, ON (CNC3)</b>	L-31D
Toronto Trml App/Dep Con 119.3 253.1	
<b>Brandon Muni, MB (CYBR)</b>	H-2H
Winnipeg Center App/Dep Con 132.25 285.4	
MF 122.1 (5 NM to 4000')	
<b>Brantford, ON (CYFD)</b>	L-31D
Toronto Trml App/Dep Con 128.27	
<b>Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3)</b>	L-32G
Montreal Center App/Dep Con 134.675	
<b>Bromont, QC (CZBM)</b>	L-32G
Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	
<b>Burlington Airpark, ON (CZBA)</b>	L-31D
Toronto Center App/Dep Con 119.3 253.1	
<b>Castlegar, BC (CYCG)</b>	H-1C
Vancouver Center App/Dep Con 134.2 227.3	
MF 122.1 (5 NM to 6500')	
<b>Centralia/James T. Fld Muni, ON (CYCE)</b>	H-10G, 11B, L-31D
Toronto Center App/Dep Con 135.30	
<b>Charlottetown, PE (CYYG)</b>	H-11E, L-32J
Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	
<b>Chatham-Kent, ON (CNZ3)</b>	H-10G, L-30G
Cleveland Center App/Dep Con 132.25	



FACILITY NAME	CHART & PANEL
<b>Collingwood, ON</b> (CNY3) Toronto Center App/Dep Con 124.02	H-11B, L-31D
<b>Cornwall Rgnl, ON</b> (CYCC) Boston Center App/Dep Con 135.25 377.1	L-32G
<b>Cranbrook/Canadian Rockies Intl, BC</b> (CYXC) Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	H-1C
<b>Debert, NS</b> (CCQ3) Halifax Trml App/Dep Con 119.2	H-11E, L-32J
<b>Digby, NS</b> (CYID) Moncton Center App/Dep Con 123.9	L-32J
<b>Downsview, ON</b> (CYZD) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 MF 126.2 (1300-2300Z±, 3 NM to 1700')	H-11B, L-31E
<b>Drummondville, QC</b> (CSC3) Montreal Center App/Dep Con 132.35	L-32H
<b>Earlton (Timiskaming Rgnl), ON</b> (CYXR) MF 122.0 (5 NM to 3800') AWOS 128.6	H-11B
<b>Elliot Lake Muni, ON</b> (CYEL) Toronto Center App/Dep Con 135.4	L-31C
<b>Fort Frances Muni, ON</b> (CYAG) Minneapolis Center App/Dep Con 120.9	L-14H
<b>Fredericton Intl, NB</b> (CYFC) ATIS 127.55 Moncton Center App/Dep Con 124.3 135.5 270.8 Tower 119.0 (1200-2000Z, DT 1100-1900Z) Gnd Con 121.7 (Ltd hrs) MF 119.0 (2000-1200Z, DT 1900-1100Z 5 NM to 3500')	H-11E, L-32I
<b>Goderich, ON</b> (CYGD) Toronto Center App/Dep 135.3 266.3	H-11B, L-31D
<b>Greenwood, NS</b> (CYZX) ATIS 128.85 244.3 (1100-0000Z±) App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3 Gnd Con 133.75 289.4 Clnc Del 128.05 283.9	H-11E, L-32J
<b>Grimsby Air Park, ON</b> (CNZ8) Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	L-31E
<b>Halifax/Shearwater, NS</b> (CYAW) ATIS 129.175 (Ltd hrs) App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs) Gnd Con 121.7 250.1	H-11E, L-32J
<b>Halifax/Stanfield Intl, NS</b> (CYHZ) ATIS 121.0 Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8 Tower 118.4 236.6 Gnd Con 121.9 275.8 Clnc Del 123.95 Apron Advisory 122.125	H-11E, L-32J
<b>Hamilton, ON</b> (CYHM) ATIS 128.1 Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0 Gnd Con 121.6	H-10H, 11B, L-11B
<b>Kingston, ON</b> (CYGK) Montreal Center App/Dep Con 135.05 398.4 (0400-1115Z±) MF 122.5 (1115-0400Z± 5 NM to 3300')	H-11C, L-31E, 32F
<b>Kitchener/Waterloo, ON</b> (CYKF) ATIS 125.1 (1200-0400Z±) Toronto Trml App/Dep Con 128.275 Waterloo Tower 126.0 118.55 (1200-0400Z±) Gnd Con 121.8 MF 126.0 (0400-1200Z± 5 NM to 4000')	H-11B, L-31D
<b>Lachute, QC</b> (CSE4) Montreal Center App Con 124.65 132.85 268.3 Montreal Center Dep Con 132.85 268.3	L-32G
<b>La Tuque, QC</b> (CYLQ) Montreal Center App/Dep Con 134.5	H-11C
<b>Langley, BC</b> (CYNJ) ATIS 124.5 (1630-0230Z, DT 1530-0330Z) Victoria Trml 132.7 290.8 Tower 119.0 (1630-0230Z, DT 1530-0330Z) Gnd Con 121.9 MF 119.0 (0230-1630Z, DT 0330-1530Z 3 NM to 1900')	L-1E



FACILITY NAME	CHART & PANEL
<b>Leamington, ON (CLM2)</b> Cleveland Center App/Dep Con 132.45	L-30F
<b>Lethbridge, AB (CYQL)</b> ATIS 124.4 (1300-0545Z†) Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	H-1D
<b>Lindsay, ON (CNF4)</b> Toronto Center App/Dep 134.25	L-31E, L-32F
<b>Liverpool/South Shore Rgnl, NS (CYAU)</b> Moncton Center App/Dep Con 123.9	L-32J
<b>London, ON (CYXU)</b> ATIS 127.8 (1120-0345Z†) Toronto Center App/Dep 135.3 135.625 Tower 119.4 125.65 (1120-0345Z†) Gnd Con 121.9 MF 119.4 (0345-1120Z† 5 NM to 3000')	H-10G, 11B, L-30G, 31D
<b>Manitowaning/Manitoulin East Muni, ON (CYEM)</b> Toronto Center App/Dep 135.4 260.9	L-31C
<b>Maniwaki, QC (CYMW)</b> Montreal Center App/Dep Con 126.57	L-32G
<b>Mascouche, QC (CSK3)</b> MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the N shore of Riviere des Milles-Iles and 1 NM around Lac Agile Mascouche arpt.)	L-32G
<b>Medicine Hat, AB (CYXH)</b> AWOS 124.875 (0345-1245Z†) MF 122.2 (1245-0345Z† 5 NM to 5400')	H-1D
<b>Midland/Huron, ON (CYEE)</b> Toronto Center App/Dep 124.025	L-31D
<b>Miramichi, NB (CYCH)</b> Moncton Center App/Dep Con 123.7	H-11E, L-32J
<b>Moncton/Greater Moncton Intl, NB (CYQM)</b> ATIS 128.65 App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8 Apron Advisory 122.075	H-11E, L-32J
<b>Mont-Laurier, QC (CSD4)</b> Montreal Center App/Dep Con 126.57	L-32G
<b>Montreal Intl (Mirabel), QC (CYMX)</b> ATIS 125.7 Montreal Center App Con 124.65 132.85 268.3 Montreal Dep Con 132.85 MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	H-11C, 12K, L-32G
<b>Montreal/Pierre Elliott Trudeau Intl, QC (CYUL)</b> ATIS 133.7 Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3 Tower 119.9 267.1 Gnd Con 121.9 275.8 Cinc Del 125.6 Apron 122.075 Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE) VFR Advisory 134.15	H-11C, 12K, L-32G
<b>Montreal/St-Hubert, QC (CYHU)</b> ATIS 124.9 (Apr-Oct 1045-0500Z†, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z†, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z†, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15	H-11C, L-32G
<b>Muskoka, ON (CYQA)</b> AWOS 124.575 MF 122.3 (5 NM to 3900')	H-11B, L-31D
<b>Nanaimo, BC (CYCD)</b> Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z† (5 NM to 2500')	H-1B, L-1E
<b>North Bay, ON (CYYB)</b> ATIS 124.9 (1130-0300Z†) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z† 7 NM to 5000')	H-11B, L31D
<b>Oshawa, ON (CYOO)</b> ATIS 125.675 (1130-0330Z†) Toronto Trml App Con 133.4 Tower 120.1 (1130-0330Z†) Gnd Con 118.4 Toronto Trml Dep Con 133.4 MF 120.1 (0330-1130Z† 5 NM to 3000')	L-31E



FACILITY NAME	CHART & PANEL
<b>Ottawa/Carp, ON (CYRP)</b> ATIS 121.15 Ottawa Trml App/Dep Con 128.175 252.5	L-31E, 32F
<b>Ottawa/Batineau, QC (CYND)</b> Ottawa Trml App/Dep Con 127.7 128.175 252.5 MF 122.3 (5 NM shape irregular to 2500') VFR Advisory Ottawa Trml 127.7	H-11C, L-32G
<b>Ottawa/MacDonald-Cartier Intl, ON (CYOW)</b> ATIS 121.15 Ottawa App Con 135.15 Tower 118.8 120.1 341.3 Gnd Con 121.9 Clnc Del 119.4 Ottawa Dep Con 128.175	L-11C
<b>Owen Sound/Billy Bishop Rgnl, ON (CYOS)</b> Toronto Center App/Dep 132.575 290.6	L-31D
<b>Pelee Island, ON (CYPT)</b> Cleveland Center App/Dep Con 126.35 360.0	L-30F
<b>Pembroke, ON (CYTA)</b> Montreal Center App/Dep Con 135.2 Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z†, OT PPR)	H-11C, L-31E, 32F
<b>Penticton, BC (CYF)</b> Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	H-1B
<b>Peterborough, ON (CYPQ)</b> AWOS 126.925 Toronto Center App/Dep 134.25	H-11B, L-31E, 32F
<b>Pincher Creek, AB (CZPC)</b> Edmonton Center App/Dep Con 132.75 265.2	H-1D
<b>Pitt Meadows, BC (CYPK)</b> ATIS 125.0 (1500-0700Z†) Vancouver Center App Con 128.6 352.7 (Outer) Pitt Tower 126.3 (1500-0700Z†) Gnd Con 123.8 Vancouver Center Dep Con 132.3 363.8 (South) MF 126.3 (0700-1500Z†) (3NM to 2500')	L-1E
<b>Quebec/Jean Lesage Intl, QC (CYQB)</b> ATIS 134.6 Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8 (185.65 Quebec Trw VFR acft at or below 3000') Tower 118.65 236.6 Gnd Con 121.9 250.0	H-11D, L-32H
<b>Riviere Du Loup, QC (CYRI)</b> AWOS 122.025 (Pvt) Montreal Center App/Dep Con 125.1 299.6	H-11D
<b>Rouyn Noranda, QC (CYUY)</b> Montreal Center App/Dep Con 125.9 MF 122.2 (5 NM to 4000')	H-11B
<b>Saint John, NB (CYSJ)</b> Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	H-11E, L-32J
<b>Sarnia (Chris Hadfield), ON (CYZR)</b> Toronto Center 134.375	H-10G, 11B, L-30F
<b>Sault Ste Marie, ON (CYAM)</b> ATIS 133.05 (1300-0100Z†) Toronto Center App/Dep Con 132.65 344.5 Tower 118.8 (1300-0100Z†) Gnd Con 121.7 MF 118.8 (0100-1300Z† 5 NM irregular shape to 3000')	H-2K, L-31B
<b>Sherbrooke, QC (CYAM)</b> AWOS 126.25 Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')	H-11D, L-32H
<b>South Renfrew Muni, ON (CNP3)</b> Montreal Center App/Dep 124.275	L-31E, 32F
<b>Southport, MB (CYPG)</b> ATIS 120.85 (Mon-Fri 1400-2300Z† except holidays) Tower 126.2 384.2 (Mon-Fri 1400-2300Z† except holidays) Gnd Con 121.7 275.8	H-2H



FACILITY NAME	CHART & PANEL
<b>Springwater Barrie Airport, ON (CNA3)</b> Toronto Center App/Dep Con 124.025	L-31D
<b>St. Catharines/Niagara District, ON (CYSN)</b> ATIS 128.525 (1215-0200Z‡) Toronto Trml App/Dep Con 133.4 253.1 MF 123.25 (1215-0200Z‡ 5 NM to 3300')	H-10H, 11B, L-31E
<b>St. Frederic, QC (CSZ4)</b> Montreal Center App/Dep Con 135.025 270.9	L-32H
<b>St. Georges, QC (CYSG)</b> Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM 3900' ASL)	H-32H, L-11D
<b>St. Jean, QC (CYJN)</b> Montreal Center App/Dep Con 125.15 268.3 Tower 118.2 (Apr-Oct 1230-0230Z‡ Nov-Mar 1300-0200Z‡) Gnd Con 121.7	L-32G
<b>Sudbury, ON (CYSB)</b> ATIS 127.4 Toronto Center App/Dep Con 135.5 MF 125.5 (7 NM to 4000')	H-31B, 10G, L-31D
<b>Summerside, PE (CYSU)</b> AWOS 122.55 (Pvt) Moncton Center App/Dep Con 124.4 384.8	H-11E, L-32J
<b>Thunder Bay, ON (CYQT)</b> ATIS 128.8 (1100-0400Z‡) Winnipeg Center App/Dep Con 132.125 (0400-1100Z‡) Tower 118.1 (1100-0400Z‡) Gnd Con 121.9 App/Dep 119.2 MF 118.1 (0400-1100Z‡ 5 NM to 4000')	H-2J, L-14J
<b>Timmins, ON (CYTS)</b> ATIS 124.95 (1000-0500Z‡) Toronto Center App/Dep Con 128.3 226.3 MF 122.3 (5 NM to 4000')	H-11B
<b>Toronto/Buttonville Muni, ON (CYKZ)</b> ATIS 127.1 (1200-0400Z‡) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 Tower 124.8 119.9 (1200-0400Z‡) Gnd Con 121.8 MF 124.8 (0400-1200Z‡ No gnd station. 5 NM shape irregular to below 2500')	L-31E
<b>Toronto/City Centre, ON (CYTZ)</b> ATIS 133.6 (1130-0400Z‡) App Con 133.4 Dep Con 133.4 Tower 118.2 119.2 (1130-0400Z‡) Gnd Con 121.7	L-31E
<b>Toronto/Lester B Pearson Intl, ON (CYYZ)</b> ATIS 120.825 App Con 124.475 125.4 132.8 Dep Con 127.575 128.8 Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9 Cinc Del 121.3 (1200-0400Z‡) VFR Advisory 119.3 133.4	H-11B, L-31D
<b>Trenton, ON (CYTR)</b> ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Cinc Del 124.35 286.4	H-11C, L-31E, 32F
<b>Trenton/Mountain View, ON (CPZ3)</b> Trenton Mil Advisory 268.0	H-11C, L-31E, 32F
<b>Trois-Rivieres, QC (CYRQ)</b> Montreal Center App/Dep Con 128.225 229.2 MF 123.0 (5 NM to 3200')	H-11C, L-32H
<b>Val-D'or, QC (CYVO)</b> Montreal Center App/Dep Con 125.9 308.3 MF 118.5 (1030-0325Z‡ 5 NM to 4000')	H-11B
<b>Vancouver Intl, BC (CYVR)</b> ATIS 124.6 124.75 App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner) Dep Con 126.125 (north) 132.3 (south) 363.8 Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 Gnd Con 121.7 (south) 127.15 (north) 275.8 Cinc Del 121.4	H-1B, L-1E



FACILITY NAME	CHART & PANEL
<b>Victoria Intl, BC (CYYJ)</b> ATIS 118.8 (1400-0800Z‡) App Con 125.95 308.4 Dep Con 133.85 308.4 Tower 119.1 (Outer) 119.7 (Inner) 239.6 Gnd Con 121.9 361.4 (1400-0800Z‡ OT ctc Kamloops 119.7) Cinc Del 126.4 (1400-0800Z‡)	H-1B, L-1E
<b>Victoriaville, QC (CSR3)</b> Montreal Center App Con 132.35	L-32H
<b>Waterville/Kings Co Muni, NS (CCW3)</b> Greenwood Trml App/Dep Con 120.6 335.9 Greenwood Tower 119.5 324.3	L-32J
<b>Warton, ON (CYVY)</b> Toronto Center App/Dep Con 132.575 MF 122.2 (5 NM to 3700')	H-11B, L-31D
<b>Windsor, ON (CYQG)</b> ATIS 134.5 (1130-0330Z‡) Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2 Tower 124.7 (1130-0330Z‡) Gnd Con 121.7 MF 124.7 (0330-1130Z‡ 6 NM irregular shape to below 3000') VFR Advisory Detroit App Con 134.3	H-10G, L-8J
<b>Yarmouth, NS (CYQI)</b> Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	H-11E, L-32I

## MEXICO

FACILITY NAME	CHART & PANEL
<b>Abraham Gonzalez Intl (MMCS)</b> Juarez App Con 119.9 Juarez Tower 118.9	H-4K, L-6F
<b>Del Norte Intl (MMAN)</b> ATIS 127.55 (1300-0300Z‡) Monterrey App 119.75 120.4 Tower 118.6	H-7B, L-20G
<b>Durango Intl (MMDO)</b> ATIS 132.1 Tower 118.1 Durango Info 122.3	H-7A
<b>General Abelardo L Rodriguez Intl (MMTJ)</b> ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Cinc Del 122.35 Tijuana Info 132.1	H-4H, L-4H
<b>General Lucio Blanco Intl (MMRX)</b> Reynosa App Con 118.8 Reynosa Tower 118.8	H-7B, L-20H
<b>General Mariano Escobedo Intl (MMMY)</b> ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	H-7B, L-20G
<b>General R Fierro Villalobos Intl (MMCU)</b> ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4	L-6I
<b>General Rodolfo Sanchez Taboada Intl (MMML)</b> ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3	H-4H, L-4J, 5A
<b>General Servando Canales (MMMA)</b> Matamoros App Con 118.0 Matamoros Tower 118.0	H-7C, L-21A
<b>Plan De Guadalupe Intl (MMIO)</b> Saltillo App Con 127.4 Saltillo Tower 118.4	H-7B
<b>Quetzalcoatl Intl (MMNL)</b> Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3	H-7B, L-20G
<b>Torreon Intl (MMTC)</b> App Con 119.6 Tower 118.5	H-7A











In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

## GENERAL INFORMATION





### PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., , , .
2. Approach lighting systems that do not bear a system identification are indicated with a negative "0" beside the name. A star (★) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., ★. To activate lights use frequency indicated in the communication section of the chart with a  or the appropriate lighting system identification e.g., UNICOM 122.8 , , .

<u>KEY MIKE</u>	<u>FUNCTION</u>
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-off)

### CHART CURRENCY INFORMATION

FAA procedure amendment number  Amdt 11A 99365  Date of latest change  
 Orig 00365 

The Chart Date identifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

### MISCELLANEOUS

- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.




## 09071 LEGEND


### INSTRUMENT APPROACH PROCEDURES (CHARTS)

#### AIRPORT DIAGRAM

##### Runways



**ARRESTING GEAR:** Specific arresting gear systems; e.g., BAK12, MA-1A etc., shown on airport diagrams, not applicable to Civil Pilots. Military Pilots refer to appropriate DOD publications.



##### ARRESTING SYSTEM

##### REFERENCE FEATURES

Buildings.....	■
Tanks.....	●
Obstructions.....	▲
Airport Beacon #.....	☆
Runway	
Radar Reflectors.....	▼
Control Tower #.....	■
Hot Spot.....	○

# When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR.

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A **D** symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information.

Runway Weight Bearing Capacity/or PCN Pavement Classification Number is shown as a codified expression.

Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325  
PCN 80 F/D/X/U

Helicopter Alighting Areas (H) (H) (H) (H) (H)

Negative Symbols used to identify Copter Procedures landing point..... (H) (H) (H) (H) (H)

Runway Threshold elevation.....THRE 123

Runway TDZ elevation.....TDZE 123

Runway Slope.....0.3% DOWN

(shown when runway slope is greater than or equal to 0.3%)

NOTE:

Runway Slope measured to midpoint on runways 8000 feet or longer.

U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.

Airport diagram scales are variable.


True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or ½ minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.

Positional accuracy within ±600 feet unless otherwise noted on the chart.

NOTE:

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FLIP. (Foreign Only)



Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

## LEGEND



## HOT SPOTS

An "airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.

A "hot spot" is a runway safety related problem area on a airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as circles or polygons designated as "HOT<sup>1</sup>", "HOT<sup>2</sup>", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
<b>ALABAMA</b>		
MONTGOMERY MONTGOMERY RGNL (DANNELY FIELD) (MGM)	HOT <sup>1</sup>	Intersection of Twy A3 and the terminal ramp. Potential confusion of Twy A3 as the taxi route to Rwy 10/28.
	HOT <sup>2</sup>	Intersection of the Twy A5 and the ANG ramp. Potential exiting Rwy 10/28 at Twy A5.
<b>FLORIDA</b>		
DAYTONA BEACH DAYTONA BEACH INTL (DAB)	HOT <sup>1</sup>	Pilots taxiing southbound on Twy W sometimes miss the right turn on Twy S and enter the runway without clearance.
MIAMI MIAMI INTL, FL (MIA)	HOT <sup>1</sup>	Multiple intersections closely spaced.
	HOT <sup>2</sup>	Departure taxi out of Spot 15, Spot 14, Spot 13, misidentification of Twy P and Twy Q at Twy T has lead to rwy incursions onto Rwy 12-30.
	HOT <sup>3</sup>	Twy runway ends in close proximity.
STUART WITHAM FIELD (SUA)	HOT <sup>1</sup>	Intersecting rwys, wrong rwy departure risk. (Check rwy alignment.)
	HOT <sup>2</sup>	Rwy 12 and Twy A1.
<b>GEORGIA</b>		
ATLANTA HARTSFIELD-JACKSON ATLANTA INTL (ATL)	HOT <sup>1</sup>	Intersections of Twy C and Twy D at Rwy 8L-26R. Hold short line is only 250 feet after exiting the FBO ramp. Rwy hold bar is canted which peaks towards the twy.
	HOT <sup>2</sup>	Intersections of Twy C and Twy D at Rwy 8R-26L. Caution transitioning between the parallel rwys. Rwy hold bar is canted which peaks towards the twy. Rwy hold short line is only 380 feet away after exiting Rwy 8L-26R and 70 feet south of the Twy B centerline.
	HOT <sup>3</sup>	Intersection of Twy H at Rwy 8R-26L. Aircraft travelling westbound for the Twy V end-around, mistakenly turn southbound on Twy H and enter Rwy 8R-26L.
	HOT <sup>4</sup>	Intersection of Twy D at Rwy 9L-27R. Aircraft southbound on Twy D fail to turn on Twy L and Twy M and enter Rwy 9L-27R. Aircraft crossing Rwy 9L-27R at Twy D southbound to Twy K must turn 45 degrees left immediately after crossing the rwy hold bar.
AUGUSTA AUGUSTA RGNL AT BUSH FLD (AGS)	HOT <sup>1</sup>	Intersection of Twy E and Rwy 17/35.
<b>NORTH CAROLINA</b>		
CHARLOTTE CHARLOTTE/DOUGLAS INTL (CLT)	HOT <sup>1</sup>	Confusing intersection due to convergence of Twy R, Twy A, Twy C and Twy C9, along with grass island.
RALEIGH/DURHAM RALEIGH-DURHAM INTL (RDU)	HOT <sup>1</sup>	Intersection of Rwy 5R/23L and Twy C.




08213

## AIRPORT DIAGRAM

ALBANY/ SOUTHWEST GEORGIA RGNL (ABY)

AL-8 (FAA)

ALBANY, GEORGIA



## AIRPORT DIAGRAM

08213


ALBANY, GEORGIA  
ALBANY/ SOUTHWEST GEORGIA RGNL (ABY)



08101

## AIRPORT DIAGRAM

AL-5061 (FAA)

ASHEVILLE RGNL (AVL)  
ASHEVILLE, NORTH CAROLINA

## AIRPORT DIAGRAM

08101

ASHEVILLE, NORTH CAROLINA  
ASHEVILLE RGNL (AVL)




07018

AIRPORT DIAGRAM

AL-983 (FAA)

ATHENS/ BEN EPPS (AHN)  
ATHENS, GEORGIA



AIRPORT DIAGRAM

07018

ATHENS, GEORGIA  
ATHENS/ BEN EPPS (AHN)




09127

## AIRPORT DIAGRAM

ATLANTA/ COBB COUNTY-McCOLLUM FIELD (RYY)  
AL-6424 (FAA)

ATLANTA, GEORGIA



## AIRPORT DIAGRAM

09127

ATLANTA, GEORGIA  
ATLANTA/ COBB COUNTY-McCOLLUM FIELD (RYY)








09239

## AIRPORT DIAGRAM

ATLANTA/FULTON COUNTY AIRPORT-BROWN FIELD (F'TY)  
AL-745 (FAA)

ATLANTA, GEORGIA



## AIRPORT DIAGRAM

09239

ATLANTA, GEORGIA  
ATLANTA/FULTON COUNTY AIRPORT-BROWN FIELD (F'TY)








09071

## AIRPORT DIAGRAM

AL-27 (FAA)

AUGUSTA RGNL AT BUSH FIELD (AGS)

AUGUSTA, GEORGIA



## AIRPORT DIAGRAM

09071

AUGUSTA, GEORGIA  
AUGUSTA RGNL AT BUSH FIELD (AGS)




09071

AIRPORT DIAGRAM

AL-5838 (FAA)

BARTOW MUNI (BOW)

BARTOW, FLORIDA



AIRPORT DIAGRAM

09071

BARTOW MUNI (BOW)

BARTOW, FLORIDA




08325

## AIRPORT DIAGRAM

AFD-916 [USN]

BEAUFORT MCAS (MERRITT FIELD) (KNBC)

BEAUFORT, SOUTH CAROLINA



## AIRPORT DIAGRAM

BEAUFORT, SOUTH CAROLINA

BEAUFORT MCAS (MERRITT FIELD) (KNBC)




09295

## AIRPORT DIAGRAM

BIRMINGHAM-SHUTTLESWORTH INTL (BHM)

AL-50 (FAA)

BIRMINGHAM, ALABAMA



## AIRPORT DIAGRAM

09295

BIRMINGHAM, ALABAMA  
BIRMINGHAM-SHUTTLESWORTH INTL (BHM)



09183


## AIRPORT DIAGRAM

AL-560 (FAA)

BOCA RATON (BCT)  
BOCA RATON, FLORIDA

AWOS-3  
121.125  
BOCA RATON TOWER ★  
118.425  
GND CON  
121.8  
CLNC DEL  
121.8  
127.35 (When Tower Closed)

D



## AIRPORT DIAGRAM

09183

BOCA RATON, FLORIDA  
BOCA RATON (BCT)




07298

## AIRPORT DIAGRAM

BRISTOL/TRI-CITIES RGNL TN/VA (TRI)  
BRISTOL-JOHNSON-KINGSPORT, TENNESSEE

AL-426 (FAA)



## AIRPORT DIAGRAM

07298

BRISTOL-JOHNSON-KINGSPORT, TENNESSEE  
BRISTOL/TRI-CITIES RGNL TN/VA (TRI)




09015

## AIRPORT DIAGRAM

[USA] AFD-577

CAIRNS AAF (KOZR)

FORT RUCKER, ALABAMA



## AIRPORT DIAGRAM

FORT RUCKER, ALABAMA

CAIRNS AAF (KOZR)




07186

## AIRPORT DIAGRAM

AFD-679 [USA]

CAMPBELL AAF (KHOP)

FORT CAMPBELL, KENTUCKY



AIRPORT DIAGRAM

WGS-84 DATUM

FORT CAMPBELL, KENTUCKY  
CAMPBELL AAF (KHOP)




06159

CAPE CANAVERAL AFS SKID STRIP (KXMR)

## AIRPORT DIAGRAM

AFD-5157 [USAF]

COCOA BEACH, FLORIDA



## AIRPORT DIAGRAM

COCOA BEACH, FLORIDA


CAPE CANAVERAL AFS SKID STRIP (KXMR)



09351

## AIRPORT DIAGRAM

AL-76 (FAA)

CHARLESTON AFB/INTL (CHS)  
CHARLESTON, SOUTH CAROLINA

## AIRPORT DIAGRAM

09351


CHARLESTON, SOUTH CAROLINA  
CHARLESTON AFB/INTL (CHS)



09183

## AIRPORT DIAGRAM

CHARLOTTE AMAIE/ CYRIL E KING (STT)(TIST)  
AL-5005 (FAA) ST. THOMAS, VIRGIN ISLANDS



## AIRPORT DIAGRAM

09183

ST. THOMAS, VIRGIN ISLANDS  
CHARLOTTE AMAIE/ CYRIL E KING (STT)(TIST)




09351

## AIRPORT DIAGRAM

AL-78 (FAA)

CHARLOTTE/DOUGLAS INTL (CLT)

CHARLOTTE, NORTH CAROLINA






09295

## AIRPORT DIAGRAM

AL-79 (FAA)

CHATTANOOGA/LOVELL FIELD (CHA)  
CHATTANOOGA, TENNESSEE

## AIRPORT DIAGRAM

09295

CHATTANOOGA, TENNESSEE  
CHATTANOOGA/LOVELL FIELD (CHA)




09071

## AIRPORT DIAGRAM

AFD-471 [USN]

CHERRY POINT MCAS (KNKT)

CHERRY POINT, NORTH CAROLINA



## AIRPORT DIAGRAM

CHERRY POINT, NORTH CAROLINA  
CHERRY POINT MCAS (KNKT)




09183

# AIRPORT DIAGRAM

CHRISTIANSTED, ST. CROIX/HENRY E ROHLSSEN (STX)(TISX)

AL-5008 (FAA)

CHRISTIANSTED, ST. CROIX, VIRGIN ISLANDS



AIRPORT DIAGRAM

09183

CHRISTIANSTED, ST. CROIX/HENRY E ROHLSSEN (STX)(TISX)


CHRISTIANSTED, ST. CROIX, VIRGIN ISLANDS



09015

## AIRPORT DIAGRAM

AL-89 (FAA)

COLUMBIA METROPOLITAN (CAE)  
COLUMBIA, SOUTH CAROLINA

## AIRPORT DIAGRAM

09015


COLUMBIA, SOUTH CAROLINA  
COLUMBIA METROPOLITAN (CAE)



09071

## AIRPORT DIAGRAM

AL-636 (FAA)

COLUMBUS METROPOLITAN (CSG)  
COLUMBUS, GEORGIA

## AIRPORT DIAGRAM

09071


COLUMBUS, GEORGIA  
COLUMBUS METROPOLITAN (CSG)



09239

## AIRPORT DIAGRAM

AL-9155 (FAA)

CONCORD RGNL (JQF)  
CONCORD, NORTH CAROLINA

## AIRPORT DIAGRAM

09239

CONCORD, NORTH CAROLINA  
CONCORD RGNL (JQF)




08325

## AIRPORT DIAGRAM

COVINGTON/ CINCINNATI/NORTHERN KENTUCKY INTL (CVG)

AL-655 (FAA)

COVINGTON, KENTUCKY



## AIRPORT DIAGRAM

08325

COVINGTON/ CINCINNATI/NORTHERN KENTUCKY INTL (CVG)




09127

# AIRPORT DIAGRAM

AL-110 (FAA)

DAYTONA BEACH INTL (DAB)  
DAYTONA BEACH, FLORIDA



# AIRPORT DIAGRAM

09127

DAYTONA BEACH, FLORIDA  
DAYTONA BEACH INTL (DAB)




09351

# AIRPORT DIAGRAM

AFD-959 [USAF]

DOBBINS ARB (KMGE)

MARIETTA, GEORGIA



## AIRPORT DIAGRAM

MAR|ETTA, GEORGIA


DOBBINS ARB (KMGE)



09295

## AIRPORT DIAGRAM

AL-123 (FAA)

DOTHAN RGNL (DHN)  
DOTHAN, ALABAMA

## AIRPORT DIAGRAM

09295

DOTHAN, ALABAMA  
DOTHAN RGNL (DHN)




08101

## AIRPORT DIAGRAM

AFD-699 [USAF]

DUKE FLD (EGLIN AF AUX NR3) (KEGI)

VALPARAISO, FLORIDA



## AIRPORT DIAGRAM

VALPARAISO, FLORIDA

DUKE FLD (EGLIN AF AUX NR3) (KEGI)




09239

## AIRPORT DIAGRAM

AFD-436 [USAF]

EGLIN AFB (KVPS)

VALPARAISO, FLORIDA



## AIRPORT DIAGRAM

VALPARAISO, FLORIDA

EGLIN AFB (KVPS)




09295

## AIRPORT DIAGRAM

ELIZABETH CITY COAST GUARD AIR STATION/RGNL (ECG)  
AL-617 (FAA)

ELIZABETH CITY, NORTH CAROLINA



## AIRPORT DIAGRAM

09295

ELIZABETH CITY, NORTH CAROLINA  
ELIZABETH CITY COAST GUARD AIR STATION/RGNL (ECG)




09239

FAYETTEVILLE RGNL/GRANNIS FIELD (FAY)

# AIRPORT DIAGRAM

AL-690 (FAA)

FAYETTEVILLE, NORTH CAROLINA



# AIRPORT DIAGRAM

FAYETTEVILLE, NORTH CAROLINA

FAYETTEVILLE RGNL/GRANNIS FIELD (FAY)


09239



09295

AIRPORT DIAGRAM

FERNANDINA BEACH MUNI (FHB)  
FERNANDINA BEACH, FLORIDA



AIRPORT DIAGRAM

09295

FERNANDINA BEACH, FLORIDA  
FERNANDINA BEACH MUNI (FHB)




09015

# AIRPORT DIAGRAM

AL-145 (FAA)

FLORENCE RGNL (FLO)  
FLORENCE, SOUTH CAROLINA



# AIRPORT DIAGRAM

09015


FLORENCE, SOUTH CAROLINA  
FLORENCE RGNL (FLO)



09239

## AIRPORT DIAGRAM

AL-5942 (FAA)

FORT LAUDERDALE EXECUTIVE (FXXE)  
FORT LAUDERDALE, FLORIDA

## AIRPORT DIAGRAM

09239

FORT LAUDERDALE, FLORIDA  
FORT LAUDERDALE EXECUTIVE (FXXE)




09351

## AIRPORT DIAGRAM

FORT LAUDERDALE-HOLLYWOOD INTL (FLL)  
AA) FORT LAUDERDALE, FLORIDA

AL-744 (FAA)



## AIRPORT DIAGRAM

09351

FORT LAUDERDALE, FLORIDA  
FORT LAUDERDALE-HOLLYWOOD INTL (FLL)




09239

## AIRPORT DIAGRAM

AL-154 (FAA)

FORT MYERS /PAGE FIELD (FMY)

FORT MYERS, FLORIDA



## AIRPORT DIAGRAM

09239


FORT MYERS, FLORIDA  
FORT MYERS /PAGE FIELD (FMY)



09183

# AIRPORT DIAGRAM

FORT MYERS/SOUTHWEST FLORIDA INTL (RSW)  
AL-6757 (FAA) FORT MYERS, FLORIDA



# AIRPORT DIAGRAM

09183

FORT MYERS, FLORIDA  
FORT MYERS/SOUTHWEST FLORIDA INTL (RSW)




09295

## AIRPORT DIAGRAM

FORT PIERCE/ST. LUCIE COUNTY INTL (FPR)  
AL-5343 (FAA)

FORT PIERCE, FLORIDA



## AIRPORT DIAGRAM

09295

FORT PIERCE, FLORIDA  
FORT PIERCE/ST. LUCIE COUNTY INTL (FPR)




09351

FORT STEWART(HINESVILLE)/ WRIGHT AAF(FORT STEWART)/MIDCOAST RGNL(LHW)

## AIRPORT DIAGRAM

AL-5170 (FAA)

FORT STEWART(HINESVILLE), GEORGIA



## AIRPORT DIAGRAM

FORT STEWART(HINESVILLE), GEORGIA

09351


FORT STEWART(HINESVILLE)/ WRIGHT AAF(FORT STEWART)/MIDCOAST RGNL(LHW)



08157

## AIRPORT DIAGRAM

AL-973 (FAA)

GAINESVILLE RGNL (GNV)  
GAINESVILLE, FLORIDA

## AIRPORT DIAGRAM

08157

GAINESVILLE, FLORIDA  
GAINESVILLE RGNL (GNV)



09351

## AIRPORT DIAGRAM

GREENSBORO/PIEDMONT TRIAD INTL (GSO)


AL-178 (FAA)

GREENSBORO, NORTH CAROLINA

ATIS  
128.55  
GREENSBORO TOWER  
119.1 290.325  
GND CON  
121.9 348.6  
CLNC DEL  
121.75

D

JANUARY 2005  
ANNUAL RATE OF CHANGE  
0.0° W



RWY 5L-23R  
S124, D170, DT240  
RWY 5R-23L  
S124, D170, ST175, DT240  
RWY 14-32  
S123, D170, ST175, DT244

CAUTION: BE ALERT TO RUNWAY  
CROSSING CLEARANCES.  
READBACK OF ALL RUNWAY  
HOLDING INSTRUCTIONS  
IS REQUIRED.

## AIRPORT DIAGRAM

09351

GREENSBORO, NORTH CAROLINA  
GREENSBORO/PIEDMONT TRIAD INTL (GSO)








09071

# AIRPORT DIAGRAM

GREENVILLE/ DONALDSON CENTER (GYH)

GREENVILLE, SOUTH CAROLINA



# AIRPORT DIAGRAM

GREENVILLE, SOUTH CAROLINA

GREENVILLE/ DONALDSON CENTER (GYH)


09071



09183

## AIRPORT DIAGRAM

AL-180 (FAA)

GREENVILLE DOWNTOWN (GMU)  
GREENVILLE, SOUTH CAROLINA

## AIRPORT DIAGRAM

09183

GREENVILLE, SOUTH CAROLINA  
GREENVILLE DOWNTOWN (GMU)




07298

## AIRPORT DIAGRAM

GREER/GREENVILLE-SPARTANBURG INTL-ROGER MILLIKEN (GSP)  
AL-5124 (FAA)

GREER, SOUTH CAROLINA



## AIRPORT DIAGRAM

GREER, SOUTH CAROLINA  
GREER/GREENVILLE-SPARTANBURG INTL-ROGER MILLIKEN (GSP)


07298



09239

## AIRPORT DIAGRAM

AL-706 (FAA)

HICKORY RGNL (HKY)  
HICKORY, NORTH CAROLINA

## AIRPORT DIAGRAM

09239

HICKORY, NORTH CAROLINA  
HICKORY RGNL (HKY)




09239

## AIRPORT DIAGRAM

AL-5606 (FAA)

HOLLYWOOD /NORTH PERRY (HWO)

HOLLYWOOD, FLORIDA



## AIRPORT DIAGRAM

09239

HOLLYWOOD, FLORIDA  
HOLLYWOOD /NORTH PERRY (HWO)




08241

## AIRPORT DIAGRAM

AFD-494 [USAF]

HOMESTEAD ARB (KHST)

HOMESTEAD, FLORIDA



## AIRPORT DIAGRAM

HOMESTEAD, FLORIDA  
HOMESTEAD ARB (KHST)



09351


## AIRPORT DIAGRAM

AFD-381 [USA]

HUNTER AAF (KSVN)

SAVANNAH, GEORGIA

ATIS 127.525 323.125  
 HUNTER TOWER ★  
 124.975 279.575  
 GND CON  
 121.8 291.675



## AIRPORT DIAGRAM

SAVANNAH, GEORGIA  
 HUNTER AAF (KSVN)




09351

## AIRPORT DIAGRAM

HUNTSVILLE INTL-CARL T. JONES FIELD (HSV)  
HUNTSVILLE, ALABAMA

AL-5488 (FAA)



## AIRPORT DIAGRAM

HUNTSVILLE, ALABAMA  
HUNTSVILLE INTL-CARL T. JONES FIELD (HSV)

09351




09015

# AIRPORT DIAGRAM

AFD-734 [USAF]

HURLBURT FLD (KHRT)

MARY ESTHER, FLORIDA



# AIRPORT DIAGRAM

MARY ESTHER, FLORIDA  
HURLBURT FLD (KHRT)



08325


## AIRPORT DIAGRAM

JACKSON/McKELLAR-SIPES RGNL (MKL)

AL-5062 (FAA)

JACKSON, TENNESSEE

JACKSON TOWER ★  
 127.15 249.95  
 GND CON  
 120.9



## AIRPORT DIAGRAM

08325

JACKSON, TENNESSEE  
 JACKSON/McKELLAR-SIPES RGNL (MKL)



JACKSONVILLE, FLORIDA

31° 40' W

SE, 17 DEC 2009 to 11 FEB 2010



08157

## AIRPORT DIAGRAM


AL-998 (FAA)

JACKSONVILLE/ CECIL FIELD (VQQ)

JACKSONVILLE, FLORIDA

ATIS 125.275  
 CECIL TOWER ★  
 126.1 387.025  
 GND CON  
 121.625 384.4  
 CLNC DEL 121.625  
 GCO 121.725

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.  
 READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.



## AIRPORT DIAGRAM


08157

JACKSONVILLE, FLORIDA  
 JACKSONVILLE/ CECIL FIELD (VQQ)



# AIRPORT DIAGRAM

JACKSONVILLE/CRAIG MUNI (CRG)  
JACKSONVILLE, FLORIDA



## AIRPORT DIAGRAM

JACKSONVILLE, FLORIDA  
JACKSONVILLE/ CRAIG MUNI (CRG)




08269

## AIRPORT DIAGRAM

AL-5570 (FAA)

JACKSONVILLE INTL (JAX)

JACKSONVILLE, FLORIDA



## AIRPORT DIAGRAM

08269

JACKSONVILLE, FLORIDA  
JACKSONVILLE INTL (JAX)




06215

AIRPORT DIAGRAM

AL-606 (FAA)

KEY WEST INTL (EYW)  
KEY WEST, FLORIDA



AIRPORT DIAGRAM

06215








07298

# AIRPORT DIAGRAM

KINSTON RGNL JETPORT AT STALLINGS FIELD (ISO)  
AL-5038 (FAA)  
KINSTON, NORTH CAROLINA



# AIRPORT DIAGRAM

07298

KINSTON, NORTH CAROLINA  
KINSTON RGNL JETPORT AT STALLINGS FIELD (ISO)








07354

# AIRPORT DIAGRAM

LAKELAND LINDER RGNL (LAL)  
LAKELAND, FLORIDA

AL-939 (FAA)



# AIRPORT DIAGRAM

07354

LAKELAND, FLORIDA  
LAKELAND LINDER RGNL (LAL)




07130

## AIRPORT DIAGRAM

LAWRENCEVILLE/GWINNETT COUNTY-BRISCOE FIELD (LZU)  
AL-5385 (FAA)

LAWRENCEVILLE, GEORGIA



## AIRPORT DIAGRAM

07130

LAWRENCEVILLE, GEORGIA  
LAWRENCEVILLE/GWINNETT COUNTY-BRISCOE FIELD (LZU)




07074

## AIRPORT DIAGRAM

LAWSON AAF (KLSF)

AFD-146 [USA]

FT. BENNING (COLUMBUS), GEORGIA



## AIRPORT DIAGRAM

FT. BENNING (COLUMBUS), GEORGIA


LAWSON AAF (KLSF)



09295

## AIRPORT DIAGRAM

AL-6676 (FAA)

LEESBURG INTL (LEE)  
LEESBURG, FLORIDA

## AIRPORT DIAGRAM

09295

LEESBURG, FLORIDA  
LEESBURG INTL (LEE)




09351

AIRPORT DIAGRAM

AL-697 (FAA)

LEXINGTON /BLUE GRASS (LEX)  
LEXINGTON, KENTUCKY



AIRPORT DIAGRAM

09351

LEXINGTON, KENTUCKY  
LEXINGTON /BLUE GRASS (LEX)



09351

## AIRPORT DIAGRAM


LOUISVILLE/BOWMAN FIELD (LOU)  
LOUISVILLE, KENTUCKY

ATIS  
112.2  
BOWMAN TOWER ★  
119.5 257.625  
GND CON  
121.8  
CLNC DEL  
118.9

D

AL-238 (FAA)

JANUARY 2005  
ANNUAL RATE OF CHANGE  
0.1° W



## AIRPORT DIAGRAM

LOUISVILLE, KENTUCKY  
LOUISVILLE/BOWMAN FIELD (LOU)

09351



LOUISVILLE, KENTUCKY






09295

## AIRPORT DIAGRAM

AFD-418 [USAF]

MACDILL AFB (KMCF)

TAMPA, FLORIDA



## AIRPORT DIAGRAM

TAMPA, FLORIDA  
MACDILL AFB (KMCF)




09351

## AIRPORT DIAGRAM

MACON/ MIDDLE GEORGIA RGNL (MCN)

AL-243 (FAA)

MACON, GEORGIA




## AIRPORT DIAGRAM

09351

MACON, GEORGIA  
MACON/ MIDDLE GEORGIA RGNL (MCN)





AIRPORT DIAGRAM

MANTEO, NORTH CAROLINA  
MANTEO/ DARE COUNTY RGNL (MQI)

09239




09295

## AIRPORT DIAGRAM

AFD-274 [USAF]

MAXWELL AFB (KMXF)

MONTGOMERY, ALABAMA



## AIRPORT DIAGRAM

 MONTGOMERY, ALABAMA  
 MAXWELL AFB (KMXF)




07074

## AIRPORT DIAGRAM

MAYAGUEZ/EUGENIO MARIA DE HOSTOS (MAZ)(TJMZ)  
AL-5328 (FAA)

MAYAGUEZ, PUERTO RICO



## AIRPORT DIAGRAM

07074

MAYAGUEZ, PUERTO RICO  
MAYAGUEZ/EUGENIO MARIA DE HOSTOS (MAZ)(TJMZ)



09127


## AIRPORT DIAGRAM

MAYPORT NS (ADM DAVID L. MCDONALD FLD) (KNRB)

AFD-722 [USN]

MAYPORT, FLORIDA

ATIS ★ 267.6  
 MAYPORT TOWER ★  
 118.75 239.3  
 GND CON  
 126.5 233.7



## AIRPORT DIAGRAM

MAYPORT, FLORIDA

MAYPORT NS (ADM DAVID L. MCDONALD FLD) (KNRB)




09127

## AIRPORT DIAGRAM

AFD-951 [USAF]

MC ENTIRE JNGB (KMMT)

EASTOVER, SOUTH CAROLINA



## AIRPORT DIAGRAM


EASTOVER, SOUTH CAROLINA  
MC ENTIRE JNGB (KMMT)



09015

## AIRPORT DIAGRAM

AL-252 (FAA)

MELBOURNE INTL (MLB)  
MELBOURNE, FLORIDA

## AIRPORT DIAGRAM

09015

MELBOURNE, FLORIDA  
MELBOURNE INTL (MLB)








09351

# AIRPORT DIAGRAM

AL-5349 (FAA)

MIAMI/KENDALL-TAMIAMI EXECUTIVE (TMB)  
MIAMI, FLORIDA



CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES  
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

# AIRPORT DIAGRAM

09351

MIAMI, FLORIDA  
MIAMI/KENDALL-TAMIAMI EXECUTIVE (TMB)








09351

# AIRPORT DIAGRAM

MIAMI/OPA LOCKA EXECUTIVE (OPF)  
MIAMI, FLORIDA



# AIRPORT DIAGRAM

09351


MIAMI, FLORIDA  
MIAMI/OPA LOCKA EXECUTIVE (OPF)



07298

## AIRPORT DIAGRAM

AL-268 (FAA)

MOBILE DOWNTOWN (BFM)  
MOBILE, ALABAMA

## AIRPORT DIAGRAM

07298


MOBILE, ALABAMA  
MOBILE DOWNTOWN (BFM)



08101

# AIRPORT DIAGRAM

MOBILE RGNL (MOB)  
MOBILE, ALABAMA



# AIRPORT DIAGRAM


08101

MOBILE, ALABAMA  
MOBILE RGNL (MOB)



09071

## AIRPORT DIAGRAM



## AIRPORT DIAGRAM

09071

MONTGOMERY, ALABAMA  
MONTGOMERY RGNL (DANNELLY FIELD)(MGM)




09015

## AIRPORT DIAGRAM

AFD-435 [USAF]

MOODY AFB (KVAD)

VALDOSTA, GEORGIA



## AIRPORT DIAGRAM

VALDOSTA, GEORGIA

MOODY AFB (KVAD)


SE, 17 DEC 2009 to 11 FEB 2010



09351

## AIRPORT DIAGRAM

AL-280 (FAA)

MYRTLE BEACH INTL (MYR)  
MYRTLE BEACH, SOUTH CAROLINA

## AIRPORT DIAGRAM

09351


MYRTLE BEACH, SOUTH CAROLINA  
MYRTLE BEACH INTL (MYR)



09127

## AIRPORT DIAGRAM

AL-6020 (FAA)

NAPLES MUNI (APF)  
NAPLES, FLORIDA

## AIRPORT DIAGRAM

09127

NAPLES, FLORIDA  
NAPLES MUNI (APF)







09183

## AIRPORT DIAGRAM

NEW BERN/COASTAL CAROLINA RGNL (E'W'N')  
AL-670 (FAA) NEW BERN, NORTH CAROLINA

ASOS

118.525

NEW BERN TOWER ★

124.25

GND CON


121.7

CLNC DEL

121.7

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.

READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.



## AIRPORT DIAGRAM

09183

NEW BERN, NORTH CAROLINA  
NEW BERN/COASTAL CAROLINA RGNL (E'W'N')




08325

## AIRPORT DIAGRAM

AFD-732 [USN]

NEW RIVER MCAS (KNCA)  
JACKSONVILLE, NORTH CAROLINA



# AIRPORT DIAGRAM


JACKSONVILLE, NORTH CAROLINA  
NEW RIVER MCAS (KNCA)



09295

## AIRPORT DIAGRAM

AL-6459 (FAA)

NEW SMYRNA BEACH MUNI (EVB)  
NEW SMYRNA BEACH, FLORIDA

## AIRPORT DIAGRAM

09295

NEW SMYRNA BEACH, FLORIDA  
NEW SMYRNA BEACH MUNI (EVB)



08213


## AIRPORT DIAGRAM

NORTH MYRTLE BEACH/GRAND STRAND (CRE)

AL-5097 (FAA)

NORTH MYRTLE BEACH, SOUTH CAROLINA

ATIS 119.625  
 STRAND TOWER ★  
 124.6 257.6  
 GND CON  
 121.8 257.6



## AIRPORT DIAGRAM

08213

33° 49' N - 78° 44' W

NORTH MYRTLE BEACH, SOUTH CAROLINA


NORTH MYRTLE BEACH/GRAND STRAND (CRE)



09239

## AIRPORT DIAGRAM

AL-305 (FAA)

ORLANDO/EXECUTIVE (ORL)  
ORLANDO, FLORIDA

## AIRPORT DIAGRAM

09239

ORLANDO, FLORIDA  
ORLANDO/EXECUTIVE (ORL)




09127

## AIRPORT DIAGRAM

 ORLANDO/KISSIMMEE GATEWAY (ISM)  
 AL-5793 (FAA)

ORLANDO, FLORIDA



## AIRPORT DIAGRAM

09127

 ORLANDO, FLORIDA  
 ORLANDO/KISSIMMEE GATEWAY (ISM)








09071

# AIRPORT DIAGRAM

AL-917 (FAA)

ORLANDO SANFORD INTL (SFB)

ORLANDO, FLORIDA



# AIRPORT DIAGRAM

09071

ORLANDO, FLORIDA

ORLANDO SANFORD INTL (SFB)




08157

## AIRPORT DIAGRAM

AL-5459 (FAA)

ORMOND BEACH MUNI (OMN)  
ORMOND BEACH, FLORIDA

ATIS 118.475  
ORMOND BEACH TOWER ★  
119.075  
GND CON 121.625  
CLNC DEL 121.625



## AIRPORT DIAGRAM

08157

ORMOND BEACH, FLORIDA  
ORMOND BEACH MUNI (OMN)




09071

## AIRPORT DIAGRAM

AL-707 (FAA)

OWENSBORO-DAVISS COUNTY (OWB)

OWENSBORO, KENTUCKY



## AIRPORT DIAGRAM


09071

OWENSBORO, KENTUCKY  
OWENSBORO-DAVISS COUNTY (OWB)



09071

## AIRPORT DIAGRAM

PADUCAH/BARKLEY RGNL (PAH)  
PADUCAH, KENTUCKY

## AIRPORT DIAGRAM

09071

PADUCAH, KENTUCKY  
PADUCAH/BARKLEY RGNL (PAH)




09183

## AIRPORT DIAGRAM

PANAMA CITY-BAY COUNTY INTL (PF'N)  
PANAMA CITY, FLORIDA

AL-695 (FAA)



## AIRPORT DIAGRAM

09183

PANAMA CITY, FLORIDA  
PANAMA CITY-BAY COUNTY INTL (PF'N)




07186

# AIRPORT DIAGRAM

AFD-38 [USAF]

PATRICK AFB (KCOF)

COCOA BEACH, FLORIDA



# AIRPORT DIAGRAM

COCOA BEACH, FLORIDA

PATRICK AFB (KCOF)








07354

## AIRPORT DIAGRAM

AL-318 (FAA)

PENSACOLA RGNL (PNS)  
PENSACOLA, FLORIDA

## AIRPORT DIAGRAM

07354

PENSACOLA, FLORIDA  
PENSACOLA RGNL (PNS)




06215

## AIRPORT DIAGRAM

POMPAN0 BEACH AIRPARK (PMP)  
POMPAN0 BEACH, FLORIDA

AL-5972 (FAA)



## AIRPORT DIAGRAM

POMPAN0 BEACH, FLORIDA  
POMPAN0 BEACH AIRPARK (PMP)


06215



09183

## AIRPORT DIAGRAM

AFD-147 [USAF]

POPE AFB (KPOB)  
FAYETTEVILLE, NORTH CAROLINA

## AIRPORT DIAGRAM

WGS 84

FAYETTEVILLE, NORTH CAROLINA  
POPE AFB (KPOB)







09239


# AIRPORT DIAGRAM

AFD-703 [USA]

REDSTONE AAF (KHUA)

REDSTONE ARSENAL, ALABAMA

REDSTONE TOWER  
126.95 (CTAF) 290.275



# AIRPORT DIAGRAM

REDSTONE ARSENAL, ALABAMA

REDSTONE AAF (KHUA)




09351

## AIRPORT DIAGRAM

AFD-442 [USAF]

ROBINS AFB (KWRB)

WARNER ROBINS, GEORGIA



## AIRPORT DIAGRAM

WARNER ROBINS, GEORGIA


ROBINS AFB (KWRB)



09071

## AIRPORT DIAGRAM

AL-855 (FAA)

ROME/ RICHARD B. RUSSELL (RMG)  
ROME, GEORGIA

## AIRPORT DIAGRAM

09071

ROME, GEORGIA  
ROME/ RICHARD B. RUSSELL (RMG)








09183

## AIRPORT DIAGRAM

AL-692 (FAA)

ST. AUGUSTINE (SGJ)  
ST. AUGUSTINE, FLORIDA

## AIRPORT DIAGRAM

09183

ST. AUGUSTINE, FLORIDA  
ST. AUGUSTINE (SGJ)




09015

## AIRPORT DIAGRAM

AL-613 (FAA)

ST. PETERSBURG/ALBERT WHITTED (SPG)

ST. PETERSBURG, FLORIDA



## AIRPORT DIAGRAM

09015


ST. PETERSBURG, FLORIDA  
ST. PETERSBURG/ALBERT WHITTED (SPG)



# AIRPORT DIAGRAM

ST. PETERSBURG-CLEARWATER INTL (PIE)  
ST. PETERSBURG-CLEARWATER, FLORIDA

AL-625 (FAA)



## AIRPORT DIAGRAM

09015


ST. PETERSBURG-CLEARWATER, FLORIDA  
ST. PETERSBURG-CLEARWATER INTL (PIE)



09295

## AIRPORT DIAGRAM

SAN JUAN/ FERNANDO LUIS RIBAS DOMINICCI (SIG)(TJIG)  
AL-1019 (FAA) SAN JUAN, PUERTO RICO



## AIRPORT DIAGRAM

09295


SAN JUAN, PUERTO RICO  
SAN JUAN/ FERNANDO LUIS RIBAS DOMINICCI (SIG)(TJIG)



09295

# AIRPORT DIAGRAM

SAN JUAN/ LUIS MUNOZ MARIN INTL (SJU)(TJSJ)  
AL-784 (FAA)  
SAN JUAN, PUERTO RICO



# AIRPORT DIAGRAM


09295

SAN JUAN, PUERTO RICO  
SAN JUAN/ LUIS MUNOZ MARIN INTL (SJU)(TJSJ)



09351

## AIRPORT DIAGRAM

SARASOTA/BRADENTON INTL(SRQ)  
SARASOTA (BRADENTON), FLORIDA

## AIRPORT DIAGRAM

09351

SARASOTA (BRADENTON), FLORIDA  
SARASOTA/BRADENTON INTL(SRQ)




09183

## AIRPORT DIAGRAM

SAVANNAH/HILTON HEAD INTL (SAV)  
SAVANNAH, GEORGIA

AL-380 (FAA)



## AIRPORT DIAGRAM

09183

SAVANNAH, GEORGIA  
SAVANNAH/HILTON HEAD INTL (SAV)




09071

## AIRPORT DIAGRAM

AFD-169 [USAF]

SEYMOUR JOHNSON AFB (KGSB)

GOLDSBORO, NORTH CAROLINA



## AIRPORT DIAGRAM

GOLDSBORO, NORTH CAROLINA

SEYMOUR JOHNSON AFB (KGSB)




09295

## AIRPORT DIAGRAM

AFD-409 [USAF]

SHAW AFB (KSSC)

SUMTER, SOUTH CAROLINA



## AIRPORT DIAGRAM

SUMTER, SOUTH CAROLINA

SHAW AFB (KSSC)

SE, 17 DEC 2009 to 11 FEB 2010




08269

## AIRPORT DIAGRAM

AFD-5069 [USA]

SIMMONS AAF (KFBG)

FORT BRAGG, NORTH CAROLINA



## AIRPORT DIAGRAM

FORT BRAGG, NORTH CAROLINA

SIMMONS AAF (KFBG)




09351

# AIRPORT DIAGRAM

AL-895 (FAA)

SMYRNA (MQY)  
SMYRNA, TENNESSEE



# AIRPORT DIAGRAM

09351


SMYRNA, TENNESSEE  
SMYRNA (MQY)



09239

## AIRPORT DIAGRAM

AL-9217 (FAA)

STUART/WITHAM FIELD (SUA)  
STUART, FLORIDA

## AIRPORT DIAGRAM

09239


STUART, FLORIDA  
STUART/WITHAM FIELD (SUA)



07354

## AIRPORT DIAGRAM

AL-5048 (FAA)

TALLAHASSEE RGNL (TLH)  
TALLAHASSEE, FLORIDA

## AIRPORT DIAGRAM

07354

TALLAHASSEE, FLORIDA  
TALLAHASSEE RGNL (TLH)




09183

## AIRPORT DIAGRAM

AL-9241 (FAA)

TAMPA EXECUTIVE (VDF)

TAMPA, FLORIDA



## AIRPORT DIAGRAM

09183

TAMPA EXECUTIVE (VDF)

TAMPA, FLORIDA




09183

## AIRPORT DIAGRAM

AL-416 (FAA)

TAMPA INTL (TPA)

TAMPA, FLORIDA



## AIRPORT DIAGRAM

09183


TAMPA, FLORIDA  
TAMPA INTL (TPA)



09295

## AIRPORT DIAGRAM

AL-5760 (FAA)

TITUSVILLE/SPACE COAST RGNL (TIX)  
TITUSVILLE, FLORIDA

## AIRPORT DIAGRAM

09295

TITUSVILLE, FLORIDA  
TITUSVILLE/ SPACE COAST RGNL (TIX)








09295

## AIRPORT DIAGRAM

TYNDALL AFB (KPAM)

PANAMA CITY, FLORIDA



## AIRPORT DIAGRAM

PANAMA CITY, FLORIDA

TYNDALL AFB (KPAM)



09127

## AIRPORT DIAGRAM


AL-892 (FAA)

VALDOSTA RGNL (VLD)

VALDOSTA, GEORGIA

VALDOSTA TOWER ★  
120.9  
GND CON  
121.7

VAR 4.3° W  
JANUARY 2005  
ANNUAL RATE OF CHANGE  
0.1° W



## AIRPORT DIAGRAM

09127

VALDOSTA, GEORGIA  
VALDOSTA RGNL (VLD)




08325

AIRPORT DIAGRAM

AL-437 (FAA)

VERO BEACH MUNI (VRB)

VERO BEACH, FLORIDA



AIRPORT DIAGRAM

08325

VERO BEACH, FLORIDA  
VERO BEACH MUNI (VRB)




09351

# AIRPORT DIAGRAM

WEST PALM BEACH/PALM BEACH INTL (PBI)  
WEST PALM BEACH, FLORIDA

AL-449 (FAA)



# AIRPORT DIAGRAM

WEST PALM BEACH, FLORIDA  
WEST PALM BEACH/PALM BEACH INTL (PBI)

09351




09295

WHITING FLD NAS (NORTH) (KNSE)

## AIRPORT DIAGRAM

AFD-602 [USN]

MILTON, FLORIDA



## AIRPORT DIAGRAM

 MILTON, FLORIDA  
 WHITING FLD NAS (NORTH) (KNSE)

SE, 17 DEC 2009 to 11 FEB 2010




09295

## AIRPORT DIAGRAM

AFD-1909 [USN]

WHITING FLD NAS (SOUTH) (KNDZ)

MILTON, FLORIDA



## AIRPORT DIAGRAM

MILTON, FLORIDA


WHITING FLD NAS (SOUTH) (KNDZ)



09295

## AIRPORT DIAGRAM

AL-459 (FAA)

WILMINGTON INTL (ILM)  
WILMINGTON, NORTH CAROLINA

## AIRPORT DIAGRAM

09295

WILMINGTON, NORTH CAROLINA  
WILMINGTON INTL (ILM)




09295

## AIRPORT DIAGRAM

WINSTON-SALEM /SMITH REYNOLDS (INT')  
WINSTON-SALEM, NORTH CAROLINA

AL-463 (FAA)




## AIRPORT DIAGRAM

09295

WINSTON-SALEM, NORTH CAROLINA  
WINSTON-SALEM /SMITH REYNOLDS (INT')



NATIONAL WEATHER SERVICE (NWS)  
UPPER AIR OBSERVING STATIONS (UAOS)  
AND  
WEATHER RADAR NETWORK



LEGEND

- △ AVIATION WEATHER SERVICE (MILITARY)
- ▲ AIR TRAFFIC CONTROL RADAR
- ★ UPPER AIR OBSERVING STATION/RADAR
- RADAR ONLY
- UAOS-BALLOON RELEASE AROUND 1100 UTC AND 2300 UTC DAILY
- OTHER NWS UPPER AIR STATIONS-BALLOON RELEASE TIMES ARE FLEXIBLE BUT GENERALLY AROUND SUNRISE AND/OR EARLY AFTERNOON

NOTE: FOR RELEASE LATER THAN 1130 UTC AND 2330 UTC, AND FOR SPECIAL RELEASES AT OTHER THAN THE SCHEDULED HOURS, AN AERONAUTICAL INFORMATION MESSAGE WILL BE FILED.